



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	153	9 1/8	419	13 5/8	755	18 1/8	1,144
1/4	2	4 3/4	159	9 1/4	427	13 3/4	765	18 1/4	1,156
3/8	4	4 7/8	165	9 3/8	436	13 7/8	775	18 3/8	1,167
1/2	5	5	172	9 1/2	444	14	786	18 1/2	1,179
5/8	8	5 1/8	178	9 5/8	453	14 1/8	796	18 5/8	1,190
3/4	10	5 1/4	185	9 3/4	462	14 1/4	806	18 3/4	1,202
7/8	13	5 3/8	191	9 7/8	471	14 3/8	817	18 7/8	1,214
1	16	5 1/2	198	10	479	14 1/2	827	19	1,225
1 1/8	19	5 5/8	205	10 1/8	488	14 5/8	837	19 1/8	1,237
1 1/4	22	5 3/4	211	10 1/4	497	14 3/4	848	19 1/4	1,249
1 3/8	25	5 7/8	218	10 3/8	506	14 7/8	858	19 3/8	1,260
1 1/2	28	6	225	10 1/2	515	15	869	19 1/2	1,272
1 5/8	32	6 1/8	232	10 5/8	524	15 1/8	880	19 5/8	1,284
1 3/4	36	6 1/4	239	10 3/4	533	15 1/4	890	19 3/4	1,296
1 7/8	40	6 3/8	246	10 7/8	542	15 3/8	901	19 7/8	1,308
2	44	6 1/2	254	11	552	15 1/2	912	20	1,319
2 1/8	48	6 5/8	261	11 1/8	561	15 5/8	922	20 1/8	1,331
2 1/4	52	6 3/4	268	11 1/4	570	15 3/4	933	20 1/4	1,343
2 3/8	57	6 7/8	276	11 3/8	579	15 7/8	944	20 3/8	1,355
2 1/2	61	7	283	11 1/2	589	16	955	20 1/2	1,367
2 5/8	66	7 1/8	290	11 5/8	598	16 1/8	966	20 5/8	1,379
2 3/4	70	7 1/4	298	11 3/4	608	16 1/4	976	20 3/4	1,391
2 7/8	75	7 3/8	306	11 7/8	617	16 3/8	987	20 7/8	1,404
3	80	7 1/2	313	12	627	16 1/2	998	21	1,416
3 1/8	85	7 5/8	321	12 1/8	636	16 5/8	1,009	21 1/8	1,428
3 1/4	90	7 3/4	329	12 1/4	646	16 3/4	1,020	21 1/4	1,440
3 3/8	96	7 7/8	337	12 3/8	656	16 7/8	1,032	21 3/8	1,452
3 1/2	101	8	345	12 1/2	666	17	1,043	21 1/2	1,464
3 5/8	106	8 1/8	353	12 5/8	675	17 1/8	1,054	21 5/8	1,477
3 3/4	112	8 1/4	361	12 3/4	685	17 1/4	1,065	21 3/4	1,489
3 7/8	117	8 3/8	369	12 7/8	695	17 3/8	1,076	21 7/8	1,501
4	123	8 1/2	377	13	705	17 1/2	1,088	22	1,514
4 1/8	129	8 5/8	385	13 1/8	715	17 5/8	1,099	22 1/8	1,526
4 1/4	135	8 3/4	394	13 1/4	725	17 3/4	1,110	22 1/4	1,538
4 3/8	141	8 7/8	402	13 3/8	735	17 7/8	1,121	22 3/8	1,551
4 1/2	147	9	410	13 1/2	745	18	1,133	22 1/2	1,563



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,576	27 1/8	2,042	31 5/8	2,536	36 1/8	3,054	40 5/8	3,590
22 3/4	1,588	27 1/4	2,055	31 3/4	2,550	36 1/4	3,068	40 3/4	3,605
22 7/8	1,601	27 3/8	2,069	31 7/8	2,564	36 3/8	3,083	40 7/8	3,620
23	1,613	27 1/2	2,082	32	2,578	36 1/2	3,098	41	3,635
23 1/8	1,626	27 5/8	2,095	32 1/8	2,593	36 5/8	3,112	41 1/8	3,650
23 1/4	1,639	27 3/4	2,109	32 1/4	2,607	36 3/4	3,127	41 1/4	3,666
23 3/8	1,651	27 7/8	2,122	32 3/8	2,621	36 7/8	3,142	41 3/8	3,681
23 1/2	1,664	28	2,136	32 1/2	2,635	37	3,157	41 1/2	3,696
23 5/8	1,677	28 1/8	2,149	32 5/8	2,649	37 1/8	3,171	41 5/8	3,711
23 3/4	1,689	28 1/4	2,163	32 3/4	2,663	37 1/4	3,186	41 3/4	3,726
23 7/8	1,702	28 3/8	2,176	32 7/8	2,678	37 3/8	3,201	41 7/8	3,742
24	1,715	28 1/2	2,190	33	2,692	37 1/2	3,216	42	3,757
24 1/8	1,728	28 5/8	2,204	33 1/8	2,706	37 5/8	3,230	42 1/8	3,772
24 1/4	1,740	28 3/4	2,217	33 1/4	2,721	37 3/4	3,245	42 1/4	3,787
24 3/8	1,753	28 7/8	2,231	33 3/8	2,735	37 7/8	3,260	42 3/8	3,803
24 1/2	1,766	29	2,245	33 1/2	2,749	38	3,275	42 1/2	3,818
24 5/8	1,779	29 1/8	2,258	33 5/8	2,763	38 1/8	3,290	42 5/8	3,833
24 3/4	1,792	29 1/4	2,272	33 3/4	2,778	38 1/4	3,305	42 3/4	3,848
24 7/8	1,805	29 3/8	2,286	33 7/8	2,792	38 3/8	3,320	42 7/8	3,864
25	1,818	29 1/2	2,299	34	2,807	38 1/2	3,335	43	3,879
25 1/8	1,831	29 5/8	2,313	34 1/8	2,821	38 5/8	3,349	43 1/8	3,894
25 1/4	1,844	29 3/4	2,327	34 1/4	2,835	38 3/4	3,364	43 1/4	3,910
25 3/8	1,857	29 7/8	2,341	34 3/8	2,850	38 7/8	3,379	43 3/8	3,925
25 1/2	1,870	30	2,355	34 1/2	2,864	39	3,394	43 1/2	3,940
25 5/8	1,883	30 1/8	2,368	34 5/8	2,879	39 1/8	3,409	43 5/8	3,956
25 3/4	1,896	30 1/4	2,382	34 3/4	2,893	39 1/4	3,424	43 3/4	3,971
25 7/8	1,909	30 3/8	2,396	34 7/8	2,908	39 3/8	3,439	43 7/8	3,986
26	1,922	30 1/2	2,410	35	2,922	39 1/2	3,454	44	4,002
26 1/8	1,936	30 5/8	2,424	35 1/8	2,937	39 5/8	3,469	44 1/8	4,017
26 1/4	1,949	30 3/4	2,438	35 1/4	2,951	39 3/4	3,484	44 1/4	4,033
26 3/8	1,962	30 7/8	2,452	35 3/8	2,966	39 7/8	3,499	44 3/8	4,048
26 1/2	1,975	31	2,466	35 1/2	2,980	40	3,514	44 1/2	4,064
26 5/8	1,988	31 1/8	2,480	35 5/8	2,995	40 1/8	3,529	44 5/8	4,079
26 3/4	2,002	31 1/4	2,494	35 3/4	3,010	40 1/4	3,545	44 3/4	4,094
26 7/8	2,015	31 3/8	2,508	35 7/8	3,024	40 3/8	3,560	44 7/8	4,110
27	2,028	31 1/2	2,522	36	3,039	40 1/2	3,575	45	4,125



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,141	49 5/8	4,703	54 1/8	5,272	58 5/8	5,846	63 1/8	6,421
45 1/4	4,156	49 3/4	4,719	54 1/4	5,288	58 3/4	5,862	63 1/4	6,437
45 3/8	4,172	49 7/8	4,734	54 3/8	5,304	58 7/8	5,878	63 3/8	6,453
45 1/2	4,187	50	4,750	54 1/2	5,320	59	5,894	63 1/2	6,469
45 5/8	4,203	50 1/8	4,766	54 5/8	5,336	59 1/8	5,910	63 5/8	6,485
45 3/4	4,218	50 1/4	4,782	54 3/4	5,352	59 1/4	5,926	63 3/4	6,501
45 7/8	4,234	50 3/8	4,797	54 7/8	5,368	59 3/8	5,942	63 7/8	6,517
46	4,249	50 1/2	4,813	55	5,384	59 1/2	5,958	64	6,533
46 1/8	4,265	50 5/8	4,829	55 1/8	5,400	59 5/8	5,974	64 1/8	6,549
46 1/4	4,280	50 3/4	4,845	55 1/4	5,416	59 3/4	5,990	64 1/4	6,565
46 3/8	4,296	50 7/8	4,860	55 3/8	5,432	59 7/8	6,006	64 3/8	6,581
46 1/2	4,312	51	4,876	55 1/2	5,448	60	6,022	64 1/2	6,597
46 5/8	4,327	51 1/8	4,892	55 5/8	5,463	60 1/8	6,038	64 5/8	6,613
46 3/4	4,343	51 1/4	4,908	55 3/4	5,479	60 1/4	6,054	64 3/4	6,628
46 7/8	4,358	51 3/8	4,924	55 7/8	5,495	60 3/8	6,070	64 7/8	6,644
47	4,374	51 1/2	4,939	56	5,511	60 1/2	6,086	65	6,660
47 1/8	4,389	51 5/8	4,955	56 1/8	5,527	60 5/8	6,102	65 1/8	6,676
47 1/4	4,405	51 3/4	4,971	56 1/4	5,543	60 3/4	6,118	65 1/4	6,692
47 3/8	4,421	51 7/8	4,987	56 3/8	5,559	60 7/8	6,134	65 3/8	6,708
47 1/2	4,436	52	5,003	56 1/2	5,575	61	6,150	65 1/2	6,724
47 5/8	4,452	52 1/8	5,019	56 5/8	5,591	61 1/8	6,166	65 5/8	6,740
47 3/4	4,468	52 1/4	5,034	56 3/4	5,607	61 1/4	6,182	65 3/4	6,756
47 7/8	4,483	52 3/8	5,050	56 7/8	5,623	61 3/8	6,198	65 7/8	6,772
48	4,499	52 1/2	5,066	57	5,639	61 1/2	6,214	66	6,788
48 1/8	4,514	52 5/8	5,082	57 1/8	5,655	61 5/8	6,230	66 1/8	6,803
48 1/4	4,530	52 3/4	5,098	57 1/4	5,671	61 3/4	6,246	66 1/4	6,819
48 3/8	4,546	52 7/8	5,114	57 3/8	5,687	61 7/8	6,262	66 3/8	6,835
48 1/2	4,562	53	5,130	57 1/2	5,703	62	6,278	66 1/2	6,851
48 5/8	4,577	53 1/8	5,145	57 5/8	5,719	62 1/8	6,294	66 5/8	6,867
48 3/4	4,593	53 1/4	5,161	57 3/4	5,735	62 1/4	6,310	66 3/4	6,883
48 7/8	4,609	53 3/8	5,177	57 7/8	5,751	62 3/8	6,325	66 7/8	6,899
49	4,624	53 1/2	5,193	58	5,767	62 1/2	6,341	67	6,915
49 1/8	4,640	53 5/8	5,209	58 1/8	5,782	62 5/8	6,357	67 1/8	6,930
49 1/4	4,656	53 3/4	5,225	58 1/4	5,798	62 3/4	6,373	67 1/4	6,946
49 3/8	4,671	53 7/8	5,241	58 3/8	5,814	62 7/8	6,389	67 3/8	6,962
49 1/2	4,687	54	5,257	58 1/2	5,830	63	6,405	67 1/2	6,978



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,994	72 1/8	7,561	76 5/8	8,119	81 1/8	8,665	85 5/8	9,194
67 3/4	7,010	72 1/4	7,577	76 3/4	8,134	81 1/4	8,680	85 3/4	9,209
67 7/8	7,026	72 3/8	7,592	76 7/8	8,150	81 3/8	8,695	85 7/8	9,223
68	7,041	72 1/2	7,608	77	8,165	81 1/2	8,710	86	9,238
68 1/8	7,057	72 5/8	7,623	77 1/8	8,180	81 5/8	8,725	86 1/8	9,252
68 1/4	7,073	72 3/4	7,639	77 1/4	8,196	81 3/4	8,739	86 1/4	9,266
68 3/8	7,089	72 7/8	7,655	77 3/8	8,211	81 7/8	8,754	86 3/8	9,281
68 1/2	7,105	73	7,670	77 1/2	8,226	82	8,769	86 1/2	9,295
68 5/8	7,120	73 1/8	7,686	77 5/8	8,242	82 1/8	8,784	86 5/8	9,309
68 3/4	7,136	73 1/4	7,701	77 3/4	8,257	82 1/4	8,799	86 3/4	9,324
68 7/8	7,152	73 3/8	7,717	77 7/8	8,272	82 3/8	8,814	86 7/8	9,338
69	7,168	73 1/2	7,733	78	8,287	82 1/2	8,829	87	9,352
69 1/8	7,184	73 5/8	7,748	78 1/8	8,303	82 5/8	8,843	87 1/8	9,366
69 1/4	7,199	73 3/4	7,764	78 1/4	8,318	82 3/4	8,858	87 1/4	9,381
69 3/8	7,215	73 7/8	7,779	78 3/8	8,333	82 7/8	8,873	87 3/8	9,395
69 1/2	7,231	74	7,795	78 1/2	8,348	83	8,888	87 1/2	9,409
69 5/8	7,247	74 1/8	7,810	78 5/8	8,363	83 1/8	8,902	87 5/8	9,423
69 3/4	7,263	74 1/4	7,826	78 3/4	8,379	83 1/4	8,917	87 3/4	9,437
69 7/8	7,278	74 3/8	7,841	78 7/8	8,394	83 3/8	8,932	87 7/8	9,452
70	7,294	74 1/2	7,857	79	8,409	83 1/2	8,947	88	9,466
70 1/8	7,310	74 5/8	7,872	79 1/8	8,424	83 5/8	8,961	88 1/8	9,480
70 1/4	7,326	74 3/4	7,888	79 1/4	8,439	83 3/4	8,976	88 1/4	9,494
70 3/8	7,341	74 7/8	7,903	79 3/8	8,454	83 7/8	8,991	88 3/8	9,508
70 1/2	7,357	75	7,919	79 1/2	8,469	84	9,005	88 1/2	9,522
70 5/8	7,373	75 1/8	7,934	79 5/8	8,485	84 1/8	9,020	88 5/8	9,536
70 3/4	7,388	75 1/4	7,950	79 3/4	8,500	84 1/4	9,034	88 3/4	9,550
70 7/8	7,404	75 3/8	7,965	79 7/8	8,515	84 3/8	9,049	88 7/8	9,564
71	7,420	75 1/2	7,981	80	8,530	84 1/2	9,064	89	9,578
71 1/8	7,436	75 5/8	7,996	80 1/8	8,545	84 5/8	9,078	89 1/8	9,592
71 1/4	7,451	75 3/4	8,011	80 1/4	8,560	84 3/4	9,093	89 1/4	9,606
71 3/8	7,467	75 7/8	8,027	80 3/8	8,575	84 7/8	9,107	89 3/8	9,620
71 1/2	7,483	76	8,042	80 1/2	8,590	85	9,122	89 1/2	9,634
71 5/8	7,498	76 1/8	8,058	80 5/8	8,605	85 1/8	9,136	89 5/8	9,648
71 3/4	7,514	76 1/4	8,073	80 3/4	8,620	85 1/4	9,151	89 3/4	9,662
71 7/8	7,530	76 3/8	8,088	80 7/8	8,635	85 3/8	9,165	89 7/8	9,676
72	7,545	76 1/2	8,104	81	8,650	85 1/2	9,180	90	9,689



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	9,703	94 5/8	10,187	99 1/8	10,641	103 5/8	11,057	108 1/8	11,427
90 1/4	9,717	94 3/4	10,200	99 1/4	10,653	103 3/4	11,068	108 1/4	11,436
90 3/8	9,731	94 7/8	10,213	99 3/8	10,665	103 7/8	11,079	108 3/8	11,446
90 1/2	9,745	95	10,226	99 1/2	10,677	104	11,089	108 1/2	11,455
90 5/8	9,758	95 1/8	10,239	99 5/8	10,689	104 1/8	11,100	108 5/8	11,465
90 3/4	9,772	95 1/4	10,252	99 3/4	10,701	104 1/4	11,111	108 3/4	11,474
90 7/8	9,786	95 3/8	10,265	99 7/8	10,713	104 3/8	11,122	108 7/8	11,483
91	9,800	95 1/2	10,278	100	10,725	104 1/2	11,133	109	11,493
91 1/8	9,813	95 5/8	10,291	100 1/8	10,737	104 5/8	11,143	109 1/8	11,502
91 1/4	9,827	95 3/4	10,304	100 1/4	10,748	104 3/4	11,154	109 1/4	11,511
91 3/8	9,840	95 7/8	10,317	100 3/8	10,760	104 7/8	11,165	109 3/8	11,520
91 1/2	9,854	96	10,329	100 1/2	10,772	105	11,175	109 1/2	11,529
91 5/8	9,868	96 1/8	10,342	100 5/8	10,784	105 1/8	11,186	109 5/8	11,538
91 3/4	9,881	96 1/4	10,355	100 3/4	10,796	105 1/4	11,196	109 3/4	11,547
91 7/8	9,895	96 3/8	10,368	100 7/8	10,807	105 3/8	11,207	109 7/8	11,556
92	9,908	96 1/2	10,380	101	10,819	105 1/2	11,217	110	11,565
92 1/8	9,922	96 5/8	10,393	101 1/8	10,831	105 5/8	11,228	110 1/8	11,574
92 1/4	9,935	96 3/4	10,406	101 1/4	10,842	105 3/4	11,238	110 1/4	11,582
92 3/8	9,949	96 7/8	10,418	101 3/8	10,854	105 7/8	11,248	110 3/8	11,591
92 1/2	9,962	97	10,431	101 1/2	10,865	106	11,258	110 1/2	11,600
92 5/8	9,976	97 1/8	10,443	101 5/8	10,877	106 1/8	11,269	110 5/8	11,608
92 3/4	9,989	97 1/4	10,456	101 3/4	10,888	106 1/4	11,279	110 3/4	11,617
92 7/8	10,002	97 3/8	10,468	101 7/8	10,900	106 3/8	11,289	110 7/8	11,625
93	10,016	97 1/2	10,481	102	10,911	106 1/2	11,299	111	11,634
93 1/8	10,029	97 5/8	10,493	102 1/8	10,923	106 5/8	11,309	111 1/8	11,642
93 1/4	10,042	97 3/4	10,506	102 1/4	10,934	106 3/4	11,319	111 1/4	11,650
93 3/8	10,056	97 7/8	10,518	102 3/8	10,945	106 7/8	11,329	111 3/8	11,659
93 1/2	10,069	98	10,530	102 1/2	10,957	107	11,339	111 1/2	11,667
93 5/8	10,082	98 1/8	10,543	102 5/8	10,968	107 1/8	11,349	111 5/8	11,675
93 3/4	10,095	98 1/4	10,555	102 3/4	10,979	107 1/4	11,359	111 3/4	11,683
93 7/8	10,109	98 3/8	10,567	102 7/8	10,990	107 3/8	11,369	111 7/8	11,691
94	10,122	98 1/2	10,580	103	11,001	107 1/2	11,379	112	11,699
94 1/8	10,135	98 5/8	10,592	103 1/8	11,013	107 5/8	11,388	112 1/8	11,707
94 1/4	10,148	98 3/4	10,604	103 1/4	11,024	107 3/4	11,398	112 1/4	11,715
94 3/8	10,161	98 7/8	10,616	103 3/8	11,035	107 7/8	11,408	112 3/8	11,723
94 1/2	10,174	99	10,628	103 1/2	11,046	108	11,417	112 1/2	11,731



Dipstick Calibration Chart

10' x 12K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	11,738	117 1/8	11,969
112 3/4	11,746	117 1/4	11,974
112 7/8	11,754	117 3/8	11,978
113	11,761	117 1/2	11,983
113 1/8	11,769	117 5/8	11,988
113 1/4	11,776	117 3/4	11,992
113 3/8	11,783	117 7/8	11,996
113 1/2	11,791	118	12,000
113 5/8	11,798	118 1/8	12,004
113 3/4	11,805	118 1/4	12,008
113 7/8	11,812	118 3/8	12,012
114	11,819	118 1/2	12,016
114 1/8	11,826	118 5/8	12,019
114 1/4	11,833	118 3/4	12,022
114 3/8	11,840	118 7/8	12,026
114 1/2	11,846	119	12,029
114 5/8	11,853	119 1/8	12,031
114 3/4	11,859	119 1/4	12,034
114 7/8	11,866	119 3/8	12,036
115	11,872	119 1/2	12,039
115 1/8	11,879	119 5/8	12,041
115 1/4	11,885	119 3/4	12,042
115 3/8	11,891	119 7/8	12,043
115 1/2	11,897	120	12,044
115 5/8	11,903		
115 3/4	11,909		
115 7/8	11,915		
116	11,921		
116 1/8	11,927		
116 1/4	11,932		
116 3/8	11,938		
116 1/2	11,943		
116 5/8	11,949		
116 3/4	11,954		
116 7/8	11,959		
117	11,964		