



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	166	9 1/8	455	13 5/8	820	18 1/8	1,242
1/4	2	4 3/4	173	9 1/4	464	13 3/4	831	18 1/4	1,254
3/8	4	4 7/8	179	9 3/8	473	13 7/8	842	18 3/8	1,267
1/2	6	5	186	9 1/2	482	14	853	18 1/2	1,279
5/8	8	5 1/8	193	9 5/8	492	14 1/8	864	18 5/8	1,292
3/4	11	5 1/4	200	9 3/4	501	14 1/4	875	18 3/4	1,305
7/8	14	5 3/8	208	9 7/8	511	14 3/8	886	18 7/8	1,317
1	17	5 1/2	215	10	520	14 1/2	898	19	1,330
1 1/8	20	5 5/8	222	10 1/8	530	14 5/8	909	19 1/8	1,342
1 1/4	24	5 3/4	229	10 1/4	540	14 3/4	920	19 1/4	1,355
1 3/8	27	5 7/8	237	10 3/8	549	14 7/8	932	19 3/8	1,368
1 1/2	31	6	244	10 1/2	559	15	943	19 1/2	1,381
1 5/8	35	6 1/8	252	10 5/8	569	15 1/8	955	19 5/8	1,393
1 3/4	39	6 1/4	260	10 3/4	579	15 1/4	966	19 3/4	1,406
1 7/8	43	6 3/8	267	10 7/8	589	15 3/8	978	19 7/8	1,419
2	48	6 1/2	275	11	599	15 1/2	989	20	1,432
2 1/8	52	6 5/8	283	11 1/8	609	15 5/8	1,001	20 1/8	1,445
2 1/4	57	6 3/4	291	11 1/4	619	15 3/4	1,013	20 1/4	1,458
2 3/8	61	6 7/8	299	11 3/8	629	15 7/8	1,024	20 3/8	1,471
2 1/2	66	7	307	11 1/2	639	16	1,036	20 1/2	1,484
2 5/8	71	7 1/8	315	11 5/8	649	16 1/8	1,048	20 5/8	1,497
2 3/4	76	7 1/4	324	11 3/4	660	16 1/4	1,060	20 3/4	1,510
2 7/8	82	7 3/8	332	11 7/8	670	16 3/8	1,072	20 7/8	1,523
3	87	7 1/2	340	12	680	16 1/2	1,084	21	1,536
3 1/8	93	7 5/8	349	12 1/8	691	16 5/8	1,096	21 1/8	1,550
3 1/4	98	7 3/4	357	12 1/4	701	16 3/4	1,108	21 1/4	1,563
3 3/8	104	7 7/8	366	12 3/8	712	16 7/8	1,120	21 3/8	1,576
3 1/2	110	8	374	12 1/2	722	17	1,132	21 1/2	1,589
3 5/8	115	8 1/8	383	12 5/8	733	17 1/8	1,144	21 5/8	1,603
3 3/4	121	8 1/4	392	12 3/4	744	17 1/4	1,156	21 3/4	1,616
3 7/8	128	8 3/8	400	12 7/8	754	17 3/8	1,168	21 7/8	1,629
4	134	8 1/2	409	13	765	17 1/2	1,180	22	1,643
4 1/8	140	8 5/8	418	13 1/8	776	17 5/8	1,193	22 1/8	1,656
4 1/4	146	8 3/4	427	13 1/4	787	17 3/4	1,205	22 1/4	1,670
4 3/8	153	8 7/8	436	13 3/8	798	17 7/8	1,217	22 3/8	1,683
4 1/2	159	9	445	13 1/2	809	18	1,230	22 1/2	1,697



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	1,710	27 1/8	2,216	31 5/8	2,753	36 1/8	3,314	40 5/8	3,896
22 3/4	1,724	27 1/4	2,231	31 3/4	2,768	36 1/4	3,330	40 3/4	3,913
22 7/8	1,737	27 3/8	2,245	31 7/8	2,783	36 3/8	3,346	40 7/8	3,929
23	1,751	27 1/2	2,260	32	2,798	36 1/2	3,362	41	3,946
23 1/8	1,765	27 5/8	2,274	32 1/8	2,814	36 5/8	3,378	41 1/8	3,962
23 1/4	1,778	27 3/4	2,289	32 1/4	2,829	36 3/4	3,394	41 1/4	3,978
23 3/8	1,792	27 7/8	2,304	32 3/8	2,845	36 7/8	3,410	41 3/8	3,995
23 1/2	1,806	28	2,318	32 1/2	2,860	37	3,426	41 1/2	4,011
23 5/8	1,820	28 1/8	2,333	32 5/8	2,875	37 1/8	3,442	41 5/8	4,028
23 3/4	1,834	28 1/4	2,348	32 3/4	2,891	37 1/4	3,458	41 3/4	4,044
23 7/8	1,847	28 3/8	2,362	32 7/8	2,906	37 3/8	3,474	41 7/8	4,061
24	1,861	28 1/2	2,377	33	2,922	37 1/2	3,490	42	4,077
24 1/8	1,875	28 5/8	2,392	33 1/8	2,937	37 5/8	3,506	42 1/8	4,094
24 1/4	1,889	28 3/4	2,407	33 1/4	2,953	37 3/4	3,522	42 1/4	4,111
24 3/8	1,903	28 7/8	2,421	33 3/8	2,968	37 7/8	3,538	42 3/8	4,127
24 1/2	1,917	29	2,436	33 1/2	2,984	38	3,555	42 1/2	4,144
24 5/8	1,931	29 1/8	2,451	33 5/8	2,999	38 1/8	3,571	42 5/8	4,160
24 3/4	1,945	29 1/4	2,466	33 3/4	3,015	38 1/4	3,587	42 3/4	4,177
24 7/8	1,959	29 3/8	2,481	33 7/8	3,031	38 3/8	3,603	42 7/8	4,194
25	1,973	29 1/2	2,496	34	3,046	38 1/2	3,619	43	4,210
25 1/8	1,987	29 5/8	2,511	34 1/8	3,062	38 5/8	3,635	43 1/8	4,227
25 1/4	2,001	29 3/4	2,526	34 1/4	3,077	38 3/4	3,652	43 1/4	4,243
25 3/8	2,015	29 7/8	2,541	34 3/8	3,093	38 7/8	3,668	43 3/8	4,260
25 1/2	2,030	30	2,556	34 1/2	3,109	39	3,684	43 1/2	4,277
25 5/8	2,044	30 1/8	2,571	34 5/8	3,125	39 1/8	3,700	43 5/8	4,293
25 3/4	2,058	30 1/4	2,586	34 3/4	3,140	39 1/4	3,717	43 3/4	4,310
25 7/8	2,072	30 3/8	2,601	34 7/8	3,156	39 3/8	3,733	43 7/8	4,327
26	2,087	30 1/2	2,616	35	3,172	39 1/2	3,749	44	4,344
26 1/8	2,101	30 5/8	2,631	35 1/8	3,188	39 5/8	3,765	44 1/8	4,360
26 1/4	2,115	30 3/4	2,646	35 1/4	3,203	39 3/4	3,782	44 1/4	4,377
26 3/8	2,129	30 7/8	2,661	35 3/8	3,219	39 7/8	3,798	44 3/8	4,394
26 1/2	2,144	31	2,676	35 1/2	3,235	40	3,814	44 1/2	4,410
26 5/8	2,158	31 1/8	2,692	35 5/8	3,251	40 1/8	3,831	44 5/8	4,427
26 3/4	2,173	31 1/4	2,707	35 3/4	3,267	40 1/4	3,847	44 3/4	4,444
26 7/8	2,187	31 3/8	2,722	35 7/8	3,282	40 3/8	3,863	44 7/8	4,461
27	2,202	31 1/2	2,737	36	3,298	40 1/2	3,880	45	4,478



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	4,494	49 5/8	5,104	54 1/8	5,723	58 5/8	6,345	63 1/8	6,969
45 1/4	4,511	49 3/4	5,121	54 1/4	5,740	58 3/4	6,363	63 1/4	6,987
45 3/8	4,528	49 7/8	5,138	54 3/8	5,757	58 7/8	6,380	63 3/8	7,004
45 1/2	4,545	50	5,156	54 1/2	5,774	59	6,397	63 1/2	7,021
45 5/8	4,562	50 1/8	5,173	54 5/8	5,792	59 1/8	6,415	63 5/8	7,039
45 3/4	4,578	50 1/4	5,190	54 3/4	5,809	59 1/4	6,432	63 3/4	7,056
45 7/8	4,595	50 3/8	5,207	54 7/8	5,826	59 3/8	6,449	63 7/8	7,073
46	4,612	50 1/2	5,224	55	5,843	59 1/2	6,467	64	7,091
46 1/8	4,629	50 5/8	5,241	55 1/8	5,861	59 5/8	6,484	64 1/8	7,108
46 1/4	4,646	50 3/4	5,258	55 1/4	5,878	59 3/4	6,501	64 1/4	7,125
46 3/8	4,663	50 7/8	5,275	55 3/8	5,895	59 7/8	6,519	64 3/8	7,142
46 1/2	4,680	51	5,293	55 1/2	5,913	60	6,536	64 1/2	7,160
46 5/8	4,696	51 1/8	5,310	55 5/8	5,930	60 1/8	6,553	64 5/8	7,177
46 3/4	4,713	51 1/4	5,327	55 3/4	5,947	60 1/4	6,571	64 3/4	7,194
46 7/8	4,730	51 3/8	5,344	55 7/8	5,964	60 3/8	6,588	64 7/8	7,212
47	4,747	51 1/2	5,361	56	5,982	60 1/2	6,605	65	7,229
47 1/8	4,764	51 5/8	5,378	56 1/8	5,999	60 5/8	6,623	65 1/8	7,246
47 1/4	4,781	51 3/4	5,395	56 1/4	6,016	60 3/4	6,640	65 1/4	7,263
47 3/8	4,798	51 7/8	5,413	56 3/8	6,034	60 7/8	6,658	65 3/8	7,281
47 1/2	4,815	52	5,430	56 1/2	6,051	61	6,675	65 1/2	7,298
47 5/8	4,832	52 1/8	5,447	56 5/8	6,068	61 1/8	6,692	65 5/8	7,315
47 3/4	4,849	52 1/4	5,464	56 3/4	6,086	61 1/4	6,710	65 3/4	7,332
47 7/8	4,866	52 3/8	5,481	56 7/8	6,103	61 3/8	6,727	65 7/8	7,350
48	4,883	52 1/2	5,499	57	6,120	61 1/2	6,744	66	7,367
48 1/8	4,900	52 5/8	5,516	57 1/8	6,138	61 5/8	6,762	66 1/8	7,384
48 1/4	4,917	52 3/4	5,533	57 1/4	6,155	61 3/4	6,779	66 1/4	7,401
48 3/8	4,934	52 7/8	5,550	57 3/8	6,172	61 7/8	6,796	66 3/8	7,419
48 1/2	4,951	53	5,567	57 1/2	6,189	62	6,813	66 1/2	7,436
48 5/8	4,968	53 1/8	5,585	57 5/8	6,207	62 1/8	6,831	66 5/8	7,453
48 3/4	4,985	53 1/4	5,602	57 3/4	6,224	62 1/4	6,848	66 3/4	7,470
48 7/8	5,002	53 3/8	5,619	57 7/8	6,241	62 3/8	6,865	66 7/8	7,488
49	5,019	53 1/2	5,636	58	6,259	62 1/2	6,883	67	7,505
49 1/8	5,036	53 5/8	5,654	58 1/8	6,276	62 5/8	6,900	67 1/8	7,522
49 1/4	5,053	53 3/4	5,671	58 1/4	6,293	62 3/4	6,917	67 1/4	7,539
49 3/8	5,070	53 7/8	5,688	58 3/8	6,311	62 7/8	6,935	67 3/8	7,556
49 1/2	5,087	54	5,705	58 1/2	6,328	63	6,952	67 1/2	7,574



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	7,591	72 1/8	8,206	76 5/8	8,812	81 1/8	9,404	85 5/8	9,979
67 3/4	7,608	72 1/4	8,223	76 3/4	8,829	81 1/4	9,421	85 3/4	9,995
67 7/8	7,625	72 3/8	8,240	76 7/8	8,845	81 3/8	9,437	85 7/8	10,010
68	7,642	72 1/2	8,257	77	8,862	81 1/2	9,453	86	10,026
68 1/8	7,660	72 5/8	8,274	77 1/8	8,879	81 5/8	9,469	86 1/8	10,042
68 1/4	7,677	72 3/4	8,291	77 1/4	8,895	81 3/4	9,485	86 1/4	10,057
68 3/8	7,694	72 7/8	8,308	77 3/8	8,912	81 7/8	9,502	86 3/8	10,073
68 1/2	7,711	73	8,325	77 1/2	8,929	82	9,518	86 1/2	10,088
68 5/8	7,728	73 1/8	8,342	77 5/8	8,945	82 1/8	9,534	86 5/8	10,104
68 3/4	7,745	73 1/4	8,359	77 3/4	8,962	82 1/4	9,550	86 3/4	10,120
68 7/8	7,763	73 3/8	8,376	77 7/8	8,978	82 3/8	9,566	86 7/8	10,135
69	7,780	73 1/2	8,393	78	8,995	82 1/2	9,582	87	10,151
69 1/8	7,797	73 5/8	8,410	78 1/8	9,011	82 5/8	9,598	87 1/8	10,166
69 1/4	7,814	73 3/4	8,426	78 1/4	9,028	82 3/4	9,614	87 1/4	10,181
69 3/8	7,831	73 7/8	8,443	78 3/8	9,044	82 7/8	9,630	87 3/8	10,197
69 1/2	7,848	74	8,460	78 1/2	9,061	83	9,646	87 1/2	10,212
69 5/8	7,865	74 1/8	8,477	78 5/8	9,077	83 1/8	9,662	87 5/8	10,228
69 3/4	7,883	74 1/4	8,494	78 3/4	9,094	83 1/4	9,678	87 3/4	10,243
69 7/8	7,900	74 3/8	8,511	78 7/8	9,110	83 3/8	9,694	87 7/8	10,258
70	7,917	74 1/2	8,528	79	9,127	83 1/2	9,710	88	10,274
70 1/8	7,934	74 5/8	8,544	79 1/8	9,143	83 5/8	9,726	88 1/8	10,289
70 1/4	7,951	74 3/4	8,561	79 1/4	9,160	83 3/4	9,742	88 1/4	10,304
70 3/8	7,968	74 7/8	8,578	79 3/8	9,176	83 7/8	9,758	88 3/8	10,320
70 1/2	7,985	75	8,595	79 1/2	9,192	84	9,774	88 1/2	10,335
70 5/8	8,002	75 1/8	8,612	79 5/8	9,209	84 1/8	9,790	88 5/8	10,350
70 3/4	8,019	75 1/4	8,628	79 3/4	9,225	84 1/4	9,806	88 3/4	10,365
70 7/8	8,036	75 3/8	8,645	79 7/8	9,242	84 3/8	9,822	88 7/8	10,381
71	8,053	75 1/2	8,662	80	9,258	84 1/2	9,837	89	10,396
71 1/8	8,070	75 5/8	8,679	80 1/8	9,274	84 5/8	9,853	89 1/8	10,411
71 1/4	8,087	75 3/4	8,695	80 1/4	9,291	84 3/4	9,869	89 1/4	10,426
71 3/8	8,104	75 7/8	8,712	80 3/8	9,307	84 7/8	9,885	89 3/8	10,441
71 1/2	8,121	76	8,729	80 1/2	9,323	85	9,901	89 1/2	10,456
71 5/8	8,138	76 1/8	8,745	80 5/8	9,339	85 1/8	9,916	89 5/8	10,472
71 3/4	8,155	76 1/4	8,762	80 3/4	9,356	85 1/4	9,932	89 3/4	10,487
71 7/8	8,172	76 3/8	8,779	80 7/8	9,372	85 3/8	9,948	89 7/8	10,502
72	8,189	76 1/2	8,796	81	9,388	85 1/2	9,963	90	10,517



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	10,532	94 5/8	11,057	99 1/8	11,549	103 5/8	12,001	108 1/8	12,402
90 1/4	10,547	94 3/4	11,071	99 1/4	11,562	103 3/4	12,012	108 1/4	12,413
90 3/8	10,562	94 7/8	11,085	99 3/8	11,575	103 7/8	12,024	108 3/8	12,423
90 1/2	10,577	95	11,099	99 1/2	11,588	104	12,036	108 1/2	12,433
90 5/8	10,591	95 1/8	11,113	99 5/8	11,601	104 1/8	12,048	108 5/8	12,443
90 3/4	10,606	95 1/4	11,127	99 3/4	11,614	104 1/4	12,060	108 3/4	12,453
90 7/8	10,621	95 3/8	11,141	99 7/8	11,627	104 3/8	12,071	108 7/8	12,464
91	10,636	95 1/2	11,155	100	11,640	104 1/2	12,083	109	12,474
91 1/8	10,651	95 5/8	11,169	100 1/8	11,653	104 5/8	12,095	109 1/8	12,484
91 1/4	10,666	95 3/4	11,183	100 1/4	11,666	104 3/4	12,106	109 1/4	12,494
91 3/8	10,681	95 7/8	11,197	100 3/8	11,679	104 7/8	12,118	109 3/8	12,503
91 1/2	10,695	96	11,211	100 1/2	11,692	105	12,129	109 1/2	12,513
91 5/8	10,710	96 1/8	11,225	100 5/8	11,704	105 1/8	12,141	109 5/8	12,523
91 3/4	10,725	96 1/4	11,239	100 3/4	11,717	105 1/4	12,152	109 3/4	12,533
91 7/8	10,739	96 3/8	11,253	100 7/8	11,730	105 3/8	12,163	109 7/8	12,542
92	10,754	96 1/2	11,266	101	11,743	105 1/2	12,175	110	12,552
92 1/8	10,769	96 5/8	11,280	101 1/8	11,755	105 5/8	12,186	110 1/8	12,562
92 1/4	10,783	96 3/4	11,294	101 1/4	11,768	105 3/4	12,197	110 1/4	12,571
92 3/8	10,798	96 7/8	11,307	101 3/8	11,780	105 7/8	12,208	110 3/8	12,580
92 1/2	10,813	97	11,321	101 1/2	11,793	106	12,220	110 1/2	12,590
92 5/8	10,827	97 1/8	11,335	101 5/8	11,805	106 1/8	12,231	110 5/8	12,599
92 3/4	10,842	97 1/4	11,348	101 3/4	11,818	106 1/4	12,242	110 3/4	12,608
92 7/8	10,856	97 3/8	11,362	101 7/8	11,830	106 3/8	12,253	110 7/8	12,618
93	10,871	97 1/2	11,376	102	11,843	106 1/2	12,264	111	12,627
93 1/8	10,885	97 5/8	11,389	102 1/8	11,855	106 5/8	12,275	111 1/8	12,636
93 1/4	10,900	97 3/4	11,403	102 1/4	11,867	106 3/4	12,286	111 1/4	12,645
93 3/8	10,914	97 7/8	11,416	102 3/8	11,880	106 7/8	12,296	111 3/8	12,654
93 1/2	10,928	98	11,429	102 1/2	11,892	107	12,307	111 1/2	12,663
93 5/8	10,943	98 1/8	11,443	102 5/8	11,904	107 1/8	12,318	111 5/8	12,672
93 3/4	10,957	98 1/4	11,456	102 3/4	11,916	107 1/4	12,329	111 3/4	12,681
93 7/8	10,971	98 3/8	11,470	102 7/8	11,928	107 3/8	12,339	111 7/8	12,689
94	10,986	98 1/2	11,483	103	11,941	107 1/2	12,350	112	12,698
94 1/8	11,000	98 5/8	11,496	103 1/8	11,953	107 5/8	12,361	112 1/8	12,707
94 1/4	11,014	98 3/4	11,509	103 1/4	11,965	107 3/4	12,371	112 1/4	12,715
94 3/8	11,029	98 7/8	11,523	103 3/8	11,977	107 7/8	12,382	112 3/8	12,724
94 1/2	11,043	99	11,536	103 1/2	11,989	108	12,392	112 1/2	12,732



Dipstick Calibration Chart

10' x 13K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	12,740	117 1/8	12,991
112 3/4	12,749	117 1/4	12,996
112 7/8	12,757	117 3/8	13,001
113	12,765	117 1/2	13,006
113 1/8	12,773	117 5/8	13,011
113 1/4	12,781	117 3/4	13,016
113 3/8	12,789	117 7/8	13,020
113 1/2	12,797	118	13,025
113 5/8	12,805	118 1/8	13,029
113 3/4	12,813	118 1/4	13,033
113 7/8	12,820	118 3/8	13,037
114	12,828	118 1/2	13,041
114 1/8	12,835	118 5/8	13,045
114 1/4	12,843	118 3/4	13,049
114 3/8	12,850	118 7/8	13,052
114 1/2	12,858	119	13,055
114 5/8	12,865	119 1/8	13,059
114 3/4	12,872	119 1/4	13,061
114 7/8	12,879	119 3/8	13,064
115	12,886	119 1/2	13,066
115 1/8	12,893	119 5/8	13,068
115 1/4	12,900	119 3/4	13,070
115 3/8	12,906	119 7/8	13,072
115 1/2	12,913	120	13,072
115 5/8	12,920		
115 3/4	12,926		
115 7/8	12,932		
116	12,939		
116 1/8	12,945		
116 1/4	12,951		
116 3/8	12,957		
116 1/2	12,963		
116 5/8	12,969		
116 3/4	12,974		
116 7/8	12,980		
117	12,985		