



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	194	9 1/8	531	13 5/8	958	18 1/8	1,451
1/4	2	4 3/4	202	9 1/4	542	13 3/4	971	18 1/4	1,466
3/8	5	4 7/8	210	9 3/8	553	13 7/8	983	18 3/8	1,480
1/2	7	5	218	9 1/2	564	14	996	18 1/2	1,495
5/8	10	5 1/8	226	9 5/8	575	14 1/8	1,009	18 5/8	1,510
3/4	13	5 1/4	234	9 3/4	586	14 1/4	1,023	18 3/4	1,524
7/8	16	5 3/8	243	9 7/8	597	14 3/8	1,036	18 7/8	1,539
1	20	5 1/2	251	10	608	14 1/2	1,049	19	1,554
1 1/8	23	5 5/8	259	10 1/8	619	14 5/8	1,062	19 1/8	1,569
1 1/4	27	5 3/4	268	10 1/4	631	14 3/4	1,075	19 1/4	1,584
1 3/8	32	5 7/8	277	10 3/8	642	14 7/8	1,089	19 3/8	1,598
1 1/2	36	6	286	10 1/2	653	15	1,102	19 1/2	1,613
1 5/8	41	6 1/8	294	10 5/8	665	15 1/8	1,116	19 5/8	1,628
1 3/4	45	6 1/4	303	10 3/4	676	15 1/4	1,129	19 3/4	1,643
1 7/8	50	6 3/8	312	10 7/8	688	15 3/8	1,142	19 7/8	1,658
2	56	6 1/2	322	11	700	15 1/2	1,156	20	1,673
2 1/8	61	6 5/8	331	11 1/8	711	15 5/8	1,170	20 1/8	1,689
2 1/4	66	6 3/4	340	11 1/4	723	15 3/4	1,183	20 1/4	1,704
2 3/8	72	6 7/8	349	11 3/8	735	15 7/8	1,197	20 3/8	1,719
2 1/2	77	7	359	11 1/2	747	16	1,211	20 1/2	1,734
2 5/8	83	7 1/8	368	11 5/8	759	16 1/8	1,225	20 5/8	1,749
2 3/4	89	7 1/4	378	11 3/4	771	16 1/4	1,238	20 3/4	1,765
2 7/8	95	7 3/8	388	11 7/8	783	16 3/8	1,252	20 7/8	1,780
3	102	7 1/2	398	12	795	16 1/2	1,266	21	1,795
3 1/8	108	7 5/8	407	12 1/8	807	16 5/8	1,280	21 1/8	1,811
3 1/4	115	7 3/4	417	12 1/4	819	16 3/4	1,294	21 1/4	1,826
3 3/8	121	7 7/8	427	12 3/8	832	16 7/8	1,308	21 3/8	1,842
3 1/2	128	8	437	12 1/2	844	17	1,322	21 1/2	1,857
3 5/8	135	8 1/8	447	12 5/8	856	17 1/8	1,337	21 5/8	1,873
3 3/4	142	8 1/4	458	12 3/4	869	17 1/4	1,351	21 3/4	1,888
3 7/8	149	8 3/8	468	12 7/8	881	17 3/8	1,365	21 7/8	1,904
4	156	8 1/2	478	13	894	17 1/2	1,379	22	1,920
4 1/8	164	8 5/8	489	13 1/8	907	17 5/8	1,394	22 1/8	1,935
4 1/4	171	8 3/4	499	13 1/4	919	17 3/4	1,408	22 1/4	1,951
4 3/8	179	8 7/8	510	13 3/8	932	17 7/8	1,422	22 3/8	1,967
4 1/2	186	9	520	13 1/2	945	18	1,437	22 1/2	1,983



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	1,999	27 1/8	2,590	31 5/8	3,216	36 1/8	3,873	40 5/8	4,553
22 3/4	2,014	27 1/4	2,607	31 3/4	3,234	36 1/4	3,891	40 3/4	4,572
22 7/8	2,030	27 3/8	2,624	31 7/8	3,252	36 3/8	3,910	40 7/8	4,591
23	2,046	27 1/2	2,641	32	3,270	36 1/2	3,929	41	4,611
23 1/8	2,062	27 5/8	2,658	32 1/8	3,288	36 5/8	3,947	41 1/8	4,630
23 1/4	2,078	27 3/4	2,675	32 1/4	3,306	36 3/4	3,966	41 1/4	4,649
23 3/8	2,094	27 7/8	2,692	32 3/8	3,324	36 7/8	3,985	41 3/8	4,668
23 1/2	2,110	28	2,709	32 1/2	3,342	37	4,003	41 1/2	4,688
23 5/8	2,126	28 1/8	2,726	32 5/8	3,360	37 1/8	4,022	41 5/8	4,707
23 3/4	2,143	28 1/4	2,743	32 3/4	3,378	37 1/4	4,041	41 3/4	4,726
23 7/8	2,159	28 3/8	2,760	32 7/8	3,396	37 3/8	4,060	41 7/8	4,745
24	2,175	28 1/2	2,778	33	3,414	37 1/2	4,078	42	4,765
24 1/8	2,191	28 5/8	2,795	33 1/8	3,432	37 5/8	4,097	42 1/8	4,784
24 1/4	2,207	28 3/4	2,812	33 1/4	3,450	37 3/4	4,116	42 1/4	4,803
24 3/8	2,224	28 7/8	2,829	33 3/8	3,469	37 7/8	4,135	42 3/8	4,823
24 1/2	2,240	29	2,847	33 1/2	3,487	38	4,154	42 1/2	4,842
24 5/8	2,256	29 1/8	2,864	33 5/8	3,505	38 1/8	4,172	42 5/8	4,862
24 3/4	2,273	29 1/4	2,882	33 3/4	3,523	38 1/4	4,191	42 3/4	4,881
24 7/8	2,289	29 3/8	2,899	33 7/8	3,541	38 3/8	4,210	42 7/8	4,900
25	2,306	29 1/2	2,916	34	3,560	38 1/2	4,229	43	4,920
25 1/8	2,322	29 5/8	2,934	34 1/8	3,578	38 5/8	4,248	43 1/8	4,939
25 1/4	2,339	29 3/4	2,951	34 1/4	3,596	38 3/4	4,267	43 1/4	4,959
25 3/8	2,355	29 7/8	2,969	34 3/8	3,614	38 7/8	4,286	43 3/8	4,978
25 1/2	2,372	30	2,986	34 1/2	3,633	39	4,305	43 1/2	4,998
25 5/8	2,388	30 1/8	3,004	34 5/8	3,651	39 1/8	4,324	43 5/8	5,017
25 3/4	2,405	30 1/4	3,022	34 3/4	3,670	39 1/4	4,343	43 3/4	5,037
25 7/8	2,421	30 3/8	3,039	34 7/8	3,688	39 3/8	4,362	43 7/8	5,056
26	2,438	30 1/2	3,057	35	3,706	39 1/2	4,381	44	5,076
26 1/8	2,455	30 5/8	3,074	35 1/8	3,725	39 5/8	4,400	44 1/8	5,095
26 1/4	2,472	30 3/4	3,092	35 1/4	3,743	39 3/4	4,419	44 1/4	5,115
26 3/8	2,488	30 7/8	3,110	35 3/8	3,762	39 7/8	4,438	44 3/8	5,134
26 1/2	2,505	31	3,128	35 1/2	3,780	40	4,457	44 1/2	5,154
26 5/8	2,522	31 1/8	3,145	35 5/8	3,799	40 1/8	4,476	44 5/8	5,173
26 3/4	2,539	31 1/4	3,163	35 3/4	3,817	40 1/4	4,495	44 3/4	5,193
26 7/8	2,556	31 3/8	3,181	35 7/8	3,836	40 3/8	4,515	44 7/8	5,213
27	2,573	31 1/2	3,199	36	3,854	40 1/2	4,534	45	5,232



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	5,252	49 5/8	5,965	54 1/8	6,687	58 5/8	7,415	63 1/8	8,144
45 1/4	5,271	49 3/4	5,985	54 1/4	6,707	58 3/4	7,435	63 1/4	8,164
45 3/8	5,291	49 7/8	6,005	54 3/8	6,727	58 7/8	7,455	63 3/8	8,184
45 1/2	5,311	50	6,024	54 1/2	6,748	59	7,476	63 1/2	8,205
45 5/8	5,330	50 1/8	6,044	54 5/8	6,768	59 1/8	7,496	63 5/8	8,225
45 3/4	5,350	50 1/4	6,064	54 3/4	6,788	59 1/4	7,516	63 3/4	8,245
45 7/8	5,370	50 3/8	6,084	54 7/8	6,808	59 3/8	7,536	63 7/8	8,265
46	5,389	50 1/2	6,104	55	6,828	59 1/2	7,557	64	8,286
46 1/8	5,409	50 5/8	6,124	55 1/8	6,848	59 5/8	7,577	64 1/8	8,306
46 1/4	5,429	50 3/4	6,144	55 1/4	6,869	59 3/4	7,597	64 1/4	8,326
46 3/8	5,449	50 7/8	6,165	55 3/8	6,889	59 7/8	7,617	64 3/8	8,346
46 1/2	5,468	51	6,185	55 1/2	6,909	60	7,638	64 1/2	8,366
46 5/8	5,488	51 1/8	6,205	55 5/8	6,929	60 1/8	7,658	64 5/8	8,387
46 3/4	5,508	51 1/4	6,225	55 3/4	6,949	60 1/4	7,678	64 3/4	8,407
46 7/8	5,528	51 3/8	6,245	55 7/8	6,970	60 3/8	7,699	64 7/8	8,427
47	5,547	51 1/2	6,265	56	6,990	60 1/2	7,719	65	8,447
47 1/8	5,567	51 5/8	6,285	56 1/8	7,010	60 5/8	7,739	65 1/8	8,467
47 1/4	5,587	51 3/4	6,305	56 1/4	7,030	60 3/4	7,759	65 1/4	8,488
47 3/8	5,607	51 7/8	6,325	56 3/8	7,051	60 7/8	7,780	65 3/8	8,508
47 1/2	5,627	52	6,345	56 1/2	7,071	61	7,800	65 1/2	8,528
47 5/8	5,646	52 1/8	6,365	56 5/8	7,091	61 1/8	7,820	65 5/8	8,548
47 3/4	5,666	52 1/4	6,385	56 3/4	7,111	61 1/4	7,840	65 3/4	8,568
47 7/8	5,686	52 3/8	6,405	56 7/8	7,131	61 3/8	7,861	65 7/8	8,588
48	5,706	52 1/2	6,425	57	7,152	61 1/2	7,881	66	8,609
48 1/8	5,726	52 5/8	6,445	57 1/8	7,172	61 5/8	7,901	66 1/8	8,629
48 1/4	5,746	52 3/4	6,466	57 1/4	7,192	61 3/4	7,921	66 1/4	8,649
48 3/8	5,765	52 7/8	6,486	57 3/8	7,212	61 7/8	7,942	66 3/8	8,669
48 1/2	5,785	53	6,506	57 1/2	7,233	62	7,962	66 1/2	8,689
48 5/8	5,805	53 1/8	6,526	57 5/8	7,253	62 1/8	7,982	66 5/8	8,709
48 3/4	5,825	53 1/4	6,546	57 3/4	7,273	62 1/4	8,002	66 3/4	8,729
48 7/8	5,845	53 3/8	6,566	57 7/8	7,293	62 3/8	8,023	66 7/8	8,750
49	5,865	53 1/2	6,586	58	7,314	62 1/2	8,043	67	8,770
49 1/8	5,885	53 5/8	6,606	58 1/8	7,334	62 5/8	8,063	67 1/8	8,790
49 1/4	5,905	53 3/4	6,627	58 1/4	7,354	62 3/4	8,083	67 1/4	8,810
49 3/8	5,925	53 7/8	6,647	58 3/8	7,374	62 7/8	8,104	67 3/8	8,830
49 1/2	5,945	54	6,667	58 1/2	7,395	63	8,124	67 1/2	8,850



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	8,870	72 1/8	9,589	76 5/8	10,297	81 1/8	10,990	85 5/8	11,661
67 3/4	8,890	72 1/4	9,609	76 3/4	10,317	81 1/4	11,008	85 3/4	11,679
67 7/8	8,910	72 3/8	9,629	76 7/8	10,336	81 3/8	11,027	85 7/8	11,698
68	8,931	72 1/2	9,649	77	10,356	81 1/2	11,046	86	11,716
68 1/8	8,951	72 5/8	9,669	77 1/8	10,375	81 5/8	11,065	86 1/8	11,734
68 1/4	8,971	72 3/4	9,689	77 1/4	10,395	81 3/4	11,084	86 1/4	11,752
68 3/8	8,991	72 7/8	9,708	77 3/8	10,414	81 7/8	11,103	86 3/8	11,771
68 1/2	9,011	73	9,728	77 1/2	10,433	82	11,122	86 1/2	11,789
68 5/8	9,031	73 1/8	9,748	77 5/8	10,453	82 1/8	11,141	86 5/8	11,807
68 3/4	9,051	73 1/4	9,768	77 3/4	10,472	82 1/4	11,160	86 3/4	11,825
68 7/8	9,071	73 3/8	9,787	77 7/8	10,491	82 3/8	11,178	86 7/8	11,843
69	9,091	73 1/2	9,807	78	10,511	82 1/2	11,197	87	11,861
69 1/8	9,111	73 5/8	9,827	78 1/8	10,530	82 5/8	11,216	87 1/8	11,879
69 1/4	9,131	73 3/4	9,847	78 1/4	10,549	82 3/4	11,235	87 1/4	11,897
69 3/8	9,151	73 7/8	9,866	78 3/8	10,569	82 7/8	11,253	87 3/8	11,915
69 1/2	9,171	74	9,886	78 1/2	10,588	83	11,272	87 1/2	11,934
69 5/8	9,191	74 1/8	9,906	78 5/8	10,607	83 1/8	11,291	87 5/8	11,951
69 3/4	9,211	74 1/4	9,925	78 3/4	10,626	83 1/4	11,310	87 3/4	11,969
69 7/8	9,231	74 3/8	9,945	78 7/8	10,646	83 3/8	11,328	87 7/8	11,987
70	9,251	74 1/2	9,965	79	10,665	83 1/2	11,347	88	12,005
70 1/8	9,271	74 5/8	9,984	79 1/8	10,684	83 5/8	11,365	88 1/8	12,023
70 1/4	9,291	74 3/4	10,004	79 1/4	10,703	83 3/4	11,384	88 1/4	12,041
70 3/8	9,311	74 7/8	10,024	79 3/8	10,723	83 7/8	11,403	88 3/8	12,059
70 1/2	9,331	75	10,043	79 1/2	10,742	84	11,421	88 1/2	12,077
70 5/8	9,351	75 1/8	10,063	79 5/8	10,761	84 1/8	11,440	88 5/8	12,095
70 3/4	9,371	75 1/4	10,083	79 3/4	10,780	84 1/4	11,458	88 3/4	12,112
70 7/8	9,391	75 3/8	10,102	79 7/8	10,799	84 3/8	11,477	88 7/8	12,130
71	9,411	75 1/2	10,122	80	10,818	84 1/2	11,495	89	12,148
71 1/8	9,430	75 5/8	10,141	80 1/8	10,837	84 5/8	11,514	89 1/8	12,166
71 1/4	9,450	75 3/4	10,161	80 1/4	10,856	84 3/4	11,532	89 1/4	12,183
71 3/8	9,470	75 7/8	10,180	80 3/8	10,875	84 7/8	11,551	89 3/8	12,201
71 1/2	9,490	76	10,200	80 1/2	10,895	85	11,569	89 1/2	12,219
71 5/8	9,510	76 1/8	10,219	80 5/8	10,914	85 1/8	11,588	89 5/8	12,236
71 3/4	9,530	76 1/4	10,239	80 3/4	10,933	85 1/4	11,606	89 3/4	12,254
71 7/8	9,550	76 3/8	10,258	80 7/8	10,952	85 3/8	11,624	89 7/8	12,272
72	9,570	76 1/2	10,278	81	10,971	85 1/2	11,643	90	12,289



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	12,307	94 5/8	12,920	99 1/8	13,495	103 5/8	14,023	108 1/8	14,493
90 1/4	12,324	94 3/4	12,937	99 1/4	13,511	103 3/4	14,037	108 1/4	14,505
90 3/8	12,342	94 7/8	12,953	99 3/8	13,526	103 7/8	14,051	108 3/8	14,517
90 1/2	12,359	95	12,970	99 1/2	13,541	104	14,065	108 1/2	14,529
90 5/8	12,377	95 1/8	12,986	99 5/8	13,557	104 1/8	14,078	108 5/8	14,541
90 3/4	12,394	95 1/4	13,003	99 3/4	13,572	104 1/4	14,092	108 3/4	14,552
90 7/8	12,411	95 3/8	13,019	99 7/8	13,587	104 3/8	14,106	108 7/8	14,564
91	12,429	95 1/2	13,036	100	13,602	104 1/2	14,119	109	14,576
91 1/8	12,446	95 5/8	13,052	100 1/8	13,617	104 5/8	14,133	109 1/8	14,588
91 1/4	12,463	95 3/4	13,068	100 1/4	13,632	104 3/4	14,147	109 1/4	14,599
91 3/8	12,481	95 7/8	13,084	100 3/8	13,647	104 7/8	14,160	109 3/8	14,611
91 1/2	12,498	96	13,101	100 1/2	13,662	105	14,173	109 1/2	14,622
91 5/8	12,515	96 1/8	13,117	100 5/8	13,677	105 1/8	14,187	109 5/8	14,634
91 3/4	12,532	96 1/4	13,133	100 3/4	13,692	105 1/4	14,200	109 3/4	14,645
91 7/8	12,549	96 3/8	13,149	100 7/8	13,707	105 3/8	14,213	109 7/8	14,656
92	12,567	96 1/2	13,165	101	13,722	105 1/2	14,227	110	14,667
92 1/8	12,584	96 5/8	13,181	101 1/8	13,736	105 5/8	14,240	110 1/8	14,679
92 1/4	12,601	96 3/4	13,197	101 1/4	13,751	105 3/4	14,253	110 1/4	14,690
92 3/8	12,618	96 7/8	13,213	101 3/8	13,766	105 7/8	14,266	110 3/8	14,701
92 1/2	12,635	97	13,229	101 1/2	13,780	106	14,279	110 1/2	14,712
92 5/8	12,652	97 1/8	13,245	101 5/8	13,795	106 1/8	14,292	110 5/8	14,723
92 3/4	12,669	97 1/4	13,261	101 3/4	13,810	106 1/4	14,305	110 3/4	14,734
92 7/8	12,686	97 3/8	13,277	101 7/8	13,824	106 3/8	14,318	110 7/8	14,744
93	12,703	97 1/2	13,293	102	13,839	106 1/2	14,331	111	14,755
93 1/8	12,720	97 5/8	13,309	102 1/8	13,853	106 5/8	14,343	111 1/8	14,766
93 1/4	12,737	97 3/4	13,324	102 1/4	13,868	106 3/4	14,356	111 1/4	14,776
93 3/8	12,753	97 7/8	13,340	102 3/8	13,882	106 7/8	14,369	111 3/8	14,787
93 1/2	12,770	98	13,356	102 1/2	13,896	107	14,381	111 1/2	14,797
93 5/8	12,787	98 1/8	13,371	102 5/8	13,910	107 1/8	14,394	111 5/8	14,807
93 3/4	12,804	98 1/4	13,387	102 3/4	13,925	107 1/4	14,407	111 3/4	14,818
93 7/8	12,821	98 3/8	13,403	102 7/8	13,939	107 3/8	14,419	111 7/8	14,828
94	12,837	98 1/2	13,418	103	13,953	107 1/2	14,431	112	14,838
94 1/8	12,854	98 5/8	13,434	103 1/8	13,967	107 5/8	14,444	112 1/8	14,848
94 1/4	12,871	98 3/4	13,449	103 1/4	13,981	107 3/4	14,456	112 1/4	14,858
94 3/8	12,887	98 7/8	13,465	103 3/8	13,995	107 7/8	14,468	112 3/8	14,868
94 1/2	12,904	99	13,480	103 1/2	14,009	108	14,480	112 1/2	14,878



# Dipstick Calibration Chart

# 10' x 15K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	14,888	117 1/8	15,180
112 3/4	14,897	117 1/4	15,186
112 7/8	14,907	117 3/8	15,192
113	14,917	117 1/2	15,198
113 1/8	14,926	117 5/8	15,204
113 1/4	14,935	117 3/4	15,209
113 3/8	14,945	117 7/8	15,215
113 1/2	14,954	118	15,220
113 5/8	14,963	118 1/8	15,225
113 3/4	14,972	118 1/4	15,230
113 7/8	14,981	118 3/8	15,235
114	14,990	118 1/2	15,239
114 1/8	14,999	118 5/8	15,244
114 1/4	15,007	118 3/4	15,248
114 3/8	15,016	118 7/8	15,252
114 1/2	15,025	119	15,256
114 5/8	15,033	119 1/8	15,259
114 3/4	15,041	119 1/4	15,263
114 7/8	15,050	119 3/8	15,266
115	15,058	119 1/2	15,269
115 1/8	15,066	119 5/8	15,271
115 1/4	15,074	119 3/4	15,273
115 3/8	15,082	119 7/8	15,275
115 1/2	15,089	120	15,275
115 5/8	15,097		
115 3/4	15,104		
115 7/8	15,112		
116	15,119		
116 1/8	15,126		
116 1/4	15,134		
116 3/8	15,141		
116 1/2	15,147		
116 5/8	15,154		
116 3/4	15,161		
116 7/8	15,167		
117	15,174		