



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	216	9 1/8	592	13 5/8	1,068	18 1/8	1,619
1/4	3	4 3/4	225	9 1/4	605	13 3/4	1,082	18 1/4	1,635
3/8	5	4 7/8	234	9 3/8	617	13 7/8	1,097	18 3/8	1,651
1/2	8	5	243	9 1/2	629	14	1,111	18 1/2	1,668
5/8	11	5 1/8	252	9 5/8	641	14 1/8	1,126	18 5/8	1,684
3/4	14	5 1/4	261	9 3/4	653	14 1/4	1,141	18 3/4	1,700
7/8	18	5 3/8	270	9 7/8	666	14 3/8	1,155	18 7/8	1,717
1	22	5 1/2	280	10	678	14 1/2	1,170	19	1,733
1 1/8	26	5 5/8	289	10 1/8	691	14 5/8	1,185	19 1/8	1,750
1 1/4	31	5 3/4	299	10 1/4	703	14 3/4	1,199	19 1/4	1,766
1 3/8	35	5 7/8	309	10 3/8	716	14 7/8	1,214	19 3/8	1,783
1 1/2	40	6	318	10 1/2	729	15	1,229	19 1/2	1,800
1 5/8	45	6 1/8	328	10 5/8	741	15 1/8	1,244	19 5/8	1,816
1 3/4	51	6 1/4	338	10 3/4	754	15 1/4	1,259	19 3/4	1,833
1 7/8	56	6 3/8	348	10 7/8	767	15 3/8	1,274	19 7/8	1,850
2	62	6 1/2	359	11	780	15 1/2	1,289	20	1,867
2 1/8	68	6 5/8	369	11 1/8	793	15 5/8	1,305	20 1/8	1,883
2 1/4	74	6 3/4	379	11 1/4	807	15 3/4	1,320	20 1/4	1,900
2 3/8	80	6 7/8	390	11 3/8	820	15 7/8	1,335	20 3/8	1,917
2 1/2	86	7	400	11 1/2	833	16	1,350	20 1/2	1,934
2 5/8	93	7 1/8	411	11 5/8	846	16 1/8	1,366	20 5/8	1,951
2 3/4	100	7 1/4	422	11 3/4	860	16 1/4	1,381	20 3/4	1,968
2 7/8	106	7 3/8	432	11 7/8	873	16 3/8	1,397	20 7/8	1,985
3	113	7 1/2	443	12	887	16 1/2	1,412	21	2,003
3 1/8	121	7 5/8	454	12 1/8	900	16 5/8	1,428	21 1/8	2,020
3 1/4	128	7 3/4	465	12 1/4	914	16 3/4	1,444	21 1/4	2,037
3 3/8	135	7 7/8	477	12 3/8	928	16 7/8	1,459	21 3/8	2,054
3 1/2	143	8	488	12 1/2	941	17	1,475	21 1/2	2,072
3 5/8	150	8 1/8	499	12 5/8	955	17 1/8	1,491	21 5/8	2,089
3 3/4	158	8 1/4	511	12 3/4	969	17 1/4	1,507	21 3/4	2,106
3 7/8	166	8 3/8	522	12 7/8	983	17 3/8	1,522	21 7/8	2,124
4	174	8 1/2	534	13	997	17 1/2	1,538	22	2,141
4 1/8	182	8 5/8	545	13 1/8	1,011	17 5/8	1,554	22 1/8	2,159
4 1/4	191	8 3/4	557	13 1/4	1,025	17 3/4	1,570	22 1/4	2,176
4 3/8	199	8 7/8	569	13 3/8	1,040	17 7/8	1,586	22 3/8	2,194
4 1/2	208	9	581	13 1/2	1,054	18	1,603	22 1/2	2,212



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	2,229	27 1/8	2,888	31 5/8	3,588	36 1/8	4,320	40 5/8	5,078
22 3/4	2,247	27 1/4	2,907	31 3/4	3,608	36 1/4	4,340	40 3/4	5,100
22 7/8	2,265	27 3/8	2,926	31 7/8	3,627	36 3/8	4,361	40 7/8	5,121
23	2,282	27 1/2	2,945	32	3,647	36 1/2	4,382	41	5,143
23 1/8	2,300	27 5/8	2,964	32 1/8	3,667	36 5/8	4,403	41 1/8	5,164
23 1/4	2,318	27 3/4	2,983	32 1/4	3,687	36 3/4	4,424	41 1/4	5,185
23 3/8	2,336	27 7/8	3,002	32 3/8	3,708	36 7/8	4,444	41 3/8	5,207
23 1/2	2,354	28	3,021	32 1/2	3,728	37	4,465	41 1/2	5,228
23 5/8	2,372	28 1/8	3,041	32 5/8	3,748	37 1/8	4,486	41 5/8	5,250
23 3/4	2,390	28 1/4	3,060	32 3/4	3,768	37 1/4	4,507	41 3/4	5,271
23 7/8	2,408	28 3/8	3,079	32 7/8	3,788	37 3/8	4,528	41 7/8	5,293
24	2,426	28 1/2	3,098	33	3,808	37 1/2	4,549	42	5,314
24 1/8	2,444	28 5/8	3,117	33 1/8	3,828	37 5/8	4,570	42 1/8	5,336
24 1/4	2,462	28 3/4	3,137	33 1/4	3,849	37 3/4	4,591	42 1/4	5,358
24 3/8	2,480	28 7/8	3,156	33 3/8	3,869	37 7/8	4,612	42 3/8	5,379
24 1/2	2,498	29	3,175	33 1/2	3,889	38	4,633	42 1/2	5,401
24 5/8	2,517	29 1/8	3,195	33 5/8	3,909	38 1/8	4,654	42 5/8	5,422
24 3/4	2,535	29 1/4	3,214	33 3/4	3,930	38 1/4	4,675	42 3/4	5,444
24 7/8	2,553	29 3/8	3,233	33 7/8	3,950	38 3/8	4,696	42 7/8	5,466
25	2,572	29 1/2	3,253	34	3,970	38 1/2	4,717	43	5,487
25 1/8	2,590	29 5/8	3,272	34 1/8	3,991	38 5/8	4,738	43 1/8	5,509
25 1/4	2,608	29 3/4	3,292	34 1/4	4,011	38 3/4	4,759	43 1/4	5,531
25 3/8	2,627	29 7/8	3,311	34 3/8	4,032	38 7/8	4,780	43 3/8	5,552
25 1/2	2,645	30	3,331	34 1/2	4,052	39	4,802	43 1/2	5,574
25 5/8	2,664	30 1/8	3,351	34 5/8	4,072	39 1/8	4,823	43 5/8	5,596
25 3/4	2,682	30 1/4	3,370	34 3/4	4,093	39 1/4	4,844	43 3/4	5,618
25 7/8	2,701	30 3/8	3,390	34 7/8	4,113	39 3/8	4,865	43 7/8	5,639
26	2,719	30 1/2	3,409	35	4,134	39 1/2	4,886	44	5,661
26 1/8	2,738	30 5/8	3,429	35 1/8	4,155	39 5/8	4,908	44 1/8	5,683
26 1/4	2,757	30 3/4	3,449	35 1/4	4,175	39 3/4	4,929	44 1/4	5,705
26 3/8	2,775	30 7/8	3,469	35 3/8	4,196	39 7/8	4,950	44 3/8	5,727
26 1/2	2,794	31	3,488	35 1/2	4,216	40	4,972	44 1/2	5,748
26 5/8	2,813	31 1/8	3,508	35 5/8	4,237	40 1/8	4,993	44 5/8	5,770
26 3/4	2,832	31 1/4	3,528	35 3/4	4,258	40 1/4	5,014	44 3/4	5,792
26 7/8	2,851	31 3/8	3,548	35 7/8	4,278	40 3/8	5,036	44 7/8	5,814
27	2,869	31 1/2	3,568	36	4,299	40 1/2	5,057	45	5,836



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	5,858	49 5/8	6,653	54 1/8	7,459	58 5/8	8,270	63 1/8	9,084
45 1/4	5,880	49 3/4	6,675	54 1/4	7,481	58 3/4	8,293	63 1/4	9,106
45 3/8	5,902	49 7/8	6,697	54 3/8	7,504	58 7/8	8,316	63 3/8	9,129
45 1/2	5,923	50	6,720	54 1/2	7,526	59	8,338	63 1/2	9,151
45 5/8	5,945	50 1/8	6,742	54 5/8	7,549	59 1/8	8,361	63 5/8	9,174
45 3/4	5,967	50 1/4	6,764	54 3/4	7,571	59 1/4	8,383	63 3/4	9,197
45 7/8	5,989	50 3/8	6,787	54 7/8	7,594	59 3/8	8,406	63 7/8	9,219
46	6,011	50 1/2	6,809	55	7,616	59 1/2	8,429	64	9,242
46 1/8	6,033	50 5/8	6,831	55 1/8	7,639	59 5/8	8,451	64 1/8	9,264
46 1/4	6,055	50 3/4	6,853	55 1/4	7,661	59 3/4	8,474	64 1/4	9,287
46 3/8	6,077	50 7/8	6,876	55 3/8	7,684	59 7/8	8,496	64 3/8	9,309
46 1/2	6,099	51	6,898	55 1/2	7,706	60	8,519	64 1/2	9,332
46 5/8	6,121	51 1/8	6,920	55 5/8	7,729	60 1/8	8,542	64 5/8	9,354
46 3/4	6,143	51 1/4	6,943	55 3/4	7,751	60 1/4	8,564	64 3/4	9,377
46 7/8	6,165	51 3/8	6,965	55 7/8	7,774	60 3/8	8,587	64 7/8	9,399
47	6,187	51 1/2	6,988	56	7,796	60 1/2	8,609	65	9,422
47 1/8	6,209	51 5/8	7,010	56 1/8	7,819	60 5/8	8,632	65 1/8	9,444
47 1/4	6,232	51 3/4	7,032	56 1/4	7,842	60 3/4	8,655	65 1/4	9,467
47 3/8	6,254	51 7/8	7,055	56 3/8	7,864	60 7/8	8,677	65 3/8	9,489
47 1/2	6,276	52	7,077	56 1/2	7,887	61	8,700	65 1/2	9,512
47 5/8	6,298	52 1/8	7,099	56 5/8	7,909	61 1/8	8,722	65 5/8	9,534
47 3/4	6,320	52 1/4	7,122	56 3/4	7,932	61 1/4	8,745	65 3/4	9,557
47 7/8	6,342	52 3/8	7,144	56 7/8	7,954	61 3/8	8,768	65 7/8	9,579
48	6,364	52 1/2	7,167	57	7,977	61 1/2	8,790	66	9,602
48 1/8	6,386	52 5/8	7,189	57 1/8	7,999	61 5/8	8,813	66 1/8	9,624
48 1/4	6,409	52 3/4	7,212	57 1/4	8,022	61 3/4	8,835	66 1/4	9,647
48 3/8	6,431	52 7/8	7,234	57 3/8	8,045	61 7/8	8,858	66 3/8	9,669
48 1/2	6,453	53	7,256	57 1/2	8,067	62	8,881	66 1/2	9,692
48 5/8	6,475	53 1/8	7,279	57 5/8	8,090	62 1/8	8,903	66 5/8	9,714
48 3/4	6,497	53 1/4	7,301	57 3/4	8,112	62 1/4	8,926	66 3/4	9,737
48 7/8	6,519	53 3/8	7,324	57 7/8	8,135	62 3/8	8,948	66 7/8	9,759
49	6,542	53 1/2	7,346	58	8,158	62 1/2	8,971	67	9,782
49 1/8	6,564	53 5/8	7,369	58 1/8	8,180	62 5/8	8,993	67 1/8	9,804
49 1/4	6,586	53 3/4	7,391	58 1/4	8,203	62 3/4	9,016	67 1/4	9,826
49 3/8	6,608	53 7/8	7,414	58 3/8	8,225	62 7/8	9,039	67 3/8	9,849
49 1/2	6,631	54	7,436	58 1/2	8,248	63	9,061	67 1/2	9,871



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	9,894	72 1/8	10,696	76 5/8	11,486	81 1/8	12,258	85 5/8	13,007
67 3/4	9,916	72 1/4	10,718	76 3/4	11,507	81 1/4	12,279	85 3/4	13,027
67 7/8	9,939	72 3/8	10,740	76 7/8	11,529	81 3/8	12,300	85 7/8	13,047
68	9,961	72 1/2	10,762	77	11,551	81 1/2	12,321	86	13,068
68 1/8	9,983	72 5/8	10,784	77 1/8	11,572	81 5/8	12,342	86 1/8	13,088
68 1/4	10,006	72 3/4	10,806	77 1/4	11,594	81 3/4	12,363	86 1/4	13,108
68 3/8	10,028	72 7/8	10,829	77 3/8	11,616	81 7/8	12,384	86 3/8	13,129
68 1/2	10,050	73	10,851	77 1/2	11,637	82	12,405	86 1/2	13,149
68 5/8	10,073	73 1/8	10,873	77 5/8	11,659	82 1/8	12,426	86 5/8	13,169
68 3/4	10,095	73 1/4	10,895	77 3/4	11,680	82 1/4	12,447	86 3/4	13,190
68 7/8	10,118	73 3/8	10,917	77 7/8	11,702	82 3/8	12,468	86 7/8	13,210
69	10,140	73 1/2	10,939	78	11,724	82 1/2	12,489	87	13,230
69 1/8	10,162	73 5/8	10,961	78 1/8	11,745	82 5/8	12,510	87 1/8	13,250
69 1/4	10,185	73 3/4	10,983	78 1/4	11,767	82 3/4	12,531	87 1/4	13,270
69 3/8	10,207	73 7/8	11,005	78 3/8	11,788	82 7/8	12,552	87 3/8	13,290
69 1/2	10,229	74	11,027	78 1/2	11,810	83	12,573	87 1/2	13,310
69 5/8	10,252	74 1/8	11,049	78 5/8	11,831	83 1/8	12,594	87 5/8	13,331
69 3/4	10,274	74 1/4	11,071	78 3/4	11,853	83 1/4	12,614	87 3/4	13,351
69 7/8	10,296	74 3/8	11,093	78 7/8	11,874	83 3/8	12,635	87 7/8	13,371
70	10,318	74 1/2	11,115	79	11,896	83 1/2	12,656	88	13,391
70 1/8	10,341	74 5/8	11,136	79 1/8	11,917	83 5/8	12,677	88 1/8	13,411
70 1/4	10,363	74 3/4	11,158	79 1/4	11,938	83 3/4	12,698	88 1/4	13,431
70 3/8	10,385	74 7/8	11,180	79 3/8	11,960	83 7/8	12,718	88 3/8	13,450
70 1/2	10,407	75	11,202	79 1/2	11,981	84	12,739	88 1/2	13,470
70 5/8	10,430	75 1/8	11,224	79 5/8	12,002	84 1/8	12,760	88 5/8	13,490
70 3/4	10,452	75 1/4	11,246	79 3/4	12,024	84 1/4	12,780	88 3/4	13,510
70 7/8	10,474	75 3/8	11,268	79 7/8	12,045	84 3/8	12,801	88 7/8	13,530
71	10,496	75 1/2	11,290	80	12,066	84 1/2	12,822	89	13,550
71 1/8	10,519	75 5/8	11,311	80 1/8	12,088	84 5/8	12,842	89 1/8	13,569
71 1/4	10,541	75 3/4	11,333	80 1/4	12,109	84 3/4	12,863	89 1/4	13,589
71 3/8	10,563	75 7/8	11,355	80 3/8	12,130	84 7/8	12,884	89 3/8	13,609
71 1/2	10,585	76	11,377	80 1/2	12,152	85	12,904	89 1/2	13,629
71 5/8	10,607	76 1/8	11,399	80 5/8	12,173	85 1/8	12,925	89 5/8	13,648
71 3/4	10,630	76 1/4	11,420	80 3/4	12,194	85 1/4	12,945	89 3/4	13,668
71 7/8	10,652	76 3/8	11,442	80 7/8	12,215	85 3/8	12,966	89 7/8	13,688
72	10,674	76 1/2	11,464	81	12,236	85 1/2	12,986	90	13,707



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	13,727	94 5/8	14,411	99 1/8	15,053	103 5/8	15,641	108 1/8	16,165
90 1/4	13,746	94 3/4	14,430	99 1/4	15,070	103 3/4	15,657	108 1/4	16,178
90 3/8	13,766	94 7/8	14,448	99 3/8	15,087	103 7/8	15,672	108 3/8	16,192
90 1/2	13,785	95	14,466	99 1/2	15,104	104	15,688	108 1/2	16,205
90 5/8	13,805	95 1/8	14,485	99 5/8	15,121	104 1/8	15,703	108 5/8	16,218
90 3/4	13,824	95 1/4	14,503	99 3/4	15,138	104 1/4	15,718	108 3/4	16,232
90 7/8	13,843	95 3/8	14,521	99 7/8	15,155	104 3/8	15,733	108 7/8	16,245
91	13,863	95 1/2	14,540	100	15,172	104 1/2	15,749	109	16,258
91 1/8	13,882	95 5/8	14,558	100 1/8	15,188	104 5/8	15,764	109 1/8	16,271
91 1/4	13,901	95 3/4	14,576	100 1/4	15,205	104 3/4	15,779	109 1/4	16,284
91 3/8	13,921	95 7/8	14,594	100 3/8	15,222	104 7/8	15,794	109 3/8	16,297
91 1/2	13,940	96	14,612	100 1/2	15,239	105	15,809	109 1/2	16,309
91 5/8	13,959	96 1/8	14,630	100 5/8	15,255	105 1/8	15,824	109 5/8	16,322
91 3/4	13,978	96 1/4	14,648	100 3/4	15,272	105 1/4	15,839	109 3/4	16,335
91 7/8	13,997	96 3/8	14,666	100 7/8	15,288	105 3/8	15,853	109 7/8	16,347
92	14,017	96 1/2	14,684	101	15,305	105 1/2	15,868	110	16,360
92 1/8	14,036	96 5/8	14,702	101 1/8	15,321	105 5/8	15,883	110 1/8	16,372
92 1/4	14,055	96 3/4	14,720	101 1/4	15,338	105 3/4	15,898	110 1/4	16,385
92 3/8	14,074	96 7/8	14,738	101 3/8	15,354	105 7/8	15,912	110 3/8	16,397
92 1/2	14,093	97	14,756	101 1/2	15,371	106	15,927	110 1/2	16,409
92 5/8	14,112	97 1/8	14,773	101 5/8	15,387	106 1/8	15,941	110 5/8	16,421
92 3/4	14,131	97 1/4	14,791	101 3/4	15,403	106 1/4	15,956	110 3/4	16,434
92 7/8	14,150	97 3/8	14,809	101 7/8	15,419	106 3/8	15,970	110 7/8	16,446
93	14,169	97 1/2	14,827	102	15,435	106 1/2	15,984	111	16,457
93 1/8	14,187	97 5/8	14,844	102 1/8	15,452	106 5/8	15,998	111 1/8	16,469
93 1/4	14,206	97 3/4	14,862	102 1/4	15,468	106 3/4	16,013	111 1/4	16,481
93 3/8	14,225	97 7/8	14,879	102 3/8	15,484	106 7/8	16,027	111 3/8	16,493
93 1/2	14,244	98	14,897	102 1/2	15,500	107	16,041	111 1/2	16,504
93 5/8	14,263	98 1/8	14,914	102 5/8	15,516	107 1/8	16,055	111 5/8	16,516
93 3/4	14,281	98 1/4	14,932	102 3/4	15,531	107 1/4	16,069	111 3/4	16,528
93 7/8	14,300	98 3/8	14,949	102 7/8	15,547	107 3/8	16,083	111 7/8	16,539
94	14,319	98 1/2	14,966	103	15,563	107 1/2	16,097	112	16,550
94 1/8	14,337	98 5/8	14,984	103 1/8	15,579	107 5/8	16,110	112 1/8	16,561
94 1/4	14,356	98 3/4	15,001	103 1/4	15,594	107 3/4	16,124	112 1/4	16,573
94 3/8	14,374	98 7/8	15,018	103 3/8	15,610	107 7/8	16,138	112 3/8	16,584
94 1/2	14,393	99	15,035	103 1/2	15,626	108	16,151	112 1/2	16,595



Dipstick Calibration Chart

10' x 17K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	16,606	117 1/8	16,932
112 3/4	16,616	117 1/4	16,938
112 7/8	16,627	117 3/8	16,945
113	16,638	117 1/2	16,952
113 1/8	16,648	117 5/8	16,958
113 1/4	16,659	117 3/4	16,964
113 3/8	16,669	117 7/8	16,970
113 1/2	16,679	118	16,976
113 5/8	16,690	118 1/8	16,982
113 3/4	16,700	118 1/4	16,987
113 7/8	16,710	118 3/8	16,993
114	16,720	118 1/2	16,998
114 1/8	16,729	118 5/8	17,003
114 1/4	16,739	118 3/4	17,007
114 3/8	16,749	118 7/8	17,012
114 1/2	16,758	119	17,016
114 5/8	16,768	119 1/8	17,020
114 3/4	16,777	119 1/4	17,024
114 7/8	16,786	119 3/8	17,027
115	16,795	119 1/2	17,030
115 1/8	16,804	119 5/8	17,033
115 1/4	16,813	119 3/4	17,035
115 3/8	16,822	119 7/8	17,037
115 1/2	16,830	120	17,038
115 5/8	16,839		
115 3/4	16,847		
115 7/8	16,856		
116	16,864		
116 1/8	16,872		
116 1/4	16,880		
116 3/8	16,888		
116 1/2	16,895		
116 5/8	16,903		
116 3/4	16,910		
116 7/8	16,917		
117	16,925		