



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	231	9 1/8	633	13 5/8	1,142	18 1/8	1,730
1/4	3	4 3/4	241	9 1/4	646	13 3/4	1,157	18 1/4	1,748
3/8	5	4 7/8	250	9 3/8	659	13 7/8	1,173	18 3/8	1,765
1/2	8	5	260	9 1/2	672	14	1,188	18 1/2	1,783
5/8	12	5 1/8	269	9 5/8	685	14 1/8	1,204	18 5/8	1,800
3/4	15	5 1/4	279	9 3/4	698	14 1/4	1,219	18 3/4	1,818
7/8	19	5 3/8	289	9 7/8	712	14 3/8	1,235	18 7/8	1,835
1	23	5 1/2	299	10	725	14 1/2	1,251	19	1,853
1 1/8	28	5 5/8	309	10 1/8	738	14 5/8	1,266	19 1/8	1,870
1 1/4	33	5 3/4	320	10 1/4	752	14 3/4	1,282	19 1/4	1,888
1 3/8	38	5 7/8	330	10 3/8	765	14 7/8	1,298	19 3/8	1,906
1 1/2	43	6	340	10 1/2	779	15	1,314	19 1/2	1,924
1 5/8	49	6 1/8	351	10 5/8	793	15 1/8	1,330	19 5/8	1,941
1 3/4	54	6 1/4	362	10 3/4	806	15 1/4	1,346	19 3/4	1,959
1 7/8	60	6 3/8	373	10 7/8	820	15 3/8	1,362	19 7/8	1,977
2	66	6 1/2	383	11	834	15 1/2	1,378	20	1,995
2 1/8	72	6 5/8	394	11 1/8	848	15 5/8	1,395	20 1/8	2,013
2 1/4	79	6 3/4	405	11 1/4	862	15 3/4	1,411	20 1/4	2,031
2 3/8	86	6 7/8	417	11 3/8	876	15 7/8	1,427	20 3/8	2,049
2 1/2	92	7	428	11 1/2	890	16	1,444	20 1/2	2,068
2 5/8	99	7 1/8	439	11 5/8	905	16 1/8	1,460	20 5/8	2,086
2 3/4	107	7 1/4	451	11 3/4	919	16 1/4	1,477	20 3/4	2,104
2 7/8	114	7 3/8	462	11 7/8	933	16 3/8	1,493	20 7/8	2,122
3	121	7 1/2	474	12	948	16 1/2	1,510	21	2,141
3 1/8	129	7 5/8	486	12 1/8	962	16 5/8	1,526	21 1/8	2,159
3 1/4	137	7 3/4	498	12 1/4	977	16 3/4	1,543	21 1/4	2,178
3 3/8	145	7 7/8	509	12 3/8	992	16 7/8	1,560	21 3/8	2,196
3 1/2	153	8	521	12 1/2	1,006	17	1,577	21 1/2	2,214
3 5/8	161	8 1/8	534	12 5/8	1,021	17 1/8	1,594	21 5/8	2,233
3 3/4	169	8 1/4	546	12 3/4	1,036	17 1/4	1,611	21 3/4	2,252
3 7/8	178	8 3/8	558	12 7/8	1,051	17 3/8	1,627	21 7/8	2,270
4	186	8 1/2	570	13	1,066	17 1/2	1,645	22	2,289
4 1/8	195	8 5/8	583	13 1/8	1,081	17 5/8	1,662	22 1/8	2,308
4 1/4	204	8 3/4	595	13 1/4	1,096	17 3/4	1,679	22 1/4	2,326
4 3/8	213	8 7/8	608	13 3/8	1,111	17 7/8	1,696	22 3/8	2,345
4 1/2	222	9	621	13 1/2	1,127	18	1,713	22 1/2	2,364



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	2,383	27 1/8	3,088	31 5/8	3,835	36 1/8	4,618	40 5/8	5,429
22 3/4	2,402	27 1/4	3,108	31 3/4	3,856	36 1/4	4,640	40 3/4	5,451
22 7/8	2,421	27 3/8	3,128	31 7/8	3,878	36 3/8	4,662	40 7/8	5,474
23	2,440	27 1/2	3,148	32	3,899	36 1/2	4,684	41	5,497
23 1/8	2,459	27 5/8	3,169	32 1/8	3,920	36 5/8	4,706	41 1/8	5,520
23 1/4	2,478	27 3/4	3,189	32 1/4	3,942	36 3/4	4,729	41 1/4	5,543
23 3/8	2,497	27 7/8	3,209	32 3/8	3,963	36 7/8	4,751	41 3/8	5,566
23 1/2	2,516	28	3,230	32 1/2	3,985	37	4,773	41 1/2	5,589
23 5/8	2,535	28 1/8	3,250	32 5/8	4,006	37 1/8	4,796	41 5/8	5,612
23 3/4	2,555	28 1/4	3,271	32 3/4	4,028	37 1/4	4,818	41 3/4	5,635
23 7/8	2,574	28 3/8	3,291	32 7/8	4,049	37 3/8	4,840	41 7/8	5,658
24	2,593	28 1/2	3,312	33	4,071	37 1/2	4,863	42	5,681
24 1/8	2,612	28 5/8	3,332	33 1/8	4,092	37 5/8	4,885	42 1/8	5,704
24 1/4	2,632	28 3/4	3,353	33 1/4	4,114	37 3/4	4,907	42 1/4	5,727
24 3/8	2,651	28 7/8	3,374	33 3/8	4,136	37 7/8	4,930	42 3/8	5,750
24 1/2	2,671	29	3,394	33 1/2	4,157	38	4,952	42 1/2	5,773
24 5/8	2,690	29 1/8	3,415	33 5/8	4,179	38 1/8	4,975	42 5/8	5,796
24 3/4	2,710	29 1/4	3,436	33 3/4	4,201	38 1/4	4,997	42 3/4	5,820
24 7/8	2,729	29 3/8	3,456	33 7/8	4,222	38 3/8	5,020	42 7/8	5,843
25	2,749	29 1/2	3,477	34	4,244	38 1/2	5,042	43	5,866
25 1/8	2,769	29 5/8	3,498	34 1/8	4,266	38 5/8	5,065	43 1/8	5,889
25 1/4	2,788	29 3/4	3,519	34 1/4	4,288	38 3/4	5,088	43 1/4	5,912
25 3/8	2,808	29 7/8	3,540	34 3/8	4,310	38 7/8	5,110	43 3/8	5,935
25 1/2	2,828	30	3,561	34 1/2	4,331	39	5,133	43 1/2	5,959
25 5/8	2,847	30 1/8	3,582	34 5/8	4,353	39 1/8	5,155	43 5/8	5,982
25 3/4	2,867	30 1/4	3,603	34 3/4	4,375	39 1/4	5,178	43 3/4	6,005
25 7/8	2,887	30 3/8	3,624	34 7/8	4,397	39 3/8	5,201	43 7/8	6,028
26	2,907	30 1/2	3,645	35	4,419	39 1/2	5,223	44	6,052
26 1/8	2,927	30 5/8	3,666	35 1/8	4,441	39 5/8	5,246	44 1/8	6,075
26 1/4	2,947	30 3/4	3,687	35 1/4	4,463	39 3/4	5,269	44 1/4	6,098
26 3/8	2,967	30 7/8	3,708	35 3/8	4,485	39 7/8	5,292	44 3/8	6,122
26 1/2	2,987	31	3,729	35 1/2	4,507	40	5,314	44 1/2	6,145
26 5/8	3,007	31 1/8	3,750	35 5/8	4,529	40 1/8	5,337	44 5/8	6,168
26 3/4	3,027	31 1/4	3,771	35 3/4	4,551	40 1/4	5,360	44 3/4	6,192
26 7/8	3,047	31 3/8	3,793	35 7/8	4,573	40 3/8	5,383	44 7/8	6,215
27	3,067	31 1/2	3,814	36	4,595	40 1/2	5,406	45	6,238



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	6,262	49 5/8	7,112	54 1/8	7,973	58 5/8	8,841	63 1/8	9,710
45 1/4	6,285	49 3/4	7,135	54 1/4	7,997	58 3/4	8,865	63 1/4	9,734
45 3/8	6,309	49 7/8	7,159	54 3/8	8,021	58 7/8	8,889	63 3/8	9,758
45 1/2	6,332	50	7,183	54 1/2	8,045	59	8,913	63 1/2	9,783
45 5/8	6,355	50 1/8	7,207	54 5/8	8,069	59 1/8	8,937	63 5/8	9,807
45 3/4	6,379	50 1/4	7,231	54 3/4	8,093	59 1/4	8,962	63 3/4	9,831
45 7/8	6,402	50 3/8	7,255	54 7/8	8,117	59 3/8	8,986	63 7/8	9,855
46	6,426	50 1/2	7,278	55	8,141	59 1/2	9,010	64	9,879
46 1/8	6,449	50 5/8	7,302	55 1/8	8,165	59 5/8	9,034	64 1/8	9,903
46 1/4	6,473	50 3/4	7,326	55 1/4	8,190	59 3/4	9,058	64 1/4	9,927
46 3/8	6,496	50 7/8	7,350	55 3/8	8,214	59 7/8	9,082	64 3/8	9,951
46 1/2	6,520	51	7,374	55 1/2	8,238	60	9,107	64 1/2	9,975
46 5/8	6,543	51 1/8	7,398	55 5/8	8,262	60 1/8	9,131	64 5/8	9,999
46 3/4	6,567	51 1/4	7,422	55 3/4	8,286	60 1/4	9,155	64 3/4	10,024
46 7/8	6,591	51 3/8	7,446	55 7/8	8,310	60 3/8	9,179	64 7/8	10,048
47	6,614	51 1/2	7,469	56	8,334	60 1/2	9,203	65	10,072
47 1/8	6,638	51 5/8	7,493	56 1/8	8,358	60 5/8	9,227	65 1/8	10,096
47 1/4	6,661	51 3/4	7,517	56 1/4	8,382	60 3/4	9,251	65 1/4	10,120
47 3/8	6,685	51 7/8	7,541	56 3/8	8,406	60 7/8	9,276	65 3/8	10,144
47 1/2	6,709	52	7,565	56 1/2	8,431	61	9,300	65 1/2	10,168
47 5/8	6,732	52 1/8	7,589	56 5/8	8,455	61 1/8	9,324	65 5/8	10,192
47 3/4	6,756	52 1/4	7,613	56 3/4	8,479	61 1/4	9,348	65 3/4	10,216
47 7/8	6,779	52 3/8	7,637	56 7/8	8,503	61 3/8	9,372	65 7/8	10,240
48	6,803	52 1/2	7,661	57	8,527	61 1/2	9,396	66	10,264
48 1/8	6,827	52 5/8	7,685	57 1/8	8,551	61 5/8	9,421	66 1/8	10,288
48 1/4	6,850	52 3/4	7,709	57 1/4	8,575	61 3/4	9,445	66 1/4	10,312
48 3/8	6,874	52 7/8	7,733	57 3/8	8,599	61 7/8	9,469	66 3/8	10,336
48 1/2	6,898	53	7,757	57 1/2	8,624	62	9,493	66 1/2	10,360
48 5/8	6,922	53 1/8	7,781	57 5/8	8,648	62 1/8	9,517	66 5/8	10,384
48 3/4	6,945	53 1/4	7,805	57 3/4	8,672	62 1/4	9,541	66 3/4	10,408
48 7/8	6,969	53 3/8	7,829	57 7/8	8,696	62 3/8	9,565	66 7/8	10,432
49	6,993	53 1/2	7,853	58	8,720	62 1/2	9,590	67	10,456
49 1/8	7,017	53 5/8	7,877	58 1/8	8,744	62 5/8	9,614	67 1/8	10,480
49 1/4	7,040	53 3/4	7,901	58 1/4	8,768	62 3/4	9,638	67 1/4	10,504
49 3/8	7,064	53 7/8	7,925	58 3/8	8,793	62 7/8	9,662	67 3/8	10,528
49 1/2	7,088	54	7,949	58 1/2	8,817	63	9,686	67 1/2	10,552



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	10,576	72 1/8	11,434	76 5/8	12,278	81 1/8	13,103	85 5/8	13,904
67 3/4	10,600	72 1/4	11,457	76 3/4	12,301	81 1/4	13,125	85 3/4	13,925
67 7/8	10,624	72 3/8	11,481	76 7/8	12,324	81 3/8	13,148	85 7/8	13,947
68	10,648	72 1/2	11,505	77	12,347	81 1/2	13,171	86	13,969
68 1/8	10,672	72 5/8	11,528	77 1/8	12,370	81 5/8	13,193	86 1/8	13,991
68 1/4	10,696	72 3/4	11,552	77 1/4	12,394	81 3/4	13,216	86 1/4	14,012
68 3/8	10,720	72 7/8	11,575	77 3/8	12,417	81 7/8	13,238	86 3/8	14,034
68 1/2	10,744	73	11,599	77 1/2	12,440	82	13,261	86 1/2	14,056
68 5/8	10,768	73 1/8	11,623	77 5/8	12,463	82 1/8	13,283	86 5/8	14,077
68 3/4	10,791	73 1/4	11,646	77 3/4	12,486	82 1/4	13,306	86 3/4	14,099
68 7/8	10,815	73 3/8	11,670	77 7/8	12,509	82 3/8	13,328	86 7/8	14,121
69	10,839	73 1/2	11,693	78	12,532	82 1/2	13,350	87	14,142
69 1/8	10,863	73 5/8	11,717	78 1/8	12,555	82 5/8	13,373	87 1/8	14,164
69 1/4	10,887	73 3/4	11,740	78 1/4	12,578	82 3/4	13,395	87 1/4	14,185
69 3/8	10,911	73 7/8	11,764	78 3/8	12,601	82 7/8	13,418	87 3/8	14,207
69 1/2	10,935	74	11,787	78 1/2	12,624	83	13,440	87 1/2	14,228
69 5/8	10,959	74 1/8	11,811	78 5/8	12,647	83 1/8	13,462	87 5/8	14,250
69 3/4	10,982	74 1/4	11,834	78 3/4	12,670	83 1/4	13,484	87 3/4	14,271
69 7/8	11,006	74 3/8	11,858	78 7/8	12,693	83 3/8	13,507	87 7/8	14,293
70	11,030	74 1/2	11,881	79	12,716	83 1/2	13,529	88	14,314
70 1/8	11,054	74 5/8	11,905	79 1/8	12,739	83 5/8	13,551	88 1/8	14,335
70 1/4	11,078	74 3/4	11,928	79 1/4	12,762	83 3/4	13,573	88 1/4	14,357
70 3/8	11,101	74 7/8	11,951	79 3/8	12,785	83 7/8	13,595	88 3/8	14,378
70 1/2	11,125	75	11,975	79 1/2	12,807	84	13,618	88 1/2	14,399
70 5/8	11,149	75 1/8	11,998	79 5/8	12,830	84 1/8	13,640	88 5/8	14,421
70 3/4	11,173	75 1/4	12,022	79 3/4	12,853	84 1/4	13,662	88 3/4	14,442
70 7/8	11,197	75 3/8	12,045	79 7/8	12,876	84 3/8	13,684	88 7/8	14,463
71	11,220	75 1/2	12,068	80	12,899	84 1/2	13,706	89	14,484
71 1/8	11,244	75 5/8	12,092	80 1/8	12,921	84 5/8	13,728	89 1/8	14,505
71 1/4	11,268	75 3/4	12,115	80 1/4	12,944	84 3/4	13,750	89 1/4	14,526
71 3/8	11,291	75 7/8	12,138	80 3/8	12,967	84 7/8	13,772	89 3/8	14,547
71 1/2	11,315	76	12,161	80 1/2	12,990	85	13,794	89 1/2	14,568
71 5/8	11,339	76 1/8	12,185	80 5/8	13,012	85 1/8	13,816	89 5/8	14,590
71 3/4	11,363	76 1/4	12,208	80 3/4	13,035	85 1/4	13,838	89 3/4	14,611
71 7/8	11,386	76 3/8	12,231	80 7/8	13,058	85 3/8	13,860	89 7/8	14,631
72	11,410	76 1/2	12,254	81	13,080	85 1/2	13,882	90	14,652



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	14,673	94 5/8	15,405	99 1/8	16,091	103 5/8	16,720	108 1/8	17,280
90 1/4	14,694	94 3/4	15,425	99 1/4	16,109	103 3/4	16,736	108 1/4	17,294
90 3/8	14,715	94 7/8	15,445	99 3/8	16,127	103 7/8	16,753	108 3/8	17,308
90 1/2	14,736	95	15,464	99 1/2	16,145	104	16,769	108 1/2	17,323
90 5/8	14,757	95 1/8	15,484	99 5/8	16,164	104 1/8	16,786	108 5/8	17,337
90 3/4	14,777	95 1/4	15,503	99 3/4	16,182	104 1/4	16,802	108 3/4	17,351
90 7/8	14,798	95 3/8	15,523	99 7/8	16,200	104 3/8	16,818	108 7/8	17,365
91	14,819	95 1/2	15,542	100	16,218	104 1/2	16,835	109	17,379
91 1/8	14,839	95 5/8	15,562	100 1/8	16,236	104 5/8	16,851	109 1/8	17,393
91 1/4	14,860	95 3/4	15,581	100 1/4	16,254	104 3/4	16,867	109 1/4	17,407
91 3/8	14,881	95 7/8	15,601	100 3/8	16,272	104 7/8	16,883	109 3/8	17,420
91 1/2	14,901	96	15,620	100 1/2	16,289	105	16,899	109 1/2	17,434
91 5/8	14,922	96 1/8	15,639	100 5/8	16,307	105 1/8	16,915	109 5/8	17,448
91 3/4	14,942	96 1/4	15,659	100 3/4	16,325	105 1/4	16,931	109 3/4	17,461
91 7/8	14,963	96 3/8	15,678	100 7/8	16,343	105 3/8	16,947	109 7/8	17,475
92	14,983	96 1/2	15,697	101	16,360	105 1/2	16,963	110	17,488
92 1/8	15,004	96 5/8	15,716	101 1/8	16,378	105 5/8	16,978	110 1/8	17,501
92 1/4	15,024	96 3/4	15,735	101 1/4	16,396	105 3/4	16,994	110 1/4	17,515
92 3/8	15,044	96 7/8	15,754	101 3/8	16,413	105 7/8	17,009	110 3/8	17,528
92 1/2	15,065	97	15,773	101 1/2	16,431	106	17,025	110 1/2	17,541
92 5/8	15,085	97 1/8	15,792	101 5/8	16,448	106 1/8	17,041	110 5/8	17,554
92 3/4	15,105	97 1/4	15,811	101 3/4	16,465	106 1/4	17,056	110 3/4	17,567
92 7/8	15,126	97 3/8	15,830	101 7/8	16,483	106 3/8	17,071	110 7/8	17,580
93	15,146	97 1/2	15,849	102	16,500	106 1/2	17,087	111	17,592
93 1/8	15,166	97 5/8	15,868	102 1/8	16,517	106 5/8	17,102	111 1/8	17,605
93 1/4	15,186	97 3/4	15,887	102 1/4	16,534	106 3/4	17,117	111 1/4	17,618
93 3/8	15,206	97 7/8	15,905	102 3/8	16,551	106 7/8	17,132	111 3/8	17,630
93 1/2	15,226	98	15,924	102 1/2	16,569	107	17,147	111 1/2	17,643
93 5/8	15,246	98 1/8	15,943	102 5/8	16,586	107 1/8	17,162	111 5/8	17,655
93 3/4	15,266	98 1/4	15,961	102 3/4	16,603	107 1/4	17,177	111 3/4	17,667
93 7/8	15,286	98 3/8	15,980	102 7/8	16,619	107 3/8	17,192	111 7/8	17,680
94	15,306	98 1/2	15,999	103	16,636	107 1/2	17,207	112	17,692
94 1/8	15,326	98 5/8	16,017	103 1/8	16,653	107 5/8	17,221	112 1/8	17,704
94 1/4	15,346	98 3/4	16,036	103 1/4	16,670	107 3/4	17,236	112 1/4	17,716
94 3/8	15,366	98 7/8	16,054	103 3/8	16,687	107 7/8	17,251	112 3/8	17,727
94 1/2	15,385	99	16,072	103 1/2	16,703	108	17,265	112 1/2	17,739



Dipstick Calibration Chart

10' x 18K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	17,751	117 1/8	18,099
112 3/4	17,762	117 1/4	18,107
112 7/8	17,774	117 3/8	18,114
113	17,785	117 1/2	18,121
113 1/8	17,796	117 5/8	18,127
113 1/4	17,808	117 3/4	18,134
113 3/8	17,819	117 7/8	18,141
113 1/2	17,830	118	18,147
113 5/8	17,841	118 1/8	18,153
113 3/4	17,851	118 1/4	18,159
113 7/8	17,862	118 3/8	18,165
114	17,873	118 1/2	18,170
114 1/8	17,883	118 5/8	18,175
114 1/4	17,893	118 3/4	18,180
114 3/8	17,904	118 7/8	18,185
114 1/2	17,914	119	18,190
114 5/8	17,924	119 1/8	18,194
114 3/4	17,934	119 1/4	18,198
114 7/8	17,944	119 3/8	18,201
115	17,953	119 1/2	18,205
115 1/8	17,963	119 5/8	18,208
115 1/4	17,972	119 3/4	18,210
115 3/8	17,982	119 7/8	18,212
115 1/2	17,991	120	18,213
115 5/8	18,000		
115 3/4	18,009		
115 7/8	18,018		
116	18,027		
116 1/8	18,035		
116 1/4	18,044		
116 3/8	18,052		
116 1/2	18,060		
116 5/8	18,068		
116 3/4	18,076		
116 7/8	18,084		
117	18,092		