



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	242	9 1/8	664	13 5/8	1,197	18 1/8	1,814
1/4	3	4 3/4	252	9 1/4	677	13 3/4	1,213	18 1/4	1,832
3/8	6	4 7/8	262	9 3/8	691	13 7/8	1,229	18 3/8	1,851
1/2	9	5	272	9 1/2	705	14	1,246	18 1/2	1,869
5/8	12	5 1/8	282	9 5/8	718	14 1/8	1,262	18 5/8	1,887
3/4	16	5 1/4	293	9 3/4	732	14 1/4	1,278	18 3/4	1,905
7/8	20	5 3/8	303	9 7/8	746	14 3/8	1,295	18 7/8	1,924
1	25	5 1/2	314	10	760	14 1/2	1,311	19	1,942
1 1/8	29	5 5/8	324	10 1/8	774	14 5/8	1,328	19 1/8	1,961
1 1/4	34	5 3/4	335	10 1/4	788	14 3/4	1,344	19 1/4	1,979
1 3/8	40	5 7/8	346	10 3/8	802	14 7/8	1,361	19 3/8	1,998
1 1/2	45	6	357	10 1/2	817	15	1,378	19 1/2	2,017
1 5/8	51	6 1/8	368	10 5/8	831	15 1/8	1,394	19 5/8	2,035
1 3/4	57	6 1/4	379	10 3/4	845	15 1/4	1,411	19 3/4	2,054
1 7/8	63	6 3/8	391	10 7/8	860	15 3/8	1,428	19 7/8	2,073
2	69	6 1/2	402	11	874	15 1/2	1,445	20	2,092
2 1/8	76	6 5/8	413	11 1/8	889	15 5/8	1,462	20 1/8	2,111
2 1/4	83	6 3/4	425	11 1/4	904	15 3/4	1,479	20 1/4	2,130
2 3/8	90	6 7/8	437	11 3/8	919	15 7/8	1,496	20 3/8	2,149
2 1/2	97	7	449	11 1/2	934	16	1,513	20 1/2	2,168
2 5/8	104	7 1/8	461	11 5/8	948	16 1/8	1,531	20 5/8	2,187
2 3/4	112	7 1/4	473	11 3/4	963	16 1/4	1,548	20 3/4	2,206
2 7/8	119	7 3/8	485	11 7/8	979	16 3/8	1,565	20 7/8	2,225
3	127	7 1/2	497	12	994	16 1/2	1,583	21	2,244
3 1/8	135	7 5/8	509	12 1/8	1,009	16 5/8	1,600	21 1/8	2,264
3 1/4	143	7 3/4	522	12 1/4	1,024	16 3/4	1,618	21 1/4	2,283
3 3/8	152	7 7/8	534	12 3/8	1,040	16 7/8	1,635	21 3/8	2,302
3 1/2	160	8	547	12 1/2	1,055	17	1,653	21 1/2	2,322
3 5/8	169	8 1/8	559	12 5/8	1,071	17 1/8	1,671	21 5/8	2,341
3 3/4	177	8 1/4	572	12 3/4	1,086	17 1/4	1,688	21 3/4	2,361
3 7/8	186	8 3/8	585	12 7/8	1,102	17 3/8	1,706	21 7/8	2,380
4	195	8 1/2	598	13	1,118	17 1/2	1,724	22	2,400
4 1/8	204	8 5/8	611	13 1/8	1,133	17 5/8	1,742	22 1/8	2,419
4 1/4	214	8 3/4	624	13 1/4	1,149	17 3/4	1,760	22 1/4	2,439
4 3/8	223	8 7/8	637	13 3/8	1,165	17 7/8	1,778	22 3/8	2,459
4 1/2	233	9	651	13 1/2	1,181	18	1,796	22 1/2	2,478



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	2,498	27 1/8	3,237	31 5/8	4,021	36 1/8	4,841	40 5/8	5,691
22 3/4	2,518	27 1/4	3,258	31 3/4	4,043	36 1/4	4,864	40 3/4	5,715
22 7/8	2,538	27 3/8	3,279	31 7/8	4,065	36 3/8	4,888	40 7/8	5,739
23	2,558	27 1/2	3,301	32	4,088	36 1/2	4,911	41	5,763
23 1/8	2,578	27 5/8	3,322	32 1/8	4,110	36 5/8	4,934	41 1/8	5,787
23 1/4	2,598	27 3/4	3,343	32 1/4	4,133	36 3/4	4,957	41 1/4	5,811
23 3/8	2,618	27 7/8	3,365	32 3/8	4,155	36 7/8	4,981	41 3/8	5,835
23 1/2	2,638	28	3,386	32 1/2	4,177	37	5,004	41 1/2	5,859
23 5/8	2,658	28 1/8	3,408	32 5/8	4,200	37 1/8	5,028	41 5/8	5,883
23 3/4	2,678	28 1/4	3,429	32 3/4	4,223	37 1/4	5,051	41 3/4	5,908
23 7/8	2,698	28 3/8	3,450	32 7/8	4,245	37 3/8	5,074	41 7/8	5,932
24	2,719	28 1/2	3,472	33	4,268	37 1/2	5,098	42	5,956
24 1/8	2,739	28 5/8	3,494	33 1/8	4,290	37 5/8	5,121	42 1/8	5,980
24 1/4	2,759	28 3/4	3,515	33 1/4	4,313	37 3/4	5,145	42 1/4	6,004
24 3/8	2,780	28 7/8	3,537	33 3/8	4,336	37 7/8	5,168	42 3/8	6,028
24 1/2	2,800	29	3,559	33 1/2	4,358	38	5,192	42 1/2	6,053
24 5/8	2,820	29 1/8	3,580	33 5/8	4,381	38 1/8	5,216	42 5/8	6,077
24 3/4	2,841	29 1/4	3,602	33 3/4	4,404	38 1/4	5,239	42 3/4	6,101
24 7/8	2,861	29 3/8	3,624	33 7/8	4,427	38 3/8	5,263	42 7/8	6,125
25	2,882	29 1/2	3,645	34	4,449	38 1/2	5,286	43	6,150
25 1/8	2,903	29 5/8	3,667	34 1/8	4,472	38 5/8	5,310	43 1/8	6,174
25 1/4	2,923	29 3/4	3,689	34 1/4	4,495	38 3/4	5,334	43 1/4	6,198
25 3/8	2,944	29 7/8	3,711	34 3/8	4,518	38 7/8	5,357	43 3/8	6,223
25 1/2	2,965	30	3,733	34 1/2	4,541	39	5,381	43 1/2	6,247
25 5/8	2,985	30 1/8	3,755	34 5/8	4,564	39 1/8	5,405	43 5/8	6,271
25 3/4	3,006	30 1/4	3,777	34 3/4	4,587	39 1/4	5,429	43 3/4	6,296
25 7/8	3,027	30 3/8	3,799	34 7/8	4,610	39 3/8	5,452	43 7/8	6,320
26	3,048	30 1/2	3,821	35	4,633	39 1/2	5,476	44	6,344
26 1/8	3,069	30 5/8	3,843	35 1/8	4,656	39 5/8	5,500	44 1/8	6,369
26 1/4	3,090	30 3/4	3,865	35 1/4	4,679	39 3/4	5,524	44 1/4	6,393
26 3/8	3,110	30 7/8	3,887	35 3/8	4,702	39 7/8	5,548	44 3/8	6,418
26 1/2	3,131	31	3,909	35 1/2	4,725	40	5,572	44 1/2	6,442
26 5/8	3,152	31 1/8	3,932	35 5/8	4,748	40 1/8	5,595	44 5/8	6,467
26 3/4	3,174	31 1/4	3,954	35 3/4	4,771	40 1/4	5,619	44 3/4	6,491
26 7/8	3,195	31 3/8	3,976	35 7/8	4,795	40 3/8	5,643	44 7/8	6,516
27	3,216	31 1/2	3,998	36	4,818	40 1/2	5,667	45	6,540



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	6,565	49 5/8	7,456	54 1/8	8,359	58 5/8	9,269	63 1/8	10,180
45 1/4	6,589	49 3/4	7,481	54 1/4	8,384	58 3/4	9,294	63 1/4	10,205
45 3/8	6,614	49 7/8	7,506	54 3/8	8,409	58 7/8	9,319	63 3/8	10,231
45 1/2	6,638	50	7,531	54 1/2	8,434	59	9,345	63 1/2	10,256
45 5/8	6,663	50 1/8	7,556	54 5/8	8,460	59 1/8	9,370	63 5/8	10,281
45 3/4	6,688	50 1/4	7,581	54 3/4	8,485	59 1/4	9,395	63 3/4	10,306
45 7/8	6,712	50 3/8	7,606	54 7/8	8,510	59 3/8	9,421	63 7/8	10,332
46	6,737	50 1/2	7,631	55	8,535	59 1/2	9,446	64	10,357
46 1/8	6,761	50 5/8	7,656	55 1/8	8,561	59 5/8	9,471	64 1/8	10,382
46 1/4	6,786	50 3/4	7,681	55 1/4	8,586	59 3/4	9,497	64 1/4	10,407
46 3/8	6,811	50 7/8	7,706	55 3/8	8,611	59 7/8	9,522	64 3/8	10,433
46 1/2	6,835	51	7,731	55 1/2	8,636	60	9,547	64 1/2	10,458
46 5/8	6,860	51 1/8	7,756	55 5/8	8,662	60 1/8	9,573	64 5/8	10,483
46 3/4	6,885	51 1/4	7,781	55 3/4	8,687	60 1/4	9,598	64 3/4	10,509
46 7/8	6,909	51 3/8	7,806	55 7/8	8,712	60 3/8	9,623	64 7/8	10,534
47	6,934	51 1/2	7,831	56	8,737	60 1/2	9,648	65	10,559
47 1/8	6,959	51 5/8	7,856	56 1/8	8,763	60 5/8	9,674	65 1/8	10,584
47 1/4	6,984	51 3/4	7,881	56 1/4	8,788	60 3/4	9,699	65 1/4	10,609
47 3/8	7,008	51 7/8	7,906	56 3/8	8,813	60 7/8	9,724	65 3/8	10,635
47 1/2	7,033	52	7,931	56 1/2	8,838	61	9,750	65 1/2	10,660
47 5/8	7,058	52 1/8	7,956	56 5/8	8,864	61 1/8	9,775	65 5/8	10,685
47 3/4	7,083	52 1/4	7,981	56 3/4	8,889	61 1/4	9,800	65 3/4	10,710
47 7/8	7,108	52 3/8	8,007	56 7/8	8,914	61 3/8	9,826	65 7/8	10,736
48	7,132	52 1/2	8,032	57	8,940	61 1/2	9,851	66	10,761
48 1/8	7,157	52 5/8	8,057	57 1/8	8,965	61 5/8	9,876	66 1/8	10,786
48 1/4	7,182	52 3/4	8,082	57 1/4	8,990	61 3/4	9,902	66 1/4	10,811
48 3/8	7,207	52 7/8	8,107	57 3/8	9,016	61 7/8	9,927	66 3/8	10,836
48 1/2	7,232	53	8,132	57 1/2	9,041	62	9,952	66 1/2	10,861
48 5/8	7,257	53 1/8	8,157	57 5/8	9,066	62 1/8	9,978	66 5/8	10,887
48 3/4	7,281	53 1/4	8,183	57 3/4	9,091	62 1/4	10,003	66 3/4	10,912
48 7/8	7,306	53 3/8	8,208	57 7/8	9,117	62 3/8	10,028	66 7/8	10,937
49	7,331	53 1/2	8,233	58	9,142	62 1/2	10,054	67	10,962
49 1/8	7,356	53 5/8	8,258	58 1/8	9,167	62 5/8	10,079	67 1/8	10,987
49 1/4	7,381	53 3/4	8,283	58 1/4	9,193	62 3/4	10,104	67 1/4	11,012
49 3/8	7,406	53 7/8	8,308	58 3/8	9,218	62 7/8	10,129	67 3/8	11,038
49 1/2	7,431	54	8,334	58 1/2	9,243	63	10,155	67 1/2	11,063



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	11,088	72 1/8	11,987	76 5/8	12,872	81 1/8	13,737	85 5/8	14,576
67 3/4	11,113	72 1/4	12,012	76 3/4	12,896	81 1/4	13,761	85 3/4	14,599
67 7/8	11,138	72 3/8	12,036	76 7/8	12,920	81 3/8	13,784	85 7/8	14,622
68	11,163	72 1/2	12,061	77	12,945	81 1/2	13,808	86	14,645
68 1/8	11,188	72 5/8	12,086	77 1/8	12,969	81 5/8	13,832	86 1/8	14,668
68 1/4	11,213	72 3/4	12,111	77 1/4	12,993	81 3/4	13,855	86 1/4	14,690
68 3/8	11,238	72 7/8	12,135	77 3/8	13,017	81 7/8	13,879	86 3/8	14,713
68 1/2	11,263	73	12,160	77 1/2	13,042	82	13,902	86 1/2	14,736
68 5/8	11,289	73 1/8	12,185	77 5/8	13,066	82 1/8	13,926	86 5/8	14,759
68 3/4	11,314	73 1/4	12,210	77 3/4	13,090	82 1/4	13,949	86 3/4	14,781
68 7/8	11,339	73 3/8	12,234	77 7/8	13,114	82 3/8	13,973	86 7/8	14,804
69	11,364	73 1/2	12,259	78	13,138	82 1/2	13,996	87	14,827
69 1/8	11,389	73 5/8	12,284	78 1/8	13,163	82 5/8	14,020	87 1/8	14,849
69 1/4	11,414	73 3/4	12,308	78 1/4	13,187	82 3/4	14,043	87 1/4	14,872
69 3/8	11,439	73 7/8	12,333	78 3/8	13,211	82 7/8	14,067	87 3/8	14,894
69 1/2	11,464	74	12,358	78 1/2	13,235	83	14,090	87 1/2	14,917
69 5/8	11,489	74 1/8	12,382	78 5/8	13,259	83 1/8	14,114	87 5/8	14,939
69 3/4	11,514	74 1/4	12,407	78 3/4	13,283	83 1/4	14,137	87 3/4	14,962
69 7/8	11,539	74 3/8	12,431	78 7/8	13,307	83 3/8	14,160	87 7/8	14,984
70	11,564	74 1/2	12,456	79	13,331	83 1/2	14,184	88	15,007
70 1/8	11,589	74 5/8	12,481	79 1/8	13,355	83 5/8	14,207	88 1/8	15,029
70 1/4	11,614	74 3/4	12,505	79 1/4	13,379	83 3/4	14,230	88 1/4	15,051
70 3/8	11,639	74 7/8	12,530	79 3/8	13,403	83 7/8	14,253	88 3/8	15,074
70 1/2	11,664	75	12,554	79 1/2	13,427	84	14,277	88 1/2	15,096
70 5/8	11,688	75 1/8	12,579	79 5/8	13,451	84 1/8	14,300	88 5/8	15,118
70 3/4	11,713	75 1/4	12,603	79 3/4	13,475	84 1/4	14,323	88 3/4	15,141
70 7/8	11,738	75 3/8	12,628	79 7/8	13,499	84 3/8	14,346	88 7/8	15,163
71	11,763	75 1/2	12,652	80	13,523	84 1/2	14,369	89	15,185
71 1/8	11,788	75 5/8	12,677	80 1/8	13,547	84 5/8	14,392	89 1/8	15,207
71 1/4	11,813	75 3/4	12,701	80 1/4	13,571	84 3/4	14,415	89 1/4	15,229
71 3/8	11,838	75 7/8	12,725	80 3/8	13,594	84 7/8	14,438	89 3/8	15,251
71 1/2	11,863	76	12,750	80 1/2	13,618	85	14,461	89 1/2	15,273
71 5/8	11,888	76 1/8	12,774	80 5/8	13,642	85 1/8	14,484	89 5/8	15,295
71 3/4	11,912	76 1/4	12,799	80 3/4	13,666	85 1/4	14,507	89 3/4	15,317
71 7/8	11,937	76 3/8	12,823	80 7/8	13,689	85 3/8	14,530	89 7/8	15,339
72	11,962	76 1/2	12,847	81	13,713	85 1/2	14,553	90	15,361



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	15,383	94 5/8	16,151	99 1/8	16,869	103 5/8	17,529	108 1/8	18,116
90 1/4	15,405	94 3/4	16,171	99 1/4	16,888	103 3/4	17,546	108 1/4	18,131
90 3/8	15,427	94 7/8	16,192	99 3/8	16,908	103 7/8	17,564	108 3/8	18,146
90 1/2	15,449	95	16,212	99 1/2	16,927	104	17,581	108 1/2	18,161
90 5/8	15,471	95 1/8	16,233	99 5/8	16,946	104 1/8	17,598	108 5/8	18,176
90 3/4	15,492	95 1/4	16,253	99 3/4	16,965	104 1/4	17,615	108 3/4	18,190
90 7/8	15,514	95 3/8	16,274	99 7/8	16,984	104 3/8	17,632	108 7/8	18,205
91	15,536	95 1/2	16,294	100	17,003	104 1/2	17,649	109	18,220
91 1/8	15,558	95 5/8	16,315	100 1/8	17,021	104 5/8	17,666	109 1/8	18,234
91 1/4	15,579	95 3/4	16,335	100 1/4	17,040	104 3/4	17,683	109 1/4	18,249
91 3/8	15,601	95 7/8	16,355	100 3/8	17,059	104 7/8	17,700	109 3/8	18,263
91 1/2	15,622	96	16,376	100 1/2	17,078	105	17,717	109 1/2	18,278
91 5/8	15,644	96 1/8	16,396	100 5/8	17,096	105 1/8	17,733	109 5/8	18,292
91 3/4	15,665	96 1/4	16,416	100 3/4	17,115	105 1/4	17,750	109 3/4	18,306
91 7/8	15,687	96 3/8	16,436	100 7/8	17,134	105 3/8	17,767	109 7/8	18,320
92	15,708	96 1/2	16,456	101	17,152	105 1/2	17,783	110	18,334
92 1/8	15,730	96 5/8	16,477	101 1/8	17,170	105 5/8	17,800	110 1/8	18,348
92 1/4	15,751	96 3/4	16,497	101 1/4	17,189	105 3/4	17,816	110 1/4	18,362
92 3/8	15,772	96 7/8	16,517	101 3/8	17,207	105 7/8	17,833	110 3/8	18,376
92 1/2	15,794	97	16,537	101 1/2	17,226	106	17,849	110 1/2	18,390
92 5/8	15,815	97 1/8	16,556	101 5/8	17,244	106 1/8	17,865	110 5/8	18,403
92 3/4	15,836	97 1/4	16,576	101 3/4	17,262	106 1/4	17,881	110 3/4	18,417
92 7/8	15,857	97 3/8	16,596	101 7/8	17,280	106 3/8	17,897	110 7/8	18,430
93	15,879	97 1/2	16,616	102	17,298	106 1/2	17,913	111	18,444
93 1/8	15,900	97 5/8	16,636	102 1/8	17,316	106 5/8	17,929	111 1/8	18,457
93 1/4	15,921	97 3/4	16,655	102 1/4	17,334	106 3/4	17,945	111 1/4	18,470
93 3/8	15,942	97 7/8	16,675	102 3/8	17,352	106 7/8	17,961	111 3/8	18,483
93 1/2	15,963	98	16,695	102 1/2	17,370	107	17,977	111 1/2	18,496
93 5/8	15,984	98 1/8	16,714	102 5/8	17,388	107 1/8	17,993	111 5/8	18,509
93 3/4	16,005	98 1/4	16,734	102 3/4	17,406	107 1/4	18,008	111 3/4	18,522
93 7/8	16,026	98 3/8	16,753	102 7/8	17,424	107 3/8	18,024	111 7/8	18,535
94	16,047	98 1/2	16,773	103	17,441	107 1/2	18,039	112	18,548
94 1/8	16,068	98 5/8	16,792	103 1/8	17,459	107 5/8	18,055	112 1/8	18,560
94 1/4	16,088	98 3/4	16,811	103 1/4	17,477	107 3/4	18,070	112 1/4	18,573
94 3/8	16,109	98 7/8	16,831	103 3/8	17,494	107 7/8	18,085	112 3/8	18,585
94 1/2	16,130	99	16,850	103 1/2	17,512	108	18,101	112 1/2	18,597



Dipstick Calibration Chart

10' x 19K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	18,610	117 1/8	18,975
112 3/4	18,622	117 1/4	18,983
112 7/8	18,634	117 3/8	18,990
113	18,646	117 1/2	18,997
113 1/8	18,658	117 5/8	19,005
113 1/4	18,669	117 3/4	19,012
113 3/8	18,681	117 7/8	19,018
113 1/2	18,692	118	19,025
113 5/8	18,704	118 1/8	19,031
113 3/4	18,715	118 1/4	19,038
113 7/8	18,726	118 3/8	19,043
114	18,737	118 1/2	19,049
114 1/8	18,748	118 5/8	19,055
114 1/4	18,759	118 3/4	19,060
114 3/8	18,770	118 7/8	19,065
114 1/2	18,781	119	19,070
114 5/8	18,791	119 1/8	19,074
114 3/4	18,802	119 1/4	19,078
114 7/8	18,812	119 3/8	19,082
115	18,822	119 1/2	19,086
115 1/8	18,832	119 5/8	19,089
115 1/4	18,842	119 3/4	19,091
115 3/8	18,852	119 7/8	19,093
115 1/2	18,862	120	19,094
115 5/8	18,871		
115 3/4	18,881		
115 7/8	18,890		
116	18,899		
116 1/8	18,908		
116 1/4	18,917		
116 3/8	18,926		
116 1/2	18,934		
116 5/8	18,943		
116 3/4	18,951		
116 7/8	18,959		
117	18,967		