



# Dipstick Calibration Chart 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	67	9 1/8	184	13 5/8	331	18 1/8	502
1/4	1	4 3/4	70	9 1/4	188	13 3/4	336	18 1/4	507
3/8	2	4 7/8	73	9 3/8	191	13 7/8	340	18 3/8	512
1/2	2	5	75	9 1/2	195	14	345	18 1/2	518
5/8	3	5 1/8	78	9 5/8	199	14 1/8	349	18 5/8	523
3/4	4	5 1/4	81	9 3/4	203	14 1/4	354	18 3/4	528
7/8	6	5 3/8	84	9 7/8	207	14 3/8	359	18 7/8	533
1	7	5 1/2	87	10	210	14 1/2	363	19	538
1 1/8	8	5 5/8	90	10 1/8	214	14 5/8	368	19 1/8	543
1 1/4	10	5 3/4	93	10 1/4	218	14 3/4	372	19 1/4	548
1 3/8	11	5 7/8	96	10 3/8	222	14 7/8	377	19 3/8	553
1 1/2	12	6	99	10 1/2	226	15	381	19 1/2	558
1 5/8	14	6 1/8	102	10 5/8	230	15 1/8	386	19 5/8	564
1 3/4	16	6 1/4	105	10 3/4	234	15 1/4	391	19 3/4	569
1 7/8	17	6 3/8	108	10 7/8	238	15 3/8	395	19 7/8	574
2	19	6 1/2	111	11	242	15 1/2	400	20	579
2 1/8	21	6 5/8	114	11 1/8	246	15 5/8	405	20 1/8	585
2 1/4	23	6 3/4	118	11 1/4	250	15 3/4	410	20 1/4	590
2 3/8	25	6 7/8	121	11 3/8	254	15 7/8	414	20 3/8	595
2 1/2	27	7	124	11 1/2	259	16	419	20 1/2	600
2 5/8	29	7 1/8	128	11 5/8	263	16 1/8	424	20 5/8	606
2 3/4	31	7 1/4	131	11 3/4	267	16 1/4	429	20 3/4	611
2 7/8	33	7 3/8	134	11 7/8	271	16 3/8	433	20 7/8	616
3	35	7 1/2	138	12	275	16 1/2	438	21	621
3 1/8	37	7 5/8	141	12 1/8	279	16 5/8	443	21 1/8	627
3 1/4	40	7 3/4	144	12 1/4	284	16 3/4	448	21 1/4	632
3 3/8	42	7 7/8	148	12 3/8	288	16 7/8	453	21 3/8	638
3 1/2	44	8	151	12 1/2	292	17	458	21 1/2	643
3 5/8	47	8 1/8	155	12 5/8	296	17 1/8	463	21 5/8	648
3 3/4	49	8 1/4	158	12 3/4	301	17 1/4	468	21 3/4	654
3 7/8	52	8 3/8	162	12 7/8	305	17 3/8	472	21 7/8	659
4	54	8 1/2	166	13	309	17 1/2	477	22	665
4 1/8	57	8 5/8	169	13 1/8	314	17 5/8	482	22 1/8	670
4 1/4	59	8 3/4	173	13 1/4	318	17 3/4	487	22 1/4	675
4 3/8	62	8 7/8	176	13 3/8	323	17 7/8	492	22 3/8	681
4 1/2	64	9	180	13 1/2	327	18	497	22 1/2	686



# Dipstick Calibration Chart 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	692	27 1/8	896	31 5/8	1,113	36 1/8	1,341	40 5/8	1,576
22 3/4	697	27 1/4	902	31 3/4	1,120	36 1/4	1,347	40 3/4	1,583
22 7/8	703	27 3/8	908	31 7/8	1,126	36 3/8	1,353	40 7/8	1,589
23	708	27 1/2	914	32	1,132	36 1/2	1,360	41	1,596
23 1/8	714	27 5/8	920	32 1/8	1,138	36 5/8	1,366	41 1/8	1,603
23 1/4	719	27 3/4	926	32 1/4	1,144	36 3/4	1,373	41 1/4	1,609
23 3/8	725	27 7/8	932	32 3/8	1,151	36 7/8	1,379	41 3/8	1,616
23 1/2	730	28	938	32 1/2	1,157	37	1,386	41 1/2	1,623
23 5/8	736	28 1/8	944	32 5/8	1,163	37 1/8	1,392	41 5/8	1,629
23 3/4	742	28 1/4	950	32 3/4	1,169	37 1/4	1,399	41 3/4	1,636
23 7/8	747	28 3/8	956	32 7/8	1,176	37 3/8	1,405	41 7/8	1,643
24	753	28 1/2	961	33	1,182	37 1/2	1,412	42	1,649
24 1/8	758	28 5/8	967	33 1/8	1,188	37 5/8	1,418	42 1/8	1,656
24 1/4	764	28 3/4	973	33 1/4	1,194	37 3/4	1,425	42 1/4	1,663
24 3/8	770	28 7/8	979	33 3/8	1,201	37 7/8	1,431	42 3/8	1,669
24 1/2	775	29	985	33 1/2	1,207	38	1,438	42 1/2	1,676
24 5/8	781	29 1/8	991	33 5/8	1,213	38 1/8	1,444	42 5/8	1,683
24 3/4	787	29 1/4	997	33 3/4	1,220	38 1/4	1,451	42 3/4	1,690
24 7/8	792	29 3/8	1,003	33 7/8	1,226	38 3/8	1,457	42 7/8	1,696
25	798	29 1/2	1,010	34	1,232	38 1/2	1,464	43	1,703
25 1/8	804	29 5/8	1,016	34 1/8	1,238	38 5/8	1,470	43 1/8	1,710
25 1/4	809	29 3/4	1,022	34 1/4	1,245	38 3/4	1,477	43 1/4	1,716
25 3/8	815	29 7/8	1,028	34 3/8	1,251	38 7/8	1,484	43 3/8	1,723
25 1/2	821	30	1,034	34 1/2	1,258	39	1,490	43 1/2	1,730
25 5/8	827	30 1/8	1,040	34 5/8	1,264	39 1/8	1,497	43 5/8	1,737
25 3/4	832	30 1/4	1,046	34 3/4	1,270	39 1/4	1,503	43 3/4	1,743
25 7/8	838	30 3/8	1,052	34 7/8	1,277	39 3/8	1,510	43 7/8	1,750
26	844	30 1/2	1,058	35	1,283	39 1/2	1,516	44	1,757
26 1/8	850	30 5/8	1,064	35 1/8	1,289	39 5/8	1,523	44 1/8	1,764
26 1/4	856	30 3/4	1,070	35 1/4	1,296	39 3/4	1,530	44 1/4	1,770
26 3/8	861	30 7/8	1,076	35 3/8	1,302	39 7/8	1,536	44 3/8	1,777
26 1/2	867	31	1,083	35 1/2	1,309	40	1,543	44 1/2	1,784
26 5/8	873	31 1/8	1,089	35 5/8	1,315	40 1/8	1,550	44 5/8	1,791
26 3/4	879	31 1/4	1,095	35 3/4	1,321	40 1/4	1,556	44 3/4	1,798
26 7/8	885	31 3/8	1,101	35 7/8	1,328	40 3/8	1,563	44 7/8	1,804
27	891	31 1/2	1,107	36	1,334	40 1/2	1,569	45	1,811



# Dipstick Calibration Chart 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	1,818	49 5/8	2,065	54 1/8	2,315	58 5/8	2,567	63 1/8	2,819
45 1/4	1,825	49 3/4	2,072	54 1/4	2,322	58 3/4	2,574	63 1/4	2,826
45 3/8	1,832	49 7/8	2,078	54 3/8	2,329	58 7/8	2,581	63 3/8	2,833
45 1/2	1,838	50	2,085	54 1/2	2,336	59	2,588	63 1/2	2,840
45 5/8	1,845	50 1/8	2,092	54 5/8	2,343	59 1/8	2,595	63 5/8	2,847
45 3/4	1,852	50 1/4	2,099	54 3/4	2,350	59 1/4	2,602	63 3/4	2,854
45 7/8	1,859	50 3/8	2,106	54 7/8	2,357	59 3/8	2,609	63 7/8	2,861
46	1,866	50 1/2	2,113	55	2,364	59 1/2	2,616	64	2,868
46 1/8	1,872	50 5/8	2,120	55 1/8	2,371	59 5/8	2,623	64 1/8	2,875
46 1/4	1,879	50 3/4	2,127	55 1/4	2,378	59 3/4	2,630	64 1/4	2,882
46 3/8	1,886	50 7/8	2,134	55 3/8	2,385	59 7/8	2,637	64 3/8	2,889
46 1/2	1,893	51	2,141	55 1/2	2,392	60	2,644	64 1/2	2,896
46 5/8	1,900	51 1/8	2,148	55 5/8	2,399	60 1/8	2,651	64 5/8	2,903
46 3/4	1,907	51 1/4	2,155	55 3/4	2,406	60 1/4	2,658	64 3/4	2,910
46 7/8	1,913	51 3/8	2,162	55 7/8	2,413	60 3/8	2,665	64 7/8	2,917
47	1,920	51 1/2	2,169	56	2,420	60 1/2	2,672	65	2,924
47 1/8	1,927	51 5/8	2,175	56 1/8	2,427	60 5/8	2,679	65 1/8	2,931
47 1/4	1,934	51 3/4	2,182	56 1/4	2,434	60 3/4	2,686	65 1/4	2,938
47 3/8	1,941	51 7/8	2,189	56 3/8	2,441	60 7/8	2,693	65 3/8	2,945
47 1/2	1,948	52	2,196	56 1/2	2,448	61	2,700	65 1/2	2,952
47 5/8	1,955	52 1/8	2,203	56 5/8	2,455	61 1/8	2,707	65 5/8	2,959
47 3/4	1,961	52 1/4	2,210	56 3/4	2,462	61 1/4	2,714	65 3/4	2,966
47 7/8	1,968	52 3/8	2,217	56 7/8	2,469	61 3/8	2,721	65 7/8	2,973
48	1,975	52 1/2	2,224	57	2,476	61 1/2	2,728	66	2,980
48 1/8	1,982	52 5/8	2,231	57 1/8	2,483	61 5/8	2,735	66 1/8	2,987
48 1/4	1,989	52 3/4	2,238	57 1/4	2,490	61 3/4	2,742	66 1/4	2,994
48 3/8	1,996	52 7/8	2,245	57 3/8	2,497	61 7/8	2,749	66 3/8	3,001
48 1/2	2,003	53	2,252	57 1/2	2,504	62	2,756	66 1/2	3,008
48 5/8	2,009	53 1/8	2,259	57 5/8	2,511	62 1/8	2,763	66 5/8	3,015
48 3/4	2,016	53 1/4	2,266	57 3/4	2,518	62 1/4	2,770	66 3/4	3,022
48 7/8	2,023	53 3/8	2,273	57 7/8	2,525	62 3/8	2,777	66 7/8	3,029
49	2,030	53 1/2	2,280	58	2,532	62 1/2	2,784	67	3,036
49 1/8	2,037	53 5/8	2,287	58 1/8	2,539	62 5/8	2,791	67 1/8	3,043
49 1/4	2,044	53 3/4	2,294	58 1/4	2,546	62 3/4	2,798	67 1/4	3,050
49 3/8	2,051	53 7/8	2,301	58 3/8	2,553	62 7/8	2,805	67 3/8	3,057
49 1/2	2,058	54	2,308	58 1/2	2,560	63	2,812	67 1/2	3,064



# Dipstick Calibration Chart 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	3,070	72 1/8	3,319	76 5/8	3,564	81 1/8	3,804	85 5/8	4,037
67 3/4	3,077	72 1/4	3,326	76 3/4	3,571	81 1/4	3,811	85 3/4	4,043
67 7/8	3,084	72 3/8	3,333	76 7/8	3,578	81 3/8	3,817	85 7/8	4,049
68	3,091	72 1/2	3,340	77	3,585	81 1/2	3,824	86	4,056
68 1/8	3,098	72 5/8	3,347	77 1/8	3,591	81 5/8	3,830	86 1/8	4,062
68 1/4	3,105	72 3/4	3,354	77 1/4	3,598	81 3/4	3,837	86 1/4	4,068
68 3/8	3,112	72 7/8	3,361	77 3/8	3,605	81 7/8	3,843	86 3/8	4,074
68 1/2	3,119	73	3,367	77 1/2	3,612	82	3,850	86 1/2	4,081
68 5/8	3,126	73 1/8	3,374	77 5/8	3,618	82 1/8	3,856	86 5/8	4,087
68 3/4	3,133	73 1/4	3,381	77 3/4	3,625	82 1/4	3,863	86 3/4	4,093
68 7/8	3,140	73 3/8	3,388	77 7/8	3,632	82 3/8	3,869	86 7/8	4,100
69	3,147	73 1/2	3,395	78	3,638	82 1/2	3,876	87	4,106
69 1/8	3,154	73 5/8	3,402	78 1/8	3,645	82 5/8	3,882	87 1/8	4,112
69 1/4	3,161	73 3/4	3,408	78 1/4	3,652	82 3/4	3,889	87 1/4	4,118
69 3/8	3,168	73 7/8	3,415	78 3/8	3,658	82 7/8	3,895	87 3/8	4,125
69 1/2	3,175	74	3,422	78 1/2	3,665	83	3,902	87 1/2	4,131
69 5/8	3,182	74 1/8	3,429	78 5/8	3,672	83 1/8	3,908	87 5/8	4,137
69 3/4	3,188	74 1/4	3,436	78 3/4	3,678	83 1/4	3,915	87 3/4	4,143
69 7/8	3,195	74 3/8	3,443	78 7/8	3,685	83 3/8	3,921	87 7/8	4,149
70	3,202	74 1/2	3,449	79	3,692	83 1/2	3,928	88	4,156
70 1/8	3,209	74 5/8	3,456	79 1/8	3,698	83 5/8	3,934	88 1/8	4,162
70 1/4	3,216	74 3/4	3,463	79 1/4	3,705	83 3/4	3,941	88 1/4	4,168
70 3/8	3,223	74 7/8	3,470	79 3/8	3,712	83 7/8	3,947	88 3/8	4,174
70 1/2	3,230	75	3,477	79 1/2	3,718	84	3,954	88 1/2	4,180
70 5/8	3,237	75 1/8	3,483	79 5/8	3,725	84 1/8	3,960	88 5/8	4,187
70 3/4	3,244	75 1/4	3,490	79 3/4	3,732	84 1/4	3,966	88 3/4	4,193
70 7/8	3,251	75 3/8	3,497	79 7/8	3,738	84 3/8	3,973	88 7/8	4,199
71	3,258	75 1/2	3,504	80	3,745	84 1/2	3,979	89	4,205
71 1/8	3,264	75 5/8	3,510	80 1/8	3,751	84 5/8	3,986	89 1/8	4,211
71 1/4	3,271	75 3/4	3,517	80 1/4	3,758	84 3/4	3,992	89 1/4	4,217
71 3/8	3,278	75 7/8	3,524	80 3/8	3,765	84 7/8	3,998	89 3/8	4,223
71 1/2	3,285	76	3,531	80 1/2	3,771	85	4,005	89 1/2	4,230
71 5/8	3,292	76 1/8	3,537	80 5/8	3,778	85 1/8	4,011	89 5/8	4,236
71 3/4	3,299	76 1/4	3,544	80 3/4	3,784	85 1/4	4,017	89 3/4	4,242
71 7/8	3,306	76 3/8	3,551	80 7/8	3,791	85 3/8	4,024	89 7/8	4,248
72	3,313	76 1/2	3,558	81	3,797	85 1/2	4,030	90	4,254



# Dipstick Calibration Chart 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	4,260	94 5/8	4,472	99 1/8	4,671	103 5/8	4,854	108 1/8	5,017
90 1/4	4,266	94 3/4	4,478	99 1/4	4,677	103 3/4	4,859	108 1/4	5,021
90 3/8	4,272	94 7/8	4,484	99 3/8	4,682	103 7/8	4,864	108 3/8	5,025
90 1/2	4,278	95	4,490	99 1/2	4,687	104	4,869	108 1/2	5,029
90 5/8	4,284	95 1/8	4,495	99 5/8	4,693	104 1/8	4,873	108 5/8	5,033
90 3/4	4,290	95 1/4	4,501	99 3/4	4,698	104 1/4	4,878	108 3/4	5,037
90 7/8	4,296	95 3/8	4,507	99 7/8	4,703	104 3/8	4,883	108 7/8	5,041
91	4,302	95 1/2	4,512	100	4,708	104 1/2	4,887	109	5,046
91 1/8	4,308	95 5/8	4,518	100 1/8	4,714	104 5/8	4,892	109 1/8	5,050
91 1/4	4,314	95 3/4	4,524	100 1/4	4,719	104 3/4	4,897	109 1/4	5,054
91 3/8	4,320	95 7/8	4,529	100 3/8	4,724	104 7/8	4,902	109 3/8	5,058
91 1/2	4,326	96	4,535	100 1/2	4,729	105	4,906	109 1/2	5,062
91 5/8	4,332	96 1/8	4,540	100 5/8	4,734	105 1/8	4,911	109 5/8	5,065
91 3/4	4,338	96 1/4	4,546	100 3/4	4,740	105 1/4	4,915	109 3/4	5,069
91 7/8	4,344	96 3/8	4,552	100 7/8	4,745	105 3/8	4,920	109 7/8	5,073
92	4,350	96 1/2	4,557	101	4,750	105 1/2	4,925	110	5,077
92 1/8	4,356	96 5/8	4,563	101 1/8	4,755	105 5/8	4,929	110 1/8	5,081
92 1/4	4,362	96 3/4	4,568	101 1/4	4,760	105 3/4	4,934	110 1/4	5,085
92 3/8	4,368	96 7/8	4,574	101 3/8	4,765	105 7/8	4,938	110 3/8	5,089
92 1/2	4,374	97	4,579	101 1/2	4,770	106	4,943	110 1/2	5,093
92 5/8	4,380	97 1/8	4,585	101 5/8	4,775	106 1/8	4,947	110 5/8	5,096
92 3/4	4,385	97 1/4	4,590	101 3/4	4,780	106 1/4	4,952	110 3/4	5,100
92 7/8	4,391	97 3/8	4,596	101 7/8	4,785	106 3/8	4,956	110 7/8	5,104
93	4,397	97 1/2	4,601	102	4,790	106 1/2	4,961	111	5,107
93 1/8	4,403	97 5/8	4,607	102 1/8	4,795	106 5/8	4,965	111 1/8	5,111
93 1/4	4,409	97 3/4	4,612	102 1/4	4,800	106 3/4	4,969	111 1/4	5,115
93 3/8	4,415	97 7/8	4,618	102 3/8	4,805	106 7/8	4,974	111 3/8	5,118
93 1/2	4,420	98	4,623	102 1/2	4,810	107	4,978	111 1/2	5,122
93 5/8	4,426	98 1/8	4,629	102 5/8	4,815	107 1/8	4,983	111 5/8	5,126
93 3/4	4,432	98 1/4	4,634	102 3/4	4,820	107 1/4	4,987	111 3/4	5,129
93 7/8	4,438	98 3/8	4,639	102 7/8	4,825	107 3/8	4,991	111 7/8	5,133
94	4,444	98 1/2	4,645	103	4,830	107 1/2	4,995	112	5,136
94 1/8	4,449	98 5/8	4,650	103 1/8	4,835	107 5/8	5,000	112 1/8	5,140
94 1/4	4,455	98 3/4	4,655	103 1/4	4,840	107 3/4	5,004	112 1/4	5,143
94 3/8	4,461	98 7/8	4,661	103 3/8	4,845	107 7/8	5,008	112 3/8	5,147
94 1/2	4,467	99	4,666	103 1/2	4,849	108	5,012	112 1/2	5,150



# Dipstick Calibration Chart

# 10' x 5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	5,153	117 1/8	5,255
112 3/4	5,157	117 1/4	5,257
112 7/8	5,160	117 3/8	5,259
113	5,163	117 1/2	5,261
113 1/8	5,167	117 5/8	5,263
113 1/4	5,170	117 3/4	5,265
113 3/8	5,173	117 7/8	5,267
113 1/2	5,176	118	5,268
113 5/8	5,180	118 1/8	5,270
113 3/4	5,183	118 1/4	5,272
113 7/8	5,186	118 3/8	5,274
114	5,189	118 1/2	5,275
114 1/8	5,192	118 5/8	5,277
114 1/4	5,195	118 3/4	5,278
114 3/8	5,198	118 7/8	5,280
114 1/2	5,201	119	5,281
114 5/8	5,204	119 1/8	5,282
114 3/4	5,207	119 1/4	5,283
114 7/8	5,209	119 3/8	5,284
115	5,212	119 1/2	5,285
115 1/8	5,215	119 5/8	5,286
115 1/4	5,218	119 3/4	5,287
115 3/8	5,221	119 7/8	5,287
115 1/2	5,223	120	5,288
115 5/8	5,226		
115 3/4	5,228		
115 7/8	5,231		
116	5,234		
116 1/8	5,236		
116 1/4	5,239		
116 3/8	5,241		
116 1/2	5,243		
116 5/8	5,246		
116 3/4	5,248		
116 7/8	5,250		
117	5,252		