



Dipstick Calibration Chart

10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	75	9 1/8	204	13 5/8	368	18 1/8	558
1/4	1	4 3/4	78	9 1/4	208	13 3/4	373	18 1/4	564
3/8	2	4 7/8	81	9 3/8	213	13 7/8	378	18 3/8	569
1/2	3	5	84	9 1/2	217	14	383	18 1/2	575
5/8	4	5 1/8	87	9 5/8	221	14 1/8	388	18 5/8	581
3/4	5	5 1/4	90	9 3/4	225	14 1/4	393	18 3/4	586
7/8	6	5 3/8	93	9 7/8	230	14 3/8	398	18 7/8	592
1	8	5 1/2	97	10	234	14 1/2	403	19	598
1 1/8	9	5 5/8	100	10 1/8	238	14 5/8	408	19 1/8	603
1 1/4	11	5 3/4	103	10 1/4	243	14 3/4	414	19 1/4	609
1 3/8	12	5 7/8	106	10 3/8	247	14 7/8	419	19 3/8	615
1 1/2	14	6	110	10 1/2	251	15	424	19 1/2	621
1 5/8	16	6 1/8	113	10 5/8	256	15 1/8	429	19 5/8	626
1 3/4	17	6 1/4	117	10 3/4	260	15 1/4	434	19 3/4	632
1 7/8	19	6 3/8	120	10 7/8	265	15 3/8	439	19 7/8	638
2	21	6 1/2	124	11	269	15 1/2	445	20	644
2 1/8	23	6 5/8	127	11 1/8	274	15 5/8	450	20 1/8	649
2 1/4	25	6 3/4	131	11 1/4	278	15 3/4	455	20 1/4	655
2 3/8	28	6 7/8	134	11 3/8	283	15 7/8	460	20 3/8	661
2 1/2	30	7	138	11 1/2	287	16	466	20 1/2	667
2 5/8	32	7 1/8	142	11 5/8	292	16 1/8	471	20 5/8	673
2 3/4	34	7 1/4	145	11 3/4	296	16 1/4	476	20 3/4	679
2 7/8	37	7 3/8	149	11 7/8	301	16 3/8	482	20 7/8	685
3	39	7 1/2	153	12	306	16 1/2	487	21	691
3 1/8	42	7 5/8	157	12 1/8	310	16 5/8	492	21 1/8	696
3 1/4	44	7 3/4	160	12 1/4	315	16 3/4	498	21 1/4	702
3 3/8	47	7 7/8	164	12 3/8	320	16 7/8	503	21 3/8	708
3 1/2	49	8	168	12 1/2	325	17	509	21 1/2	714
3 5/8	52	8 1/8	172	12 5/8	329	17 1/8	514	21 5/8	720
3 3/4	55	8 1/4	176	12 3/4	334	17 1/4	520	21 3/4	726
3 7/8	57	8 3/8	180	12 7/8	339	17 3/8	525	21 7/8	732
4	60	8 1/2	184	13	344	17 1/2	530	22	738
4 1/8	63	8 5/8	188	13 1/8	349	17 5/8	536	22 1/8	744
4 1/4	66	8 3/4	192	13 1/4	354	17 3/4	542	22 1/4	750
4 3/8	69	8 7/8	196	13 3/8	358	17 7/8	547	22 3/8	757
4 1/2	72	9	200	13 1/2	363	18	553	22 1/2	763



Dipstick Calibration Chart

10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	769	27 1/8	996	31 5/8	1,237	36 1/8	1,490	40 5/8	1,751
22 3/4	775	27 1/4	1,003	31 3/4	1,244	36 1/4	1,497	40 3/4	1,759
22 7/8	781	27 3/8	1,009	31 7/8	1,251	36 3/8	1,504	40 7/8	1,766
23	787	27 1/2	1,016	32	1,258	36 1/2	1,511	41	1,773
23 1/8	793	27 5/8	1,022	32 1/8	1,265	36 5/8	1,518	41 1/8	1,781
23 1/4	799	27 3/4	1,029	32 1/4	1,272	36 3/4	1,525	41 1/4	1,788
23 3/8	805	27 7/8	1,035	32 3/8	1,278	36 7/8	1,533	41 3/8	1,795
23 1/2	812	28	1,042	32 1/2	1,285	37	1,540	41 1/2	1,803
23 5/8	818	28 1/8	1,048	32 5/8	1,292	37 1/8	1,547	41 5/8	1,810
23 3/4	824	28 1/4	1,055	32 3/4	1,299	37 1/4	1,554	41 3/4	1,818
23 7/8	830	28 3/8	1,062	32 7/8	1,306	37 3/8	1,561	41 7/8	1,825
24	837	28 1/2	1,068	33	1,313	37 1/2	1,569	42	1,833
24 1/8	843	28 5/8	1,075	33 1/8	1,320	37 5/8	1,576	42 1/8	1,840
24 1/4	849	28 3/4	1,082	33 1/4	1,327	37 3/4	1,583	42 1/4	1,847
24 3/8	855	28 7/8	1,088	33 3/8	1,334	37 7/8	1,590	42 3/8	1,855
24 1/2	862	29	1,095	33 1/2	1,341	38	1,598	42 1/2	1,862
24 5/8	868	29 1/8	1,102	33 5/8	1,348	38 1/8	1,605	42 5/8	1,870
24 3/4	874	29 1/4	1,108	33 3/4	1,355	38 1/4	1,612	42 3/4	1,877
24 7/8	880	29 3/8	1,115	33 7/8	1,362	38 3/8	1,619	42 7/8	1,885
25	887	29 1/2	1,122	34	1,369	38 1/2	1,627	43	1,892
25 1/8	893	29 5/8	1,128	34 1/8	1,376	38 5/8	1,634	43 1/8	1,900
25 1/4	899	29 3/4	1,135	34 1/4	1,383	38 3/4	1,641	43 1/4	1,907
25 3/8	906	29 7/8	1,142	34 3/8	1,390	38 7/8	1,648	43 3/8	1,915
25 1/2	912	30	1,149	34 1/2	1,397	39	1,656	43 1/2	1,922
25 5/8	919	30 1/8	1,155	34 5/8	1,404	39 1/8	1,663	43 5/8	1,930
25 3/4	925	30 1/4	1,162	34 3/4	1,411	39 1/4	1,670	43 3/4	1,937
25 7/8	931	30 3/8	1,169	34 7/8	1,418	39 3/8	1,678	43 7/8	1,945
26	938	30 1/2	1,176	35	1,425	39 1/2	1,685	44	1,952
26 1/8	944	30 5/8	1,182	35 1/8	1,433	39 5/8	1,692	44 1/8	1,960
26 1/4	951	30 3/4	1,189	35 1/4	1,440	39 3/4	1,700	44 1/4	1,967
26 3/8	957	30 7/8	1,196	35 3/8	1,447	39 7/8	1,707	44 3/8	1,975
26 1/2	964	31	1,203	35 1/2	1,454	40	1,714	44 1/2	1,982
26 5/8	970	31 1/8	1,210	35 5/8	1,461	40 1/8	1,722	44 5/8	1,990
26 3/4	976	31 1/4	1,217	35 3/4	1,468	40 1/4	1,729	44 3/4	1,997
26 7/8	983	31 3/8	1,223	35 7/8	1,475	40 3/8	1,736	44 7/8	2,005
27	989	31 1/2	1,230	36	1,482	40 1/2	1,744	45	2,012



Dipstick Calibration Chart

10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,020	49 5/8	2,294	54 1/8	2,572	58 5/8	2,852	63 1/8	3,132
45 1/4	2,027	49 3/4	2,302	54 1/4	2,580	58 3/4	2,860	63 1/4	3,140
45 3/8	2,035	49 7/8	2,309	54 3/8	2,587	58 7/8	2,867	63 3/8	3,148
45 1/2	2,043	50	2,317	54 1/2	2,595	59	2,875	63 1/2	3,156
45 5/8	2,050	50 1/8	2,325	54 5/8	2,603	59 1/8	2,883	63 5/8	3,163
45 3/4	2,058	50 1/4	2,332	54 3/4	2,611	59 1/4	2,891	63 3/4	3,171
45 7/8	2,065	50 3/8	2,340	54 7/8	2,619	59 3/8	2,899	63 7/8	3,179
46	2,073	50 1/2	2,348	55	2,626	59 1/2	2,906	64	3,187
46 1/8	2,080	50 5/8	2,356	55 1/8	2,634	59 5/8	2,914	64 1/8	3,195
46 1/4	2,088	50 3/4	2,363	55 1/4	2,642	59 3/4	2,922	64 1/4	3,202
46 3/8	2,096	50 7/8	2,371	55 3/8	2,650	59 7/8	2,930	64 3/8	3,210
46 1/2	2,103	51	2,379	55 1/2	2,657	60	2,938	64 1/2	3,218
46 5/8	2,111	51 1/8	2,386	55 5/8	2,665	60 1/8	2,945	64 5/8	3,226
46 3/4	2,118	51 1/4	2,394	55 3/4	2,673	60 1/4	2,953	64 3/4	3,233
46 7/8	2,126	51 3/8	2,402	55 7/8	2,681	60 3/8	2,961	64 7/8	3,241
47	2,134	51 1/2	2,410	56	2,688	60 1/2	2,969	65	3,249
47 1/8	2,141	51 5/8	2,417	56 1/8	2,696	60 5/8	2,977	65 1/8	3,257
47 1/4	2,149	51 3/4	2,425	56 1/4	2,704	60 3/4	2,984	65 1/4	3,264
47 3/8	2,156	51 7/8	2,433	56 3/8	2,712	60 7/8	2,992	65 3/8	3,272
47 1/2	2,164	52	2,440	56 1/2	2,720	61	3,000	65 1/2	3,280
47 5/8	2,172	52 1/8	2,448	56 5/8	2,727	61 1/8	3,008	65 5/8	3,288
47 3/4	2,179	52 1/4	2,456	56 3/4	2,735	61 1/4	3,016	65 3/4	3,295
47 7/8	2,187	52 3/8	2,464	56 7/8	2,743	61 3/8	3,023	65 7/8	3,303
48	2,195	52 1/2	2,471	57	2,751	61 1/2	3,031	66	3,311
48 1/8	2,202	52 5/8	2,479	57 1/8	2,758	61 5/8	3,039	66 1/8	3,319
48 1/4	2,210	52 3/4	2,487	57 1/4	2,766	61 3/4	3,047	66 1/4	3,326
48 3/8	2,217	52 7/8	2,494	57 3/8	2,774	61 7/8	3,054	66 3/8	3,334
48 1/2	2,225	53	2,502	57 1/2	2,782	62	3,062	66 1/2	3,342
48 5/8	2,233	53 1/8	2,510	57 5/8	2,790	62 1/8	3,070	66 5/8	3,350
48 3/4	2,240	53 1/4	2,518	57 3/4	2,797	62 1/4	3,078	66 3/4	3,357
48 7/8	2,248	53 3/8	2,525	57 7/8	2,805	62 3/8	3,086	66 7/8	3,365
49	2,256	53 1/2	2,533	58	2,813	62 1/2	3,093	67	3,373
49 1/8	2,263	53 5/8	2,541	58 1/8	2,821	62 5/8	3,101	67 1/8	3,381
49 1/4	2,271	53 3/4	2,549	58 1/4	2,829	62 3/4	3,109	67 1/4	3,388
49 3/8	2,279	53 7/8	2,556	58 3/8	2,836	62 7/8	3,117	67 3/8	3,396
49 1/2	2,286	54	2,564	58 1/2	2,844	63	3,125	67 1/2	3,404



Dipstick Calibration Chart 10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	3,412	72 1/8	3,688	76 5/8	3,961	81 1/8	4,227	85 5/8	4,485
67 3/4	3,419	72 1/4	3,696	76 3/4	3,968	81 1/4	4,234	85 3/4	4,492
67 7/8	3,427	72 3/8	3,704	76 7/8	3,976	81 3/8	4,241	85 7/8	4,499
68	3,435	72 1/2	3,711	77	3,983	81 1/2	4,249	86	4,506
68 1/8	3,443	72 5/8	3,719	77 1/8	3,990	81 5/8	4,256	86 1/8	4,513
68 1/4	3,450	72 3/4	3,726	77 1/4	3,998	81 3/4	4,263	86 1/4	4,520
68 3/8	3,458	72 7/8	3,734	77 3/8	4,005	81 7/8	4,270	86 3/8	4,527
68 1/2	3,466	73	3,742	77 1/2	4,013	82	4,278	86 1/2	4,534
68 5/8	3,473	73 1/8	3,749	77 5/8	4,020	82 1/8	4,285	86 5/8	4,541
68 3/4	3,481	73 1/4	3,757	77 3/4	4,028	82 1/4	4,292	86 3/4	4,548
68 7/8	3,489	73 3/8	3,764	77 7/8	4,035	82 3/8	4,299	86 7/8	4,555
69	3,497	73 1/2	3,772	78	4,043	82 1/2	4,307	87	4,562
69 1/8	3,504	73 5/8	3,780	78 1/8	4,050	82 5/8	4,314	87 1/8	4,569
69 1/4	3,512	73 3/4	3,787	78 1/4	4,057	82 3/4	4,321	87 1/4	4,576
69 3/8	3,520	73 7/8	3,795	78 3/8	4,065	82 7/8	4,328	87 3/8	4,583
69 1/2	3,527	74	3,802	78 1/2	4,072	83	4,335	87 1/2	4,590
69 5/8	3,535	74 1/8	3,810	78 5/8	4,080	83 1/8	4,343	87 5/8	4,597
69 3/4	3,543	74 1/4	3,817	78 3/4	4,087	83 1/4	4,350	87 3/4	4,604
69 7/8	3,550	74 3/8	3,825	78 7/8	4,095	83 3/8	4,357	87 7/8	4,611
70	3,558	74 1/2	3,833	79	4,102	83 1/2	4,364	88	4,617
70 1/8	3,566	74 5/8	3,840	79 1/8	4,109	83 5/8	4,371	88 1/8	4,624
70 1/4	3,573	74 3/4	3,848	79 1/4	4,117	83 3/4	4,378	88 1/4	4,631
70 3/8	3,581	74 7/8	3,855	79 3/8	4,124	83 7/8	4,386	88 3/8	4,638
70 1/2	3,589	75	3,863	79 1/2	4,131	84	4,393	88 1/2	4,645
70 5/8	3,596	75 1/8	3,870	79 5/8	4,139	84 1/8	4,400	88 5/8	4,652
70 3/4	3,604	75 1/4	3,878	79 3/4	4,146	84 1/4	4,407	88 3/4	4,659
70 7/8	3,612	75 3/8	3,885	79 7/8	4,154	84 3/8	4,414	88 7/8	4,665
71	3,619	75 1/2	3,893	80	4,161	84 1/2	4,421	89	4,672
71 1/8	3,627	75 5/8	3,900	80 1/8	4,168	84 5/8	4,428	89 1/8	4,679
71 1/4	3,635	75 3/4	3,908	80 1/4	4,176	84 3/4	4,436	89 1/4	4,686
71 3/8	3,642	75 7/8	3,916	80 3/8	4,183	84 7/8	4,443	89 3/8	4,693
71 1/2	3,650	76	3,923	80 1/2	4,190	85	4,450	89 1/2	4,700
71 5/8	3,658	76 1/8	3,931	80 5/8	4,198	85 1/8	4,457	89 5/8	4,706
71 3/4	3,665	76 1/4	3,938	80 3/4	4,205	85 1/4	4,464	89 3/4	4,713
71 7/8	3,673	76 3/8	3,946	80 7/8	4,212	85 3/8	4,471	89 7/8	4,720
72	3,681	76 1/2	3,953	81	4,219	85 1/2	4,478	90	4,727



Dipstick Calibration Chart

10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	4,733	94 5/8	4,969	99 1/8	5,191	103 5/8	5,394	108 1/8	5,574
90 1/4	4,740	94 3/4	4,976	99 1/4	5,196	103 3/4	5,399	108 1/4	5,579
90 3/8	4,747	94 7/8	4,982	99 3/8	5,202	103 7/8	5,404	108 3/8	5,583
90 1/2	4,753	95	4,988	99 1/2	5,208	104	5,409	108 1/2	5,588
90 5/8	4,760	95 1/8	4,995	99 5/8	5,214	104 1/8	5,415	108 5/8	5,593
90 3/4	4,767	95 1/4	5,001	99 3/4	5,220	104 1/4	5,420	108 3/4	5,597
90 7/8	4,774	95 3/8	5,007	99 7/8	5,226	104 3/8	5,425	108 7/8	5,602
91	4,780	95 1/2	5,014	100	5,232	104 1/2	5,431	109	5,606
91 1/8	4,787	95 5/8	5,020	100 1/8	5,237	104 5/8	5,436	109 1/8	5,611
91 1/4	4,794	95 3/4	5,026	100 1/4	5,243	104 3/4	5,441	109 1/4	5,615
91 3/8	4,800	95 7/8	5,032	100 3/8	5,249	104 7/8	5,446	109 3/8	5,620
91 1/2	4,807	96	5,039	100 1/2	5,255	105	5,451	109 1/2	5,624
91 5/8	4,813	96 1/8	5,045	100 5/8	5,260	105 1/8	5,456	109 5/8	5,628
91 3/4	4,820	96 1/4	5,051	100 3/4	5,266	105 1/4	5,462	109 3/4	5,633
91 7/8	4,827	96 3/8	5,057	100 7/8	5,272	105 3/8	5,467	109 7/8	5,637
92	4,833	96 1/2	5,064	101	5,278	105 1/2	5,472	110	5,641
92 1/8	4,840	96 5/8	5,070	101 1/8	5,283	105 5/8	5,477	110 1/8	5,646
92 1/4	4,846	96 3/4	5,076	101 1/4	5,289	105 3/4	5,482	110 1/4	5,650
92 3/8	4,853	96 7/8	5,082	101 3/8	5,295	105 7/8	5,487	110 3/8	5,654
92 1/2	4,860	97	5,088	101 1/2	5,300	106	5,492	110 1/2	5,658
92 5/8	4,866	97 1/8	5,094	101 5/8	5,306	106 1/8	5,497	110 5/8	5,663
92 3/4	4,873	97 1/4	5,100	101 3/4	5,311	106 1/4	5,502	110 3/4	5,667
92 7/8	4,879	97 3/8	5,107	101 7/8	5,317	106 3/8	5,507	110 7/8	5,671
93	4,886	97 1/2	5,113	102	5,323	106 1/2	5,512	111	5,675
93 1/8	4,892	97 5/8	5,119	102 1/8	5,328	106 5/8	5,517	111 1/8	5,679
93 1/4	4,899	97 3/4	5,125	102 1/4	5,334	106 3/4	5,522	111 1/4	5,683
93 3/8	4,905	97 7/8	5,131	102 3/8	5,339	106 7/8	5,526	111 3/8	5,687
93 1/2	4,912	98	5,137	102 1/2	5,345	107	5,531	111 1/2	5,691
93 5/8	4,918	98 1/8	5,143	102 5/8	5,350	107 1/8	5,536	111 5/8	5,695
93 3/4	4,925	98 1/4	5,149	102 3/4	5,356	107 1/4	5,541	111 3/4	5,699
93 7/8	4,931	98 3/8	5,155	102 7/8	5,361	107 3/8	5,546	111 7/8	5,703
94	4,937	98 1/2	5,161	103	5,367	107 1/2	5,551	112	5,707
94 1/8	4,944	98 5/8	5,167	103 1/8	5,372	107 5/8	5,555	112 1/8	5,711
94 1/4	4,950	98 3/4	5,173	103 1/4	5,377	107 3/4	5,560	112 1/4	5,715
94 3/8	4,957	98 7/8	5,179	103 3/8	5,383	107 7/8	5,565	112 3/8	5,719
94 1/2	4,963	99	5,185	103 1/2	5,388	108	5,569	112 1/2	5,722



Dipstick Calibration Chart

10' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	5,726	117 1/8	5,838
112 3/4	5,730	117 1/4	5,841
112 7/8	5,733	117 3/8	5,843
113	5,737	117 1/2	5,845
113 1/8	5,741	117 5/8	5,848
113 1/4	5,744	117 3/4	5,850
113 3/8	5,748	117 7/8	5,852
113 1/2	5,752	118	5,854
113 5/8	5,755	118 1/8	5,856
113 3/4	5,759	118 1/4	5,858
113 7/8	5,762	118 3/8	5,860
114	5,765	118 1/2	5,861
114 1/8	5,769	118 5/8	5,863
114 1/4	5,772	118 3/4	5,865
114 3/8	5,775	118 7/8	5,866
114 1/2	5,779	119	5,868
114 5/8	5,782	119 1/8	5,869
114 3/4	5,785	119 1/4	5,870
114 7/8	5,788	119 3/8	5,871
115	5,791	119 1/2	5,873
115 1/8	5,795	119 5/8	5,873
115 1/4	5,798	119 3/4	5,874
115 3/8	5,801	119 7/8	5,875
115 1/2	5,804	120	5,875
115 5/8	5,807		
115 3/4	5,809		
115 7/8	5,812		
116	5,815		
116 1/8	5,818		
116 1/4	5,821		
116 3/8	5,823		
116 1/2	5,826		
116 5/8	5,829		
116 3/4	5,831		
116 7/8	5,834		
117	5,836		