



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
1/8	1	4 5/8	115	9 1/8	315	13 5/8	568	18 1/8	861
1/4	1	4 3/4	120	9 1/4	321	13 3/4	575	18 1/4	869
3/8	3	4 7/8	124	9 3/8	328	13 7/8	583	18 3/8	878
1/2	4	5	129	9 1/2	334	14	591	18 1/2	886
5/8	6	5 1/8	134	9 5/8	341	14 1/8	599	18 5/8	895
3/4	8	5 1/4	139	9 3/4	347	14 1/4	606	18 3/4	904
7/8	10	5 3/8	144	9 7/8	354	14 3/8	614	18 7/8	913
1	12	5 1/2	149	10	361	14 1/2	622	19	921
1 1/8	14	5 5/8	154	10 1/8	367	14 5/8	630	19 1/8	930
1 1/4	16	5 3/4	159	10 1/4	374	14 3/4	638	19 1/4	939
1 3/8	19	5 7/8	164	10 3/8	381	14 7/8	646	19 3/8	948
1 1/2	21	6	169	10 1/2	387	15	653	19 1/2	957
1 5/8	24	6 1/8	175	10 5/8	394	15 1/8	661	19 5/8	966
1 3/4	27	6 1/4	180	10 3/4	401	15 1/4	669	19 3/4	974
1 7/8	30	6 3/8	185	10 7/8	408	15 3/8	677	19 7/8	983
2	33	6 1/2	191	11	415	15 1/2	685	20	992
2 1/8	36	6 5/8	196	11 1/8	422	15 5/8	694	20 1/8	1,001
2 1/4	39	6 3/4	202	11 1/4	429	15 3/4	702	20 1/4	1,010
2 3/8	43	6 7/8	207	11 3/8	436	15 7/8	710	20 3/8	1,019
2 1/2	46	7	213	11 1/2	443	16	718	20 1/2	1,028
2 5/8	49	7 1/8	218	11 5/8	450	16 1/8	726	20 5/8	1,037
2 3/4	53	7 1/4	224	11 3/4	457	16 1/4	734	20 3/4	1,046
2 7/8	57	7 3/8	230	11 7/8	464	16 3/8	743	20 7/8	1,055
3	60	7 1/2	236	12	471	16 1/2	751	21	1,065
3 1/8	64	7 5/8	242	12 1/8	479	16 5/8	759	21 1/8	1,074
3 1/4	68	7 3/4	247	12 1/4	486	16 3/4	767	21 1/4	1,083
3 3/8	72	7 7/8	253	12 3/8	493	16 7/8	776	21 3/8	1,092
3 1/2	76	8	259	12 1/2	500	17	784	21 1/2	1,101
3 5/8	80	8 1/8	265	12 5/8	508	17 1/8	793	21 5/8	1,111
3 3/4	84	8 1/4	271	12 3/4	515	17 1/4	801	21 3/4	1,120
3 7/8	88	8 3/8	277	12 7/8	523	17 3/8	809	21 7/8	1,129
4	93	8 1/2	284	13	530	17 1/2	818	22	1,138
4 1/8	97	8 5/8	290	13 1/8	538	17 5/8	826	22 1/8	1,148
4 1/4	101	8 3/4	296	13 1/4	545	17 3/4	835	22 1/4	1,157
4 3/8	106	8 7/8	302	13 3/8	553	17 7/8	843	22 3/8	1,166
4 1/2	110	9	309	13 1/2	560	18	852	22 1/2	1,176



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
22 5/8	1,185	27 1/8	1,535	31 5/8	1,907	36 1/8	2,296	40 5/8	2,700
22 3/4	1,194	27 1/4	1,546	31 3/4	1,918	36 1/4	2,307	40 3/4	2,711
22 7/8	1,204	27 3/8	1,556	31 7/8	1,928	36 3/8	2,318	40 7/8	2,722
23	1,213	27 1/2	1,566	32	1,939	36 1/2	2,329	41	2,734
23 1/8	1,223	27 5/8	1,576	32 1/8	1,950	36 5/8	2,341	41 1/8	2,745
23 1/4	1,232	27 3/4	1,586	32 1/4	1,960	36 3/4	2,352	41 1/4	2,757
23 3/8	1,242	27 7/8	1,596	32 3/8	1,971	36 7/8	2,363	41 3/8	2,768
23 1/2	1,251	28	1,606	32 1/2	1,982	37	2,374	41 1/2	2,779
23 5/8	1,261	28 1/8	1,616	32 5/8	1,992	37 1/8	2,385	41 5/8	2,791
23 3/4	1,270	28 1/4	1,627	32 3/4	2,003	37 1/4	2,396	41 3/4	2,802
23 7/8	1,280	28 3/8	1,637	32 7/8	2,014	37 3/8	2,407	41 7/8	2,814
24	1,290	28 1/2	1,647	33	2,024	37 1/2	2,418	42	2,825
24 1/8	1,299	28 5/8	1,657	33 1/8	2,035	37 5/8	2,429	42 1/8	2,837
24 1/4	1,309	28 3/4	1,667	33 1/4	2,046	37 3/4	2,441	42 1/4	2,848
24 3/8	1,319	28 7/8	1,678	33 3/8	2,057	37 7/8	2,452	42 3/8	2,860
24 1/2	1,328	29	1,688	33 1/2	2,067	38	2,463	42 1/2	2,871
24 5/8	1,338	29 1/8	1,698	33 5/8	2,078	38 1/8	2,474	42 5/8	2,883
24 3/4	1,348	29 1/4	1,709	33 3/4	2,089	38 1/4	2,485	42 3/4	2,894
24 7/8	1,357	29 3/8	1,719	33 7/8	2,100	38 3/8	2,496	42 7/8	2,906
25	1,367	29 1/2	1,729	34	2,111	38 1/2	2,508	43	2,917
25 1/8	1,377	29 5/8	1,740	34 1/8	2,121	38 5/8	2,519	43 1/8	2,929
25 1/4	1,387	29 3/4	1,750	34 1/4	2,132	38 3/4	2,530	43 1/4	2,940
25 3/8	1,396	29 7/8	1,760	34 3/8	2,143	38 7/8	2,541	43 3/8	2,952
25 1/2	1,406	30	1,771	34 1/2	2,154	39	2,553	43 1/2	2,963
25 5/8	1,416	30 1/8	1,781	34 5/8	2,165	39 1/8	2,564	43 5/8	2,975
25 3/4	1,426	30 1/4	1,792	34 3/4	2,176	39 1/4	2,575	43 3/4	2,986
25 7/8	1,436	30 3/8	1,802	34 7/8	2,187	39 3/8	2,586	43 7/8	2,998
26	1,446	30 1/2	1,812	35	2,198	39 1/2	2,598	44	3,010
26 1/8	1,456	30 5/8	1,823	35 1/8	2,209	39 5/8	2,609	44 1/8	3,021
26 1/4	1,466	30 3/4	1,833	35 1/4	2,220	39 3/4	2,620	44 1/4	3,033
26 3/8	1,475	30 7/8	1,844	35 3/8	2,230	39 7/8	2,632	44 3/8	3,044
26 1/2	1,485	31	1,854	35 1/2	2,241	40	2,643	44 1/2	3,056
26 5/8	1,495	31 1/8	1,865	35 5/8	2,252	40 1/8	2,654	44 5/8	3,068
26 3/4	1,505	31 1/4	1,876	35 3/4	2,263	40 1/4	2,666	44 3/4	3,079
26 7/8	1,515	31 3/8	1,886	35 7/8	2,274	40 3/8	2,677	44 7/8	3,091
27	1,525	31 1/2	1,897	36	2,285	40 1/2	2,688	45	3,102



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
45 1/8	3,114	49 5/8	3,537	54 1/8	3,965	58 5/8	4,397	63 1/8	4,829
45 1/4	3,126	49 3/4	3,549	54 1/4	3,977	58 3/4	4,409	63 1/4	4,841
45 3/8	3,137	49 7/8	3,560	54 3/8	3,989	58 7/8	4,421	63 3/8	4,853
45 1/2	3,149	50	3,572	54 1/2	4,001	59	4,433	63 1/2	4,865
45 5/8	3,161	50 1/8	3,584	54 5/8	4,013	59 1/8	4,445	63 5/8	4,877
45 3/4	3,172	50 1/4	3,596	54 3/4	4,025	59 1/4	4,457	63 3/4	4,889
45 7/8	3,184	50 3/8	3,608	54 7/8	4,037	59 3/8	4,469	63 7/8	4,901
46	3,196	50 1/2	3,620	55	4,049	59 1/2	4,481	64	4,913
46 1/8	3,207	50 5/8	3,631	55 1/8	4,061	59 5/8	4,493	64 1/8	4,925
46 1/4	3,219	50 3/4	3,643	55 1/4	4,073	59 3/4	4,505	64 1/4	4,937
46 3/8	3,231	50 7/8	3,655	55 3/8	4,085	59 7/8	4,517	64 3/8	4,949
46 1/2	3,242	51	3,667	55 1/2	4,097	60	4,529	64 1/2	4,961
46 5/8	3,254	51 1/8	3,679	55 5/8	4,109	60 1/8	4,541	64 5/8	4,973
46 3/4	3,266	51 1/4	3,691	55 3/4	4,121	60 1/4	4,553	64 3/4	4,985
46 7/8	3,278	51 3/8	3,703	55 7/8	4,133	60 3/8	4,565	64 7/8	4,997
47	3,289	51 1/2	3,715	56	4,145	60 1/2	4,577	65	5,009
47 1/8	3,301	51 5/8	3,727	56 1/8	4,157	60 5/8	4,589	65 1/8	5,021
47 1/4	3,313	51 3/4	3,738	56 1/4	4,169	60 3/4	4,601	65 1/4	5,033
47 3/8	3,324	51 7/8	3,750	56 3/8	4,181	60 7/8	4,613	65 3/8	5,045
47 1/2	3,336	52	3,762	56 1/2	4,193	61	4,625	65 1/2	5,057
47 5/8	3,348	52 1/8	3,774	56 5/8	4,205	61 1/8	4,637	65 5/8	5,069
47 3/4	3,360	52 1/4	3,786	56 3/4	4,217	61 1/4	4,649	65 3/4	5,081
47 7/8	3,372	52 3/8	3,798	56 7/8	4,229	61 3/8	4,661	65 7/8	5,092
48	3,383	52 1/2	3,810	57	4,241	61 1/2	4,673	66	5,104
48 1/8	3,395	52 5/8	3,822	57 1/8	4,253	61 5/8	4,685	66 1/8	5,116
48 1/4	3,407	52 3/4	3,834	57 1/4	4,265	61 3/4	4,697	66 1/4	5,128
48 3/8	3,419	52 7/8	3,846	57 3/8	4,277	61 7/8	4,709	66 3/8	5,140
48 1/2	3,430	53	3,858	57 1/2	4,289	62	4,721	66 1/2	5,152
48 5/8	3,442	53 1/8	3,870	57 5/8	4,301	62 1/8	4,733	66 5/8	5,164
48 3/4	3,454	53 1/4	3,881	57 3/4	4,313	62 1/4	4,745	66 3/4	5,176
48 7/8	3,466	53 3/8	3,893	57 7/8	4,325	62 3/8	4,757	66 7/8	5,188
49	3,478	53 1/2	3,905	58	4,337	62 1/2	4,769	67	5,200
49 1/8	3,489	53 5/8	3,917	58 1/8	4,349	62 5/8	4,781	67 1/8	5,212
49 1/4	3,501	53 3/4	3,929	58 1/4	4,361	62 3/4	4,793	67 1/4	5,224
49 3/8	3,513	53 7/8	3,941	58 3/8	4,373	62 7/8	4,805	67 3/8	5,236
49 1/2	3,525	54	3,953	58 1/2	4,385	63	4,817	67 1/2	5,248



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
67 5/8	5,260	72 1/8	5,686	76 5/8	6,106	81 1/8	6,516	85 5/8	6,914
67 3/4	5,272	72 1/4	5,698	76 3/4	6,117	81 1/4	6,527	85 3/4	6,925
67 7/8	5,283	72 3/8	5,710	76 7/8	6,129	81 3/8	6,539	85 7/8	6,936
68	5,295	72 1/2	5,721	77	6,140	81 1/2	6,550	86	6,947
68 1/8	5,307	72 5/8	5,733	77 1/8	6,152	81 5/8	6,561	86 1/8	6,958
68 1/4	5,319	72 3/4	5,745	77 1/4	6,163	81 3/4	6,572	86 1/4	6,969
68 3/8	5,331	72 7/8	5,757	77 3/8	6,175	81 7/8	6,584	86 3/8	6,979
68 1/2	5,343	73	5,768	77 1/2	6,186	82	6,595	86 1/2	6,990
68 5/8	5,355	73 1/8	5,780	77 5/8	6,198	82 1/8	6,606	86 5/8	7,001
68 3/4	5,367	73 1/4	5,792	77 3/4	6,209	82 1/4	6,617	86 3/4	7,012
68 7/8	5,379	73 3/8	5,803	77 7/8	6,221	82 3/8	6,628	86 7/8	7,022
69	5,390	73 1/2	5,815	78	6,232	82 1/2	6,639	87	7,033
69 1/8	5,402	73 5/8	5,827	78 1/8	6,244	82 5/8	6,650	87 1/8	7,044
69 1/4	5,414	73 3/4	5,839	78 1/4	6,255	82 3/4	6,662	87 1/4	7,055
69 3/8	5,426	73 7/8	5,850	78 3/8	6,267	82 7/8	6,673	87 3/8	7,065
69 1/2	5,438	74	5,862	78 1/2	6,278	83	6,684	87 1/2	7,076
69 5/8	5,450	74 1/8	5,874	78 5/8	6,290	83 1/8	6,695	87 5/8	7,087
69 3/4	5,462	74 1/4	5,885	78 3/4	6,301	83 1/4	6,706	87 3/4	7,097
69 7/8	5,474	74 3/8	5,897	78 7/8	6,312	83 3/8	6,717	87 7/8	7,108
70	5,485	74 1/2	5,909	79	6,324	83 1/2	6,728	88	7,119
70 1/8	5,497	74 5/8	5,920	79 1/8	6,335	83 5/8	6,739	88 1/8	7,129
70 1/4	5,509	74 3/4	5,932	79 1/4	6,347	83 3/4	6,750	88 1/4	7,140
70 3/8	5,521	74 7/8	5,944	79 3/8	6,358	83 7/8	6,761	88 3/8	7,150
70 1/2	5,533	75	5,955	79 1/2	6,369	84	6,772	88 1/2	7,161
70 5/8	5,545	75 1/8	5,967	79 5/8	6,381	84 1/8	6,783	88 5/8	7,172
70 3/4	5,556	75 1/4	5,978	79 3/4	6,392	84 1/4	6,794	88 3/4	7,182
70 7/8	5,568	75 3/8	5,990	79 7/8	6,403	84 3/8	6,805	88 7/8	7,193
71	5,580	75 1/2	6,002	80	6,415	84 1/2	6,816	89	7,203
71 1/8	5,592	75 5/8	6,013	80 1/8	6,426	84 5/8	6,827	89 1/8	7,214
71 1/4	5,604	75 3/4	6,025	80 1/4	6,437	84 3/4	6,838	89 1/4	7,224
71 3/8	5,615	75 7/8	6,036	80 3/8	6,449	84 7/8	6,849	89 3/8	7,235
71 1/2	5,627	76	6,048	80 1/2	6,460	85	6,860	89 1/2	7,245
71 5/8	5,639	76 1/8	6,060	80 5/8	6,471	85 1/8	6,871	89 5/8	7,256
71 3/4	5,651	76 1/4	6,071	80 3/4	6,482	85 1/4	6,882	89 3/4	7,266
71 7/8	5,663	76 3/8	6,083	80 7/8	6,494	85 3/8	6,893	89 7/8	7,276
72	5,674	76 1/2	6,094	81	6,505	85 1/2	6,904	90	7,287



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]								
90 1/8	7,297	94 5/8	7,661	99 1/8	8,002	103 5/8	8,315	108 1/8	8,593
90 1/4	7,308	94 3/4	7,671	99 1/4	8,011	103 3/4	8,323	108 1/4	8,601
90 3/8	7,318	94 7/8	7,681	99 3/8	8,020	103 7/8	8,331	108 3/8	8,608
90 1/2	7,328	95	7,690	99 1/2	8,029	104	8,340	108 1/2	8,615
90 5/8	7,339	95 1/8	7,700	99 5/8	8,038	104 1/8	8,348	108 5/8	8,622
90 3/4	7,349	95 1/4	7,710	99 3/4	8,047	104 1/4	8,356	108 3/4	8,629
90 7/8	7,359	95 3/8	7,720	99 7/8	8,056	104 3/8	8,364	108 7/8	8,636
91	7,370	95 1/2	7,729	100	8,065	104 1/2	8,372	109	8,643
91 1/8	7,380	95 5/8	7,739	100 1/8	8,074	104 5/8	8,380	109 1/8	8,650
91 1/4	7,390	95 3/4	7,749	100 1/4	8,083	104 3/4	8,388	109 1/4	8,657
91 3/8	7,400	95 7/8	7,758	100 3/8	8,092	104 7/8	8,396	109 3/8	8,663
91 1/2	7,411	96	7,768	100 1/2	8,101	105	8,404	109 1/2	8,670
91 5/8	7,421	96 1/8	7,778	100 5/8	8,110	105 1/8	8,412	109 5/8	8,677
91 3/4	7,431	96 1/4	7,787	100 3/4	8,119	105 1/4	8,420	109 3/4	8,684
91 7/8	7,441	96 3/8	7,797	100 7/8	8,127	105 3/8	8,428	109 7/8	8,690
92	7,451	96 1/2	7,806	101	8,136	105 1/2	8,436	110	8,697
92 1/8	7,462	96 5/8	7,816	101 1/8	8,145	105 5/8	8,443	110 1/8	8,704
92 1/4	7,472	96 3/4	7,825	101 1/4	8,154	105 3/4	8,451	110 1/4	8,710
92 3/8	7,482	96 7/8	7,835	101 3/8	8,162	105 7/8	8,459	110 3/8	8,717
92 1/2	7,492	97	7,844	101 1/2	8,171	106	8,467	110 1/2	8,723
92 5/8	7,502	97 1/8	7,854	101 5/8	8,180	106 1/8	8,474	110 5/8	8,730
92 3/4	7,512	97 1/4	7,863	101 3/4	8,188	106 1/4	8,482	110 3/4	8,736
92 7/8	7,522	97 3/8	7,873	101 7/8	8,197	106 3/8	8,490	110 7/8	8,743
93	7,532	97 1/2	7,882	102	8,206	106 1/2	8,497	111	8,749
93 1/8	7,542	97 5/8	7,891	102 1/8	8,214	106 5/8	8,505	111 1/8	8,755
93 1/4	7,552	97 3/4	7,901	102 1/4	8,223	106 3/4	8,512	111 1/4	8,762
93 3/8	7,562	97 7/8	7,910	102 3/8	8,231	106 7/8	8,520	111 3/8	8,768
93 1/2	7,572	98	7,919	102 1/2	8,240	107	8,527	111 1/2	8,774
93 5/8	7,582	98 1/8	7,929	102 5/8	8,248	107 1/8	8,535	111 5/8	8,780
93 3/4	7,592	98 1/4	7,938	102 3/4	8,257	107 1/4	8,542	111 3/4	8,786
93 7/8	7,602	98 3/8	7,947	102 7/8	8,265	107 3/8	8,550	111 7/8	8,792
94	7,612	98 1/2	7,956	103	8,273	107 1/2	8,557	112	8,798
94 1/8	7,622	98 5/8	7,965	103 1/8	8,282	107 5/8	8,564	112 1/8	8,804
94 1/4	7,632	98 3/4	7,975	103 1/4	8,290	107 3/4	8,572	112 1/4	8,810
94 3/8	7,641	98 7/8	7,984	103 3/8	8,298	107 7/8	8,579	112 3/8	8,816
94 1/2	7,651	99	7,993	103 1/2	8,307	108	8,586	112 1/2	8,822



Dipstick Calibration Chart

10' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
112 5/8	8,828	117 1/8	9,001
112 3/4	8,833	117 1/4	9,005
112 7/8	8,839	117 3/8	9,008
113	8,845	117 1/2	9,012
113 1/8	8,850	117 5/8	9,015
113 1/4	8,856	117 3/4	9,018
113 3/8	8,861	117 7/8	9,022
113 1/2	8,867	118	9,025
113 5/8	8,872	118 1/8	9,028
113 3/4	8,878	118 1/4	9,031
113 7/8	8,883	118 3/8	9,033
114	8,888	118 1/2	9,036
114 1/8	8,893	118 5/8	9,039
114 1/4	8,899	118 3/4	9,041
114 3/8	8,904	118 7/8	9,044
114 1/2	8,909	119	9,046
114 5/8	8,914	119 1/8	9,048
114 3/4	8,919	119 1/4	9,050
114 7/8	8,924	119 3/8	9,052
115	8,928	119 1/2	9,053
115 1/8	8,933	119 5/8	9,055
115 1/4	8,938	119 3/4	9,056
115 3/8	8,943	119 7/8	9,057
115 1/2	8,947	120	9,058
115 5/8	8,952		
115 3/4	8,956		
115 7/8	8,961		
116	8,965		
116 1/8	8,969		
116 1/4	8,973		
116 3/8	8,978		
116 1/2	8,982		
116 5/8	8,986		
116 3/4	8,990		
116 7/8	8,993		
117	8,997		