



# Dipstick Calibration Chart 8' x 3.5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	60	9 1/8	163	13 5/8	294	18 1/8	444
1/4	1	4 3/4	62	9 1/4	167	13 3/4	298	18 1/4	448
3/8	1	4 7/8	65	9 3/8	170	13 7/8	302	18 3/8	452
1/2	2	5	67	9 1/2	173	14	306	18 1/2	457
5/8	3	5 1/8	70	9 5/8	177	14 1/8	310	18 5/8	461
3/4	4	5 1/4	72	9 3/4	180	14 1/4	314	18 3/4	466
7/8	5	5 3/8	75	9 7/8	184	14 3/8	318	18 7/8	470
1	6	5 1/2	77	10	187	14 1/2	322	19	475
1 1/8	7	5 5/8	80	10 1/8	190	14 5/8	326	19 1/8	479
1 1/4	9	5 3/4	83	10 1/4	194	14 3/4	330	19 1/4	484
1 3/8	10	5 7/8	85	10 3/8	197	14 7/8	334	19 3/8	488
1 1/2	11	6	88	10 1/2	201	15	338	19 1/2	493
1 5/8	13	6 1/8	91	10 5/8	204	15 1/8	342	19 5/8	497
1 3/4	14	6 1/4	94	10 3/4	208	15 1/4	346	19 3/4	502
1 7/8	16	6 3/8	96	10 7/8	211	15 3/8	350	19 7/8	506
2	17	6 1/2	99	11	215	15 1/2	354	20	511
2 1/8	19	6 5/8	102	11 1/8	219	15 5/8	358	20 1/8	515
2 1/4	20	6 3/4	105	11 1/4	222	15 3/4	362	20 1/4	520
2 3/8	22	6 7/8	108	11 3/8	226	15 7/8	367	20 3/8	524
2 1/2	24	7	111	11 1/2	229	16	371	20 1/2	529
2 5/8	26	7 1/8	114	11 5/8	233	16 1/8	375	20 5/8	534
2 3/4	28	7 1/4	116	11 3/4	237	16 1/4	379	20 3/4	538
2 7/8	30	7 3/8	119	11 7/8	240	16 3/8	383	20 7/8	543
3	31	7 1/2	122	12	244	16 1/2	388	21	548
3 1/8	33	7 5/8	125	12 1/8	248	16 5/8	392	21 1/8	552
3 1/4	35	7 3/4	129	12 1/4	252	16 3/4	396	21 1/4	557
3 3/8	37	7 7/8	132	12 3/8	255	16 7/8	400	21 3/8	562
3 1/2	40	8	135	12 1/2	259	17	405	21 1/2	566
3 5/8	42	8 1/8	138	12 5/8	263	17 1/8	409	21 5/8	571
3 3/4	44	8 1/4	141	12 3/4	267	17 1/4	413	21 3/4	576
3 7/8	46	8 3/8	144	12 7/8	271	17 3/8	418	21 7/8	580
4	48	8 1/2	147	13	274	17 1/2	422	22	585
4 1/8	51	8 5/8	150	13 1/8	278	17 5/8	426	22 1/8	590
4 1/4	53	8 3/4	154	13 1/4	282	17 3/4	431	22 1/4	594
4 3/8	55	8 7/8	157	13 3/8	286	17 7/8	435	22 3/8	599
4 1/2	57	9	160	13 1/2	290	18	439	22 1/2	604



# Dipstick Calibration Chart 8' x 3.5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	609	27 1/8	786	31 5/8	972	36 1/8	1,165	40 5/8	1,362
22 3/4	613	27 1/4	791	31 3/4	977	36 1/4	1,170	40 3/4	1,368
22 7/8	618	27 3/8	796	31 7/8	982	36 3/8	1,175	40 7/8	1,373
23	623	27 1/2	801	32	987	36 1/2	1,181	41	1,379
23 1/8	628	27 5/8	806	32 1/8	993	36 5/8	1,186	41 1/8	1,385
23 1/4	633	27 3/4	811	32 1/4	998	36 3/4	1,192	41 1/4	1,390
23 3/8	637	27 7/8	816	32 3/8	1,003	36 7/8	1,197	41 3/8	1,396
23 1/2	642	28	821	32 1/2	1,009	37	1,203	41 1/2	1,401
23 5/8	647	28 1/8	826	32 5/8	1,014	37 1/8	1,208	41 5/8	1,407
23 3/4	652	28 1/4	831	32 3/4	1,019	37 1/4	1,214	41 3/4	1,412
23 7/8	657	28 3/8	836	32 7/8	1,025	37 3/8	1,219	41 7/8	1,418
24	662	28 1/2	842	33	1,030	37 1/2	1,225	42	1,423
24 1/8	666	28 5/8	847	33 1/8	1,035	37 5/8	1,230	42 1/8	1,429
24 1/4	671	28 3/4	852	33 1/4	1,041	37 3/4	1,236	42 1/4	1,435
24 3/8	676	28 7/8	857	33 3/8	1,046	37 7/8	1,241	42 3/8	1,440
24 1/2	681	29	862	33 1/2	1,051	38	1,246	42 1/2	1,446
24 5/8	686	29 1/8	867	33 5/8	1,057	38 1/8	1,252	42 5/8	1,451
24 3/4	691	29 1/4	872	33 3/4	1,062	38 1/4	1,257	42 3/4	1,457
24 7/8	696	29 3/8	878	33 7/8	1,067	38 3/8	1,263	42 7/8	1,462
25	701	29 1/2	883	34	1,073	38 1/2	1,268	43	1,468
25 1/8	706	29 5/8	888	34 1/8	1,078	38 5/8	1,274	43 1/8	1,474
25 1/4	711	29 3/4	893	34 1/4	1,083	38 3/4	1,279	43 1/4	1,479
25 3/8	716	29 7/8	898	34 3/8	1,089	38 7/8	1,285	43 3/8	1,485
25 1/2	720	30	904	34 1/2	1,094	39	1,290	43 1/2	1,490
25 5/8	725	30 1/8	909	34 5/8	1,100	39 1/8	1,296	43 5/8	1,496
25 3/4	730	30 1/4	914	34 3/4	1,105	39 1/4	1,302	43 3/4	1,502
25 7/8	735	30 3/8	919	34 7/8	1,110	39 3/8	1,307	43 7/8	1,507
26	740	30 1/2	924	35	1,116	39 1/2	1,313	44	1,513
26 1/8	745	30 5/8	930	35 1/8	1,121	39 5/8	1,318	44 1/8	1,518
26 1/4	750	30 3/4	935	35 1/4	1,127	39 3/4	1,324	44 1/4	1,524
26 3/8	755	30 7/8	940	35 3/8	1,132	39 7/8	1,329	44 3/8	1,530
26 1/2	760	31	945	35 1/2	1,137	40	1,335	44 1/2	1,535
26 5/8	765	31 1/8	951	35 5/8	1,143	40 1/8	1,340	44 5/8	1,541
26 3/4	770	31 1/4	956	35 3/4	1,148	40 1/4	1,346	44 3/4	1,546
26 7/8	775	31 3/8	961	35 7/8	1,154	40 3/8	1,351	44 7/8	1,552
27	781	31 1/2	966	36	1,159	40 1/2	1,357	45	1,557



# Dipstick Calibration Chart 8' x 3.5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	1,563	49 5/8	1,765	54 1/8	1,966	58 5/8	2,165	63 1/8	2,360
45 1/4	1,569	49 3/4	1,771	54 1/4	1,972	58 3/4	2,170	63 1/4	2,365
45 3/8	1,574	49 7/8	1,776	54 3/8	1,977	58 7/8	2,176	63 3/8	2,370
45 1/2	1,580	50	1,782	54 1/2	1,983	59	2,181	63 1/2	2,375
45 5/8	1,585	50 1/8	1,787	54 5/8	1,988	59 1/8	2,187	63 5/8	2,381
45 3/4	1,591	50 1/4	1,793	54 3/4	1,994	59 1/4	2,192	63 3/4	2,386
45 7/8	1,597	50 3/8	1,799	54 7/8	2,000	59 3/8	2,198	63 7/8	2,391
46	1,602	50 1/2	1,804	55	2,005	59 1/2	2,203	64	2,397
46 1/8	1,608	50 5/8	1,810	55 1/8	2,011	59 5/8	2,209	64 1/8	2,402
46 1/4	1,614	50 3/4	1,815	55 1/4	2,016	59 3/4	2,214	64 1/4	2,407
46 3/8	1,619	50 7/8	1,821	55 3/8	2,022	59 7/8	2,220	64 3/8	2,412
46 1/2	1,625	51	1,827	55 1/2	2,027	60	2,225	64 1/2	2,418
46 5/8	1,630	51 1/8	1,832	55 5/8	2,033	60 1/8	2,230	64 5/8	2,423
46 3/4	1,636	51 1/4	1,838	55 3/4	2,038	60 1/4	2,236	64 3/4	2,428
46 7/8	1,642	51 3/8	1,843	55 7/8	2,044	60 3/8	2,241	64 7/8	2,434
47	1,647	51 1/2	1,849	56	2,049	60 1/2	2,247	65	2,439
47 1/8	1,653	51 5/8	1,855	56 1/8	2,055	60 5/8	2,252	65 1/8	2,444
47 1/4	1,658	51 3/4	1,860	56 1/4	2,061	60 3/4	2,258	65 1/4	2,449
47 3/8	1,664	51 7/8	1,866	56 3/8	2,066	60 7/8	2,263	65 3/8	2,455
47 1/2	1,670	52	1,871	56 1/2	2,072	61	2,268	65 1/2	2,460
47 5/8	1,675	52 1/8	1,877	56 5/8	2,077	61 1/8	2,274	65 5/8	2,465
47 3/4	1,681	52 1/4	1,883	56 3/4	2,083	61 1/4	2,279	65 3/4	2,470
47 7/8	1,686	52 3/8	1,888	56 7/8	2,088	61 3/8	2,285	65 7/8	2,475
48	1,692	52 1/2	1,894	57	2,094	61 1/2	2,290	66	2,481
48 1/8	1,698	52 5/8	1,899	57 1/8	2,099	61 5/8	2,295	66 1/8	2,486
48 1/4	1,703	52 3/4	1,905	57 1/4	2,105	61 3/4	2,301	66 1/4	2,491
48 3/8	1,709	52 7/8	1,910	57 3/8	2,110	61 7/8	2,306	66 3/8	2,496
48 1/2	1,714	53	1,916	57 1/2	2,116	62	2,311	66 1/2	2,501
48 5/8	1,720	53 1/8	1,922	57 5/8	2,121	62 1/8	2,317	66 5/8	2,507
48 3/4	1,726	53 1/4	1,927	57 3/4	2,127	62 1/4	2,322	66 3/4	2,512
48 7/8	1,731	53 3/8	1,933	57 7/8	2,132	62 3/8	2,327	66 7/8	2,517
49	1,737	53 1/2	1,938	58	2,138	62 1/2	2,333	67	2,522
49 1/8	1,743	53 5/8	1,944	58 1/8	2,143	62 5/8	2,338	67 1/8	2,527
49 1/4	1,748	53 3/4	1,950	58 1/4	2,149	62 3/4	2,344	67 1/4	2,532
49 3/8	1,754	53 7/8	1,955	58 3/8	2,154	62 7/8	2,349	67 3/8	2,537
49 1/2	1,759	54	1,961	58 1/2	2,160	63	2,354	67 1/2	2,543



# Dipstick Calibration Chart 8' x 3.5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	2,548	72 1/8	2,727	76 5/8	2,896	81 1/8	3,050	85 5/8	3,187
67 3/4	2,553	72 1/4	2,732	76 3/4	2,900	81 1/4	3,055	85 3/4	3,190
67 7/8	2,558	72 3/8	2,737	76 7/8	2,905	81 3/8	3,059	85 7/8	3,194
68	2,563	72 1/2	2,742	77	2,909	81 1/2	3,063	86	3,197
68 1/8	2,568	72 5/8	2,747	77 1/8	2,914	81 5/8	3,067	86 1/8	3,201
68 1/4	2,573	72 3/4	2,752	77 1/4	2,918	81 3/4	3,071	86 1/4	3,204
68 3/8	2,578	72 7/8	2,756	77 3/8	2,923	81 7/8	3,075	86 3/8	3,207
68 1/2	2,583	73	2,761	77 1/2	2,927	82	3,079	86 1/2	3,211
68 5/8	2,588	73 1/8	2,766	77 5/8	2,932	82 1/8	3,082	86 5/8	3,214
68 3/4	2,593	73 1/4	2,771	77 3/4	2,936	82 1/4	3,086	86 3/4	3,217
68 7/8	2,599	73 3/8	2,775	77 7/8	2,940	82 3/8	3,090	86 7/8	3,221
69	2,604	73 1/2	2,780	78	2,945	82 1/2	3,094	87	3,224
69 1/8	2,609	73 5/8	2,785	78 1/8	2,949	82 5/8	3,098	87 1/8	3,227
69 1/4	2,614	73 3/4	2,790	78 1/4	2,954	82 3/4	3,102	87 1/4	3,230
69 3/8	2,619	73 7/8	2,794	78 3/8	2,958	82 7/8	3,106	87 3/8	3,234
69 1/2	2,624	74	2,799	78 1/2	2,962	83	3,110	87 1/2	3,237
69 5/8	2,629	74 1/8	2,804	78 5/8	2,967	83 1/8	3,114	87 5/8	3,240
69 3/4	2,634	74 1/4	2,809	78 3/4	2,971	83 1/4	3,117	87 3/4	3,243
69 7/8	2,639	74 3/8	2,813	78 7/8	2,975	83 3/8	3,121	87 7/8	3,246
70	2,644	74 1/2	2,818	79	2,980	83 1/2	3,125	88	3,249
70 1/8	2,649	74 5/8	2,823	79 1/8	2,984	83 5/8	3,129	88 1/8	3,253
70 1/4	2,654	74 3/4	2,827	79 1/4	2,988	83 3/4	3,132	88 1/4	3,256
70 3/8	2,659	74 7/8	2,832	79 3/8	2,992	83 7/8	3,136	88 3/8	3,259
70 1/2	2,664	75	2,837	79 1/2	2,997	84	3,140	88 1/2	3,262
70 5/8	2,669	75 1/8	2,841	79 5/8	3,001	84 1/8	3,144	88 5/8	3,265
70 3/4	2,674	75 1/4	2,846	79 3/4	3,005	84 1/4	3,147	88 3/4	3,268
70 7/8	2,678	75 3/8	2,850	79 7/8	3,009	84 3/8	3,151	88 7/8	3,271
71	2,683	75 1/2	2,855	80	3,013	84 1/2	3,155	89	3,273
71 1/8	2,688	75 5/8	2,860	80 1/8	3,018	84 5/8	3,158	89 1/8	3,276
71 1/4	2,693	75 3/4	2,864	80 1/4	3,022	84 3/4	3,162	89 1/4	3,279
71 3/8	2,698	75 7/8	2,869	80 3/8	3,026	84 7/8	3,166	89 3/8	3,282
71 1/2	2,703	76	2,873	80 1/2	3,030	85	3,169	89 1/2	3,285
71 5/8	2,708	76 1/8	2,878	80 5/8	3,034	85 1/8	3,173	89 5/8	3,288
71 3/4	2,713	76 1/4	2,882	80 3/4	3,038	85 1/4	3,176	89 3/4	3,291
71 7/8	2,718	76 3/8	2,887	80 7/8	3,042	85 3/8	3,180	89 7/8	3,293
72	2,723	76 1/2	2,891	81	3,046	85 1/2	3,183	90	3,296



# Dipstick Calibration Chart 8' x 3.5K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	3,299	94 5/8	3,374
90 1/4	3,301	94 3/4	3,376
90 3/8	3,304	94 7/8	3,377
90 1/2	3,307	95	3,378
90 5/8	3,309	95 1/8	3,379
90 3/4	3,312	95 1/4	3,380
90 7/8	3,314	95 3/8	3,381
91	3,317	95 1/2	3,382
91 1/8	3,319	95 5/8	3,383
91 1/4	3,322	95 3/4	3,383
91 3/8	3,324	95 7/8	3,384
91 1/2	3,327	96	3,384
91 5/8	3,329		
91 3/4	3,331		
91 7/8	3,334		
92	3,336		
92 1/8	3,338		
92 1/4	3,340		
92 3/8	3,342		
92 1/2	3,345		
92 5/8	3,347		
92 3/4	3,349		
92 7/8	3,351		
93	3,353		
93 1/8	3,355		
93 1/4	3,356		
93 3/8	3,358		
93 1/2	3,360		
93 5/8	3,362		
93 3/4	3,364		
93 7/8	3,365		
94	3,367		
94 1/8	3,369		
94 1/4	3,370		
94 3/8	3,372		
94 1/2	3,373		