



# Dipstick Calibration Chart

# 8' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	0	4 5/8	106	9 1/8	291	13 5/8	522	18 1/8	789
1/4	1	4 3/4	111	9 1/4	296	13 3/4	529	18 1/4	797
3/8	2	4 7/8	115	9 3/8	302	13 7/8	536	18 3/8	804
1/2	4	5	119	9 1/2	308	14	543	18 1/2	812
5/8	5	5 1/8	124	9 5/8	314	14 1/8	550	18 5/8	820
3/4	7	5 1/4	128	9 3/4	320	14 1/4	557	18 3/4	828
7/8	9	5 3/8	133	9 7/8	326	14 3/8	564	18 7/8	836
1	11	5 1/2	138	10	332	14 1/2	572	19	844
1 1/8	13	5 5/8	142	10 1/8	339	14 5/8	579	19 1/8	852
1 1/4	15	5 3/4	147	10 1/4	345	14 3/4	586	19 1/4	860
1 3/8	17	5 7/8	152	10 3/8	351	14 7/8	593	19 3/8	868
1 1/2	20	6	157	10 1/2	357	15	600	19 1/2	876
1 5/8	22	6 1/8	161	10 5/8	363	15 1/8	608	19 5/8	884
1 3/4	25	6 1/4	166	10 3/4	370	15 1/4	615	19 3/4	892
1 7/8	28	6 3/8	171	10 7/8	376	15 3/8	622	19 7/8	900
2	31	6 1/2	176	11	382	15 1/2	630	20	908
2 1/8	33	6 5/8	181	11 1/8	389	15 5/8	637	20 1/8	916
2 1/4	36	6 3/4	186	11 1/4	395	15 3/4	644	20 1/4	924
2 3/8	39	6 7/8	191	11 3/8	401	15 7/8	652	20 3/8	932
2 1/2	43	7	197	11 1/2	408	16	659	20 1/2	941
2 5/8	46	7 1/8	202	11 5/8	414	16 1/8	667	20 5/8	949
2 3/4	49	7 1/4	207	11 3/4	421	16 1/4	674	20 3/4	957
2 7/8	52	7 3/8	212	11 7/8	427	16 3/8	681	20 7/8	965
3	56	7 1/2	218	12	434	16 1/2	689	21	973
3 1/8	59	7 5/8	223	12 1/8	441	16 5/8	697	21 1/8	982
3 1/4	63	7 3/4	229	12 1/4	447	16 3/4	704	21 1/4	990
3 3/8	67	7 7/8	234	12 3/8	454	16 7/8	712	21 3/8	998
3 1/2	70	8	239	12 1/2	461	17	719	21 1/2	1,007
3 5/8	74	8 1/8	245	12 5/8	467	17 1/8	727	21 5/8	1,015
3 3/4	78	8 1/4	251	12 3/4	474	17 1/4	735	21 3/4	1,023
3 7/8	82	8 3/8	256	12 7/8	481	17 3/8	742	21 7/8	1,032
4	86	8 1/2	262	13	488	17 1/2	750	22	1,040
4 1/8	90	8 5/8	268	13 1/8	495	17 5/8	758	22 1/8	1,048
4 1/4	94	8 3/4	273	13 1/4	501	17 3/4	765	22 1/4	1,057
4 3/8	98	8 7/8	279	13 3/8	508	17 7/8	773	22 3/8	1,065
4 1/2	102	9	285	13 1/2	515	18	781	22 1/2	1,074



# Dipstick Calibration Chart 8' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,082	27 1/8	1,397	31 5/8	1,727	36 1/8	2,070	40 5/8	2,422
22 3/4	1,091	27 1/4	1,406	31 3/4	1,737	36 1/4	2,080	40 3/4	2,432
22 7/8	1,099	27 3/8	1,415	31 7/8	1,746	36 3/8	2,090	40 7/8	2,442
23	1,108	27 1/2	1,424	32	1,755	36 1/2	2,099	41	2,452
23 1/8	1,116	27 5/8	1,433	32 1/8	1,765	36 5/8	2,109	41 1/8	2,461
23 1/4	1,125	27 3/4	1,442	32 1/4	1,774	36 3/4	2,119	41 1/4	2,471
23 3/8	1,133	27 7/8	1,451	32 3/8	1,784	36 7/8	2,128	41 3/8	2,481
23 1/2	1,142	28	1,460	32 1/2	1,793	37	2,138	41 1/2	2,491
23 5/8	1,150	28 1/8	1,469	32 5/8	1,803	37 1/8	2,148	41 5/8	2,501
23 3/4	1,159	28 1/4	1,478	32 3/4	1,812	37 1/4	2,158	41 3/4	2,511
23 7/8	1,168	28 3/8	1,487	32 7/8	1,822	37 3/8	2,167	41 7/8	2,521
24	1,176	28 1/2	1,496	33	1,831	37 1/2	2,177	42	2,531
24 1/8	1,185	28 5/8	1,505	33 1/8	1,840	37 5/8	2,187	42 1/8	2,540
24 1/4	1,193	28 3/4	1,514	33 1/4	1,850	37 3/4	2,196	42 1/4	2,550
24 3/8	1,202	28 7/8	1,523	33 3/8	1,859	37 7/8	2,206	42 3/8	2,560
24 1/2	1,211	29	1,533	33 1/2	1,869	38	2,216	42 1/2	2,570
24 5/8	1,220	29 1/8	1,542	33 5/8	1,878	38 1/8	2,226	42 5/8	2,580
24 3/4	1,228	29 1/4	1,551	33 3/4	1,888	38 1/4	2,236	42 3/4	2,590
24 7/8	1,237	29 3/8	1,560	33 7/8	1,898	38 3/8	2,245	42 7/8	2,600
25	1,246	29 1/2	1,569	34	1,907	38 1/2	2,255	43	2,610
25 1/8	1,255	29 5/8	1,579	34 1/8	1,917	38 5/8	2,265	43 1/8	2,620
25 1/4	1,263	29 3/4	1,588	34 1/4	1,926	38 3/4	2,275	43 1/4	2,630
25 3/8	1,272	29 7/8	1,597	34 3/8	1,936	38 7/8	2,284	43 3/8	2,640
25 1/2	1,281	30	1,606	34 1/2	1,945	39	2,294	43 1/2	2,650
25 5/8	1,290	30 1/8	1,615	34 5/8	1,955	39 1/8	2,304	43 5/8	2,659
25 3/4	1,299	30 1/4	1,625	34 3/4	1,964	39 1/4	2,314	43 3/4	2,669
25 7/8	1,307	30 3/8	1,634	34 7/8	1,974	39 3/8	2,324	43 7/8	2,679
26	1,316	30 1/2	1,643	35	1,984	39 1/2	2,333	44	2,689
26 1/8	1,325	30 5/8	1,653	35 1/8	1,993	39 5/8	2,343	44 1/8	2,699
26 1/4	1,334	30 3/4	1,662	35 1/4	2,003	39 3/4	2,353	44 1/4	2,709
26 3/8	1,343	30 7/8	1,671	35 3/8	2,012	39 7/8	2,363	44 3/8	2,719
26 1/2	1,352	31	1,681	35 1/2	2,022	40	2,373	44 1/2	2,729
26 5/8	1,361	31 1/8	1,690	35 5/8	2,032	40 1/8	2,383	44 5/8	2,739
26 3/4	1,370	31 1/4	1,699	35 3/4	2,041	40 1/4	2,392	44 3/4	2,749
26 7/8	1,379	31 3/8	1,709	35 7/8	2,051	40 3/8	2,402	44 7/8	2,759
27	1,388	31 1/2	1,718	36	2,061	40 1/2	2,412	45	2,769



# Dipstick Calibration Chart

# 8' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	2,779	49 5/8	3,138	54 1/8	3,495	58 5/8	3,849	63 1/8	4,195
45 1/4	2,789	49 3/4	3,148	54 1/4	3,505	58 3/4	3,859	63 1/4	4,204
45 3/8	2,799	49 7/8	3,158	54 3/8	3,515	58 7/8	3,868	63 3/8	4,214
45 1/2	2,809	50	3,168	54 1/2	3,525	59	3,878	63 1/2	4,223
45 5/8	2,819	50 1/8	3,178	54 5/8	3,535	59 1/8	3,888	63 5/8	4,232
45 3/4	2,829	50 1/4	3,188	54 3/4	3,545	59 1/4	3,897	63 3/4	4,242
45 7/8	2,839	50 3/8	3,198	54 7/8	3,555	59 3/8	3,907	63 7/8	4,251
46	2,849	50 1/2	3,207	55	3,565	59 1/2	3,917	64	4,261
46 1/8	2,859	50 5/8	3,217	55 1/8	3,575	59 5/8	3,927	64 1/8	4,270
46 1/4	2,868	50 3/4	3,227	55 1/4	3,584	59 3/4	3,936	64 1/4	4,280
46 3/8	2,878	50 7/8	3,237	55 3/8	3,594	59 7/8	3,946	64 3/8	4,289
46 1/2	2,888	51	3,247	55 1/2	3,604	60	3,956	64 1/2	4,298
46 5/8	2,898	51 1/8	3,257	55 5/8	3,614	60 1/8	3,965	64 5/8	4,308
46 3/4	2,908	51 1/4	3,267	55 3/4	3,624	60 1/4	3,975	64 3/4	4,317
46 7/8	2,918	51 3/8	3,277	55 7/8	3,634	60 3/8	3,984	64 7/8	4,326
47	2,928	51 1/2	3,287	56	3,643	60 1/2	3,994	65	4,336
47 1/8	2,938	51 5/8	3,297	56 1/8	3,653	60 5/8	4,004	65 1/8	4,345
47 1/4	2,948	51 3/4	3,307	56 1/4	3,663	60 3/4	4,013	65 1/4	4,354
47 3/8	2,958	51 7/8	3,317	56 3/8	3,673	60 7/8	4,023	65 3/8	4,364
47 1/2	2,968	52	3,327	56 1/2	3,683	61	4,033	65 1/2	4,373
47 5/8	2,978	52 1/8	3,337	56 5/8	3,693	61 1/8	4,042	65 5/8	4,382
47 3/4	2,988	52 1/4	3,347	56 3/4	3,702	61 1/4	4,052	65 3/4	4,391
47 7/8	2,998	52 3/8	3,357	56 7/8	3,712	61 3/8	4,061	65 7/8	4,401
48	3,008	52 1/2	3,367	57	3,722	61 1/2	4,071	66	4,410
48 1/8	3,018	52 5/8	3,377	57 1/8	3,732	61 5/8	4,080	66 1/8	4,419
48 1/4	3,028	52 3/4	3,386	57 1/4	3,742	61 3/4	4,090	66 1/4	4,428
48 3/8	3,038	52 7/8	3,396	57 3/8	3,751	61 7/8	4,100	66 3/8	4,438
48 1/2	3,048	53	3,406	57 1/2	3,761	62	4,109	66 1/2	4,447
48 5/8	3,058	53 1/8	3,416	57 5/8	3,771	62 1/8	4,119	66 5/8	4,456
48 3/4	3,068	53 1/4	3,426	57 3/4	3,781	62 1/4	4,128	66 3/4	4,465
48 7/8	3,078	53 3/8	3,436	57 7/8	3,790	62 3/8	4,138	66 7/8	4,474
49	3,088	53 1/2	3,446	58	3,800	62 1/2	4,147	67	4,484
49 1/8	3,098	53 5/8	3,456	58 1/8	3,810	62 5/8	4,157	67 1/8	4,493
49 1/4	3,108	53 3/4	3,466	58 1/4	3,820	62 3/4	4,166	67 1/4	4,502
49 3/8	3,118	53 7/8	3,476	58 3/8	3,829	62 7/8	4,176	67 3/8	4,511
49 1/2	3,128	54	3,486	58 1/2	3,839	63	4,185	67 1/2	4,520



# Dipstick Calibration Chart

# 8' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	4,529	72 1/8	4,849	76 5/8	5,148	81 1/8	5,423	85 5/8	5,665
67 3/4	4,538	72 1/4	4,857	76 3/4	5,156	81 1/4	5,430	85 3/4	5,672
67 7/8	4,547	72 3/8	4,866	76 7/8	5,164	81 3/8	5,437	85 7/8	5,678
68	4,556	72 1/2	4,874	77	5,172	81 1/2	5,445	86	5,684
68 1/8	4,566	72 5/8	4,883	77 1/8	5,180	81 5/8	5,452	86 1/8	5,690
68 1/4	4,575	72 3/4	4,892	77 1/4	5,188	81 3/4	5,459	86 1/4	5,696
68 3/8	4,584	72 7/8	4,900	77 3/8	5,196	81 7/8	5,466	86 3/8	5,702
68 1/2	4,593	73	4,909	77 1/2	5,204	82	5,473	86 1/2	5,708
68 5/8	4,602	73 1/8	4,917	77 5/8	5,212	82 1/8	5,480	86 5/8	5,714
68 3/4	4,611	73 1/4	4,926	77 3/4	5,220	82 1/4	5,487	86 3/4	5,720
68 7/8	4,620	73 3/8	4,934	77 7/8	5,228	82 3/8	5,494	86 7/8	5,726
69	4,629	73 1/2	4,943	78	5,235	82 1/2	5,501	87	5,731
69 1/8	4,638	73 5/8	4,951	78 1/8	5,243	82 5/8	5,508	87 1/8	5,737
69 1/4	4,647	73 3/4	4,959	78 1/4	5,251	82 3/4	5,515	87 1/4	5,743
69 3/8	4,655	73 7/8	4,968	78 3/8	5,259	82 7/8	5,522	87 3/8	5,749
69 1/2	4,664	74	4,976	78 1/2	5,266	83	5,528	87 1/2	5,754
69 5/8	4,673	74 1/8	4,985	78 5/8	5,274	83 1/8	5,535	87 5/8	5,760
69 3/4	4,682	74 1/4	4,993	78 3/4	5,282	83 1/4	5,542	87 3/4	5,766
69 7/8	4,691	74 3/8	5,001	78 7/8	5,289	83 3/8	5,549	87 7/8	5,771
70	4,700	74 1/2	5,010	79	5,297	83 1/2	5,556	88	5,777
70 1/8	4,709	74 5/8	5,018	79 1/8	5,305	83 5/8	5,562	88 1/8	5,782
70 1/4	4,718	74 3/4	5,026	79 1/4	5,312	83 3/4	5,569	88 1/4	5,788
70 3/8	4,726	74 7/8	5,035	79 3/8	5,320	83 7/8	5,576	88 3/8	5,793
70 1/2	4,735	75	5,043	79 1/2	5,327	84	5,582	88 1/2	5,798
70 5/8	4,744	75 1/8	5,051	79 5/8	5,335	84 1/8	5,589	88 5/8	5,804
70 3/4	4,753	75 1/4	5,059	79 3/4	5,342	84 1/4	5,595	88 3/4	5,809
70 7/8	4,762	75 3/8	5,067	79 7/8	5,350	84 3/8	5,602	88 7/8	5,814
71	4,770	75 1/2	5,076	80	5,357	84 1/2	5,608	89	5,820
71 1/8	4,779	75 5/8	5,084	80 1/8	5,365	84 5/8	5,615	89 1/8	5,825
71 1/4	4,788	75 3/4	5,092	80 1/4	5,372	84 3/4	5,621	89 1/4	5,830
71 3/8	4,797	75 7/8	5,100	80 3/8	5,379	84 7/8	5,628	89 3/8	5,835
71 1/2	4,805	76	5,108	80 1/2	5,387	85	5,634	89 1/2	5,840
71 5/8	4,814	76 1/8	5,116	80 5/8	5,394	85 1/8	5,640	89 5/8	5,845
71 3/4	4,823	76 1/4	5,124	80 3/4	5,401	85 1/4	5,647	89 3/4	5,850
71 7/8	4,831	76 3/8	5,132	80 7/8	5,409	85 3/8	5,653	89 7/8	5,855
72	4,840	76 1/2	5,140	81	5,416	85 1/2	5,659	90	5,860



# Dipstick Calibration Chart

# 8' x 6K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	5,864	94 5/8	5,999
90 1/4	5,869	94 3/4	6,001
90 3/8	5,874	94 7/8	6,003
90 1/2	5,879	95	6,005
90 5/8	5,883	95 1/8	6,007
90 3/4	5,888	95 1/4	6,009
90 7/8	5,892	95 3/8	6,011
91	5,897	95 1/2	6,012
91 1/8	5,901	95 5/8	6,014
91 1/4	5,905	95 3/4	6,015
91 3/8	5,910	95 7/8	6,016
91 1/2	5,914	96	6,016
91 5/8	5,918		
91 3/4	5,922		
91 7/8	5,926		
92	5,930		
92 1/8	5,934		
92 1/4	5,938		
92 3/8	5,942		
92 1/2	5,946		
92 5/8	5,950		
92 3/4	5,953		
92 7/8	5,957		
93	5,960		
93 1/8	5,964		
93 1/4	5,967		
93 3/8	5,970		
93 1/2	5,974		
93 5/8	5,977		
93 3/4	5,980		
93 7/8	5,983		
94	5,986		
94 1/8	5,988		
94 1/4	5,991		
94 3/8	5,994		
94 1/2	5,996		