



Dipstick Calibration Chart 8' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	126	9 1/8	345	13 5/8	620	18 1/8	937
1/4	2	4 3/4	131	9 1/4	352	13 3/4	628	18 1/4	946
3/8	3	4 7/8	137	9 3/8	359	13 7/8	637	18 3/8	955
1/2	5	5	142	9 1/2	366	14	645	18 1/2	964
5/8	6	5 1/8	147	9 5/8	373	14 1/8	653	18 5/8	974
3/4	8	5 1/4	153	9 3/4	380	14 1/4	662	18 3/4	983
7/8	11	5 3/8	158	9 7/8	388	14 3/8	670	18 7/8	993
1	13	5 1/2	163	10	395	14 1/2	679	19	1,002
1 1/8	15	5 5/8	169	10 1/8	402	14 5/8	687	19 1/8	1,012
1 1/4	18	5 3/4	175	10 1/4	409	14 3/4	696	19 1/4	1,021
1 3/8	21	5 7/8	180	10 3/8	417	14 7/8	704	19 3/8	1,030
1 1/2	24	6	186	10 1/2	424	15	713	19 1/2	1,040
1 5/8	27	6 1/8	192	10 5/8	431	15 1/8	722	19 5/8	1,050
1 3/4	30	6 1/4	197	10 3/4	439	15 1/4	730	19 3/4	1,059
1 7/8	33	6 3/8	203	10 7/8	446	15 3/8	739	19 7/8	1,069
2	36	6 1/2	209	11	454	15 1/2	748	20	1,078
2 1/8	40	6 5/8	215	11 1/8	461	15 5/8	756	20 1/8	1,088
2 1/4	43	6 3/4	221	11 1/4	469	15 3/4	765	20 1/4	1,098
2 3/8	47	6 7/8	227	11 3/8	477	15 7/8	774	20 3/8	1,107
2 1/2	51	7	234	11 1/2	484	16	783	20 1/2	1,117
2 5/8	54	7 1/8	240	11 5/8	492	16 1/8	791	20 5/8	1,127
2 3/4	58	7 1/4	246	11 3/4	500	16 1/4	800	20 3/4	1,136
2 7/8	62	7 3/8	252	11 7/8	508	16 3/8	809	20 7/8	1,146
3	66	7 1/2	259	12	515	16 1/2	818	21	1,156
3 1/8	71	7 5/8	265	12 1/8	523	16 5/8	827	21 1/8	1,166
3 1/4	75	7 3/4	271	12 1/4	531	16 3/4	836	21 1/4	1,176
3 3/8	79	7 7/8	278	12 3/8	539	16 7/8	845	21 3/8	1,185
3 1/2	84	8	284	12 1/2	547	17	854	21 1/2	1,195
3 5/8	88	8 1/8	291	12 5/8	555	17 1/8	863	21 5/8	1,205
3 3/4	93	8 1/4	298	12 3/4	563	17 1/4	872	21 3/4	1,215
3 7/8	97	8 3/8	304	12 7/8	571	17 3/8	881	21 7/8	1,225
4	102	8 1/2	311	13	579	17 1/2	891	22	1,235
4 1/8	107	8 5/8	318	13 1/8	587	17 5/8	900	22 1/8	1,245
4 1/4	111	8 3/4	324	13 1/4	595	17 3/4	909	22 1/4	1,255
4 3/8	116	8 7/8	331	13 3/8	604	17 7/8	918	22 3/8	1,265
4 1/2	121	9	338	13 1/2	612	18	927	22 1/2	1,275



Dipstick Calibration Chart 8' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,285	27 1/8	1,658	31 5/8	2,051	36 1/8	2,459	40 5/8	2,876
22 3/4	1,295	27 1/4	1,669	31 3/4	2,062	36 1/4	2,470	40 3/4	2,888
22 7/8	1,305	27 3/8	1,680	31 7/8	2,073	36 3/8	2,481	40 7/8	2,899
23	1,315	27 1/2	1,690	32	2,085	36 1/2	2,493	41	2,911
23 1/8	1,325	27 5/8	1,701	32 1/8	2,096	36 5/8	2,504	41 1/8	2,923
23 1/4	1,335	27 3/4	1,712	32 1/4	2,107	36 3/4	2,516	41 1/4	2,935
23 3/8	1,346	27 7/8	1,723	32 3/8	2,118	36 7/8	2,527	41 3/8	2,946
23 1/2	1,356	28	1,733	32 1/2	2,129	37	2,539	41 1/2	2,958
23 5/8	1,366	28 1/8	1,744	32 5/8	2,141	37 1/8	2,551	41 5/8	2,970
23 3/4	1,376	28 1/4	1,755	32 3/4	2,152	37 1/4	2,562	41 3/4	2,982
23 7/8	1,386	28 3/8	1,766	32 7/8	2,163	37 3/8	2,574	41 7/8	2,993
24	1,397	28 1/2	1,777	33	2,174	37 1/2	2,585	42	3,005
24 1/8	1,407	28 5/8	1,787	33 1/8	2,186	37 5/8	2,597	42 1/8	3,017
24 1/4	1,417	28 3/4	1,798	33 1/4	2,197	37 3/4	2,608	42 1/4	3,029
24 3/8	1,428	28 7/8	1,809	33 3/8	2,208	37 7/8	2,620	42 3/8	3,040
24 1/2	1,438	29	1,820	33 1/2	2,219	38	2,631	42 1/2	3,052
24 5/8	1,448	29 1/8	1,831	33 5/8	2,231	38 1/8	2,643	42 5/8	3,064
24 3/4	1,459	29 1/4	1,842	33 3/4	2,242	38 1/4	2,655	42 3/4	3,076
24 7/8	1,469	29 3/8	1,853	33 7/8	2,253	38 3/8	2,666	42 7/8	3,087
25	1,479	29 1/2	1,864	34	2,265	38 1/2	2,678	43	3,099
25 1/8	1,490	29 5/8	1,875	34 1/8	2,276	38 5/8	2,689	43 1/8	3,111
25 1/4	1,500	29 3/4	1,885	34 1/4	2,287	38 3/4	2,701	43 1/4	3,123
25 3/8	1,511	29 7/8	1,896	34 3/8	2,299	38 7/8	2,713	43 3/8	3,135
25 1/2	1,521	30	1,907	34 1/2	2,310	39	2,724	43 1/2	3,146
25 5/8	1,532	30 1/8	1,918	34 5/8	2,321	39 1/8	2,736	43 5/8	3,158
25 3/4	1,542	30 1/4	1,929	34 3/4	2,333	39 1/4	2,748	43 3/4	3,170
25 7/8	1,552	30 3/8	1,940	34 7/8	2,344	39 3/8	2,759	43 7/8	3,182
26	1,563	30 1/2	1,951	35	2,356	39 1/2	2,771	44	3,194
26 1/8	1,574	30 5/8	1,962	35 1/8	2,367	39 5/8	2,783	44 1/8	3,205
26 1/4	1,584	30 3/4	1,974	35 1/4	2,378	39 3/4	2,794	44 1/4	3,217
26 3/8	1,595	30 7/8	1,985	35 3/8	2,390	39 7/8	2,806	44 3/8	3,229
26 1/2	1,605	31	1,996	35 1/2	2,401	40	2,818	44 1/2	3,241
26 5/8	1,616	31 1/8	2,007	35 5/8	2,413	40 1/8	2,829	44 5/8	3,253
26 3/4	1,626	31 1/4	2,018	35 3/4	2,424	40 1/4	2,841	44 3/4	3,264
26 7/8	1,637	31 3/8	2,029	35 7/8	2,436	40 3/8	2,853	44 7/8	3,276
27	1,648	31 1/2	2,040	36	2,447	40 1/2	2,864	45	3,288



Dipstick Calibration Chart

8' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,300	49 5/8	3,726	54 1/8	4,151	58 5/8	4,571	63 1/8	4,981
45 1/4	3,312	49 3/4	3,738	54 1/4	4,163	58 3/4	4,582	63 1/4	4,992
45 3/8	3,324	49 7/8	3,750	54 3/8	4,174	58 7/8	4,594	63 3/8	5,004
45 1/2	3,335	50	3,762	54 1/2	4,186	59	4,605	63 1/2	5,015
45 5/8	3,347	50 1/8	3,773	54 5/8	4,198	59 1/8	4,617	63 5/8	5,026
45 3/4	3,359	50 1/4	3,785	54 3/4	4,210	59 1/4	4,628	63 3/4	5,037
45 7/8	3,371	50 3/8	3,797	54 7/8	4,221	59 3/8	4,640	63 7/8	5,048
46	3,383	50 1/2	3,809	55	4,233	59 1/2	4,651	64	5,060
46 1/8	3,394	50 5/8	3,821	55 1/8	4,245	59 5/8	4,663	64 1/8	5,071
46 1/4	3,406	50 3/4	3,833	55 1/4	4,256	59 3/4	4,674	64 1/4	5,082
46 3/8	3,418	50 7/8	3,844	55 3/8	4,268	59 7/8	4,686	64 3/8	5,093
46 1/2	3,430	51	3,856	55 1/2	4,280	60	4,697	64 1/2	5,104
46 5/8	3,442	51 1/8	3,868	55 5/8	4,292	60 1/8	4,709	64 5/8	5,115
46 3/4	3,454	51 1/4	3,880	55 3/4	4,303	60 1/4	4,720	64 3/4	5,126
46 7/8	3,466	51 3/8	3,892	55 7/8	4,315	60 3/8	4,732	64 7/8	5,137
47	3,477	51 1/2	3,903	56	4,327	60 1/2	4,743	65	5,149
47 1/8	3,489	51 5/8	3,915	56 1/8	4,338	60 5/8	4,754	65 1/8	5,160
47 1/4	3,501	51 3/4	3,927	56 1/4	4,350	60 3/4	4,766	65 1/4	5,171
47 3/8	3,513	51 7/8	3,939	56 3/8	4,362	60 7/8	4,777	65 3/8	5,182
47 1/2	3,525	52	3,951	56 1/2	4,373	61	4,789	65 1/2	5,193
47 5/8	3,537	52 1/8	3,962	56 5/8	4,385	61 1/8	4,800	65 5/8	5,204
47 3/4	3,548	52 1/4	3,974	56 3/4	4,397	61 1/4	4,811	65 3/4	5,215
47 7/8	3,560	52 3/8	3,986	56 7/8	4,408	61 3/8	4,823	65 7/8	5,226
48	3,572	52 1/2	3,998	57	4,420	61 1/2	4,834	66	5,237
48 1/8	3,584	52 5/8	4,010	57 1/8	4,432	61 5/8	4,846	66 1/8	5,248
48 1/4	3,596	52 3/4	4,021	57 1/4	4,443	61 3/4	4,857	66 1/4	5,259
48 3/8	3,608	52 7/8	4,033	57 3/8	4,455	61 7/8	4,868	66 3/8	5,270
48 1/2	3,619	53	4,045	57 1/2	4,466	62	4,880	66 1/2	5,281
48 5/8	3,631	53 1/8	4,057	57 5/8	4,478	62 1/8	4,891	66 5/8	5,292
48 3/4	3,643	53 1/4	4,069	57 3/4	4,490	62 1/4	4,902	66 3/4	5,302
48 7/8	3,655	53 3/8	4,080	57 7/8	4,501	62 3/8	4,914	66 7/8	5,313
49	3,667	53 1/2	4,092	58	4,513	62 1/2	4,925	67	5,324
49 1/8	3,679	53 5/8	4,104	58 1/8	4,524	62 5/8	4,936	67 1/8	5,335
49 1/4	3,691	53 3/4	4,116	58 1/4	4,536	62 3/4	4,947	67 1/4	5,346
49 3/8	3,702	53 7/8	4,127	58 3/8	4,547	62 7/8	4,959	67 3/8	5,357
49 1/2	3,714	54	4,139	58 1/2	4,559	63	4,970	67 1/2	5,368



Dipstick Calibration Chart 8' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	5,378	72 1/8	5,758	76 5/8	6,114	81 1/8	6,440	85 5/8	6,728
67 3/4	5,389	72 1/4	5,768	76 3/4	6,123	81 1/4	6,448	85 3/4	6,735
67 7/8	5,400	72 3/8	5,778	76 7/8	6,133	81 3/8	6,457	85 7/8	6,742
68	5,411	72 1/2	5,788	77	6,142	81 1/2	6,465	86	6,749
68 1/8	5,422	72 5/8	5,799	77 1/8	6,152	81 5/8	6,474	86 1/8	6,757
68 1/4	5,432	72 3/4	5,809	77 1/4	6,161	81 3/4	6,482	86 1/4	6,764
68 3/8	5,443	72 7/8	5,819	77 3/8	6,170	81 7/8	6,491	86 3/8	6,771
68 1/2	5,454	73	5,829	77 1/2	6,180	82	6,499	86 1/2	6,778
68 5/8	5,464	73 1/8	5,839	77 5/8	6,189	82 1/8	6,507	86 5/8	6,785
68 3/4	5,475	73 1/4	5,849	77 3/4	6,198	82 1/4	6,516	86 3/4	6,792
68 7/8	5,486	73 3/8	5,859	77 7/8	6,208	82 3/8	6,524	86 7/8	6,799
69	5,496	73 1/2	5,869	78	6,217	82 1/2	6,532	87	6,806
69 1/8	5,507	73 5/8	5,879	78 1/8	6,226	82 5/8	6,541	87 1/8	6,813
69 1/4	5,518	73 3/4	5,889	78 1/4	6,235	82 3/4	6,549	87 1/4	6,820
69 3/8	5,528	73 7/8	5,899	78 3/8	6,245	82 7/8	6,557	87 3/8	6,827
69 1/2	5,539	74	5,909	78 1/2	6,254	83	6,565	87 1/2	6,833
69 5/8	5,550	74 1/8	5,919	78 5/8	6,263	83 1/8	6,573	87 5/8	6,840
69 3/4	5,560	74 1/4	5,929	78 3/4	6,272	83 1/4	6,581	87 3/4	6,847
69 7/8	5,571	74 3/8	5,939	78 7/8	6,281	83 3/8	6,589	87 7/8	6,853
70	5,581	74 1/2	5,949	79	6,290	83 1/2	6,597	88	6,860
70 1/8	5,592	74 5/8	5,959	79 1/8	6,299	83 5/8	6,605	88 1/8	6,866
70 1/4	5,602	74 3/4	5,969	79 1/4	6,308	83 3/4	6,613	88 1/4	6,873
70 3/8	5,613	74 7/8	5,978	79 3/8	6,317	83 7/8	6,621	88 3/8	6,879
70 1/2	5,623	75	5,988	79 1/2	6,326	84	6,629	88 1/2	6,886
70 5/8	5,634	75 1/8	5,998	79 5/8	6,335	84 1/8	6,637	88 5/8	6,892
70 3/4	5,644	75 1/4	6,008	79 3/4	6,344	84 1/4	6,644	88 3/4	6,898
70 7/8	5,654	75 3/8	6,018	79 7/8	6,353	84 3/8	6,652	88 7/8	6,905
71	5,665	75 1/2	6,027	80	6,362	84 1/2	6,660	89	6,911
71 1/8	5,675	75 5/8	6,037	80 1/8	6,370	84 5/8	6,668	89 1/8	6,917
71 1/4	5,686	75 3/4	6,047	80 1/4	6,379	84 3/4	6,675	89 1/4	6,923
71 3/8	5,696	75 7/8	6,056	80 3/8	6,388	84 7/8	6,683	89 3/8	6,929
71 1/2	5,706	76	6,066	80 1/2	6,397	85	6,690	89 1/2	6,935
71 5/8	5,717	76 1/8	6,076	80 5/8	6,405	85 1/8	6,698	89 5/8	6,941
71 3/4	5,727	76 1/4	6,085	80 3/4	6,414	85 1/4	6,705	89 3/4	6,947
71 7/8	5,737	76 3/8	6,095	80 7/8	6,423	85 3/8	6,713	89 7/8	6,953
72	5,748	76 1/2	6,104	81	6,431	85 1/2	6,720	90	6,958



Dipstick Calibration Chart

8' x 7K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	6,964	94 5/8	7,124
90 1/4	6,970	94 3/4	7,126
90 3/8	6,975	94 7/8	7,129
90 1/2	6,981	95	7,131
90 5/8	6,986	95 1/8	7,134
90 3/4	6,992	95 1/4	7,136
90 7/8	6,997	95 3/8	7,138
91	7,002	95 1/2	7,140
91 1/8	7,008	95 5/8	7,141
91 1/4	7,013	95 3/4	7,143
91 3/8	7,018	95 7/8	7,144
91 1/2	7,023	96	7,144
91 5/8	7,028		
91 3/4	7,033		
91 7/8	7,038		
92	7,042		
92 1/8	7,047		
92 1/4	7,052		
92 3/8	7,056		
92 1/2	7,061		
92 5/8	7,065		
92 3/4	7,069		
92 7/8	7,074		
93	7,078		
93 1/8	7,082		
93 1/4	7,086		
93 3/8	7,090		
93 1/2	7,094		
93 5/8	7,097		
93 3/4	7,101		
93 7/8	7,105		
94	7,108		
94 1/8	7,111		
94 1/4	7,115		
94 3/8	7,118		
94 1/2	7,121		