



Dipstick Calibration Chart 8' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	143	9 1/8	391	13 5/8	702	18 1/8	1,060
1/4	2	4 3/4	149	9 1/4	398	13 3/4	711	18 1/4	1,070
3/8	3	4 7/8	155	9 3/8	406	13 7/8	721	18 3/8	1,081
1/2	5	5	161	9 1/2	414	14	730	18 1/2	1,091
5/8	7	5 1/8	167	9 5/8	422	14 1/8	739	18 5/8	1,102
3/4	9	5 1/4	173	9 3/4	430	14 1/4	749	18 3/4	1,113
7/8	12	5 3/8	179	9 7/8	439	14 3/8	758	18 7/8	1,123
1	15	5 1/2	185	10	447	14 1/2	768	19	1,134
1 1/8	17	5 5/8	191	10 1/8	455	14 5/8	778	19 1/8	1,145
1 1/4	20	5 3/4	198	10 1/4	463	14 3/4	787	19 1/4	1,155
1 3/8	23	5 7/8	204	10 3/8	471	14 7/8	797	19 3/8	1,166
1 1/2	27	6	210	10 1/2	480	15	807	19 1/2	1,177
1 5/8	30	6 1/8	217	10 5/8	488	15 1/8	816	19 5/8	1,188
1 3/4	34	6 1/4	223	10 3/4	497	15 1/4	826	19 3/4	1,198
1 7/8	37	6 3/8	230	10 7/8	505	15 3/8	836	19 7/8	1,209
2	41	6 1/2	237	11	514	15 1/2	846	20	1,220
2 1/8	45	6 5/8	244	11 1/8	522	15 5/8	856	20 1/8	1,231
2 1/4	49	6 3/4	250	11 1/4	531	15 3/4	866	20 1/4	1,242
2 3/8	53	6 7/8	257	11 3/8	539	15 7/8	876	20 3/8	1,253
2 1/2	57	7	264	11 1/2	548	16	886	20 1/2	1,264
2 5/8	62	7 1/8	271	11 5/8	557	16 1/8	896	20 5/8	1,275
2 3/4	66	7 1/4	278	11 3/4	566	16 1/4	906	20 3/4	1,286
2 7/8	70	7 3/8	285	11 7/8	574	16 3/8	916	20 7/8	1,297
3	75	7 1/2	293	12	583	16 1/2	926	21	1,308
3 1/8	80	7 5/8	300	12 1/8	592	16 5/8	936	21 1/8	1,319
3 1/4	85	7 3/4	307	12 1/4	601	16 3/4	946	21 1/4	1,330
3 3/8	90	7 7/8	314	12 3/8	610	16 7/8	956	21 3/8	1,341
3 1/2	94	8	322	12 1/2	619	17	967	21 1/2	1,353
3 5/8	100	8 1/8	329	12 5/8	628	17 1/8	977	21 5/8	1,364
3 3/4	105	8 1/4	337	12 3/4	637	17 1/4	987	21 3/4	1,375
3 7/8	110	8 3/8	344	12 7/8	646	17 3/8	997	21 7/8	1,386
4	115	8 1/2	352	13	655	17 1/2	1,008	22	1,397
4 1/8	121	8 5/8	359	13 1/8	665	17 5/8	1,018	22 1/8	1,409
4 1/4	126	8 3/4	367	13 1/4	674	17 3/4	1,028	22 1/4	1,420
4 3/8	132	8 7/8	375	13 3/8	683	17 7/8	1,039	22 3/8	1,431
4 1/2	137	9	383	13 1/2	692	18	1,049	22 1/2	1,443



Dipstick Calibration Chart 8' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,454	27 1/8	1,877	31 5/8	2,321	36 1/8	2,782	40 5/8	3,254
22 3/4	1,465	27 1/4	1,889	31 3/4	2,334	36 1/4	2,795	40 3/4	3,268
22 7/8	1,477	27 3/8	1,901	31 7/8	2,346	36 3/8	2,808	40 7/8	3,281
23	1,488	27 1/2	1,913	32	2,359	36 1/2	2,821	41	3,294
23 1/8	1,500	27 5/8	1,925	32 1/8	2,372	36 5/8	2,834	41 1/8	3,308
23 1/4	1,511	27 3/4	1,937	32 1/4	2,384	36 3/4	2,847	41 1/4	3,321
23 3/8	1,523	27 7/8	1,949	32 3/8	2,397	36 7/8	2,860	41 3/8	3,334
23 1/2	1,534	28	1,961	32 1/2	2,410	37	2,873	41 1/2	3,347
23 5/8	1,546	28 1/8	1,974	32 5/8	2,422	37 1/8	2,886	41 5/8	3,361
23 3/4	1,557	28 1/4	1,986	32 3/4	2,435	37 1/4	2,899	41 3/4	3,374
23 7/8	1,569	28 3/8	1,998	32 7/8	2,448	37 3/8	2,912	41 7/8	3,387
24	1,580	28 1/2	2,010	33	2,460	37 1/2	2,925	42	3,400
24 1/8	1,592	28 5/8	2,023	33 1/8	2,473	37 5/8	2,938	42 1/8	3,414
24 1/4	1,604	28 3/4	2,035	33 1/4	2,486	37 3/4	2,952	42 1/4	3,427
24 3/8	1,615	28 7/8	2,047	33 3/8	2,499	37 7/8	2,965	42 3/8	3,440
24 1/2	1,627	29	2,059	33 1/2	2,511	38	2,978	42 1/2	3,454
24 5/8	1,639	29 1/8	2,072	33 5/8	2,524	38 1/8	2,991	42 5/8	3,467
24 3/4	1,650	29 1/4	2,084	33 3/4	2,537	38 1/4	3,004	42 3/4	3,480
24 7/8	1,662	29 3/8	2,096	33 7/8	2,550	38 3/8	3,017	42 7/8	3,494
25	1,674	29 1/2	2,109	34	2,563	38 1/2	3,030	43	3,507
25 1/8	1,686	29 5/8	2,121	34 1/8	2,575	38 5/8	3,043	43 1/8	3,520
25 1/4	1,698	29 3/4	2,134	34 1/4	2,588	38 3/4	3,057	43 1/4	3,534
25 3/8	1,709	29 7/8	2,146	34 3/8	2,601	38 7/8	3,070	43 3/8	3,547
25 1/2	1,721	30	2,158	34 1/2	2,614	39	3,083	43 1/2	3,560
25 5/8	1,733	30 1/8	2,171	34 5/8	2,627	39 1/8	3,096	43 5/8	3,574
25 3/4	1,745	30 1/4	2,183	34 3/4	2,640	39 1/4	3,109	43 3/4	3,587
25 7/8	1,757	30 3/8	2,196	34 7/8	2,653	39 3/8	3,122	43 7/8	3,600
26	1,769	30 1/2	2,208	35	2,665	39 1/2	3,136	44	3,614
26 1/8	1,781	30 5/8	2,221	35 1/8	2,678	39 5/8	3,149	44 1/8	3,627
26 1/4	1,793	30 3/4	2,233	35 1/4	2,691	39 3/4	3,162	44 1/4	3,640
26 3/8	1,804	30 7/8	2,246	35 3/8	2,704	39 7/8	3,175	44 3/8	3,654
26 1/2	1,816	31	2,258	35 1/2	2,717	40	3,188	44 1/2	3,667
26 5/8	1,828	31 1/8	2,271	35 5/8	2,730	40 1/8	3,202	44 5/8	3,681
26 3/4	1,840	31 1/4	2,283	35 3/4	2,743	40 1/4	3,215	44 3/4	3,694
26 7/8	1,852	31 3/8	2,296	35 7/8	2,756	40 3/8	3,228	44 7/8	3,707
27	1,865	31 1/2	2,308	36	2,769	40 1/2	3,241	45	3,721



Dipstick Calibration Chart

8' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	3,734	49 5/8	4,216	54 1/8	4,697	58 5/8	5,172	63 1/8	5,637
45 1/4	3,747	49 3/4	4,230	54 1/4	4,710	58 3/4	5,185	63 1/4	5,649
45 3/8	3,761	49 7/8	4,243	54 3/8	4,724	58 7/8	5,198	63 3/8	5,662
45 1/2	3,774	50	4,257	54 1/2	4,737	59	5,211	63 1/2	5,675
45 5/8	3,788	50 1/8	4,270	54 5/8	4,750	59 1/8	5,224	63 5/8	5,687
45 3/4	3,801	50 1/4	4,283	54 3/4	4,763	59 1/4	5,237	63 3/4	5,700
45 7/8	3,814	50 3/8	4,297	54 7/8	4,777	59 3/8	5,250	63 7/8	5,713
46	3,828	50 1/2	4,310	55	4,790	59 1/2	5,263	64	5,725
46 1/8	3,841	50 5/8	4,323	55 1/8	4,803	59 5/8	5,276	64 1/8	5,738
46 1/4	3,855	50 3/4	4,337	55 1/4	4,817	59 3/4	5,289	64 1/4	5,751
46 3/8	3,868	50 7/8	4,350	55 3/8	4,830	59 7/8	5,302	64 3/8	5,763
46 1/2	3,881	51	4,364	55 1/2	4,843	60	5,315	64 1/2	5,776
46 5/8	3,895	51 1/8	4,377	55 5/8	4,856	60 1/8	5,328	64 5/8	5,788
46 3/4	3,908	51 1/4	4,390	55 3/4	4,869	60 1/4	5,341	64 3/4	5,801
46 7/8	3,922	51 3/8	4,404	55 7/8	4,883	60 3/8	5,354	64 7/8	5,813
47	3,935	51 1/2	4,417	56	4,896	60 1/2	5,367	65	5,826
47 1/8	3,948	51 5/8	4,430	56 1/8	4,909	60 5/8	5,380	65 1/8	5,839
47 1/4	3,962	51 3/4	4,444	56 1/4	4,922	60 3/4	5,393	65 1/4	5,851
47 3/8	3,975	51 7/8	4,457	56 3/8	4,936	60 7/8	5,406	65 3/8	5,864
47 1/2	3,989	52	4,471	56 1/2	4,949	61	5,419	65 1/2	5,876
47 5/8	4,002	52 1/8	4,484	56 5/8	4,962	61 1/8	5,432	65 5/8	5,889
47 3/4	4,015	52 1/4	4,497	56 3/4	4,975	61 1/4	5,445	65 3/4	5,901
47 7/8	4,029	52 3/8	4,511	56 7/8	4,988	61 3/8	5,457	65 7/8	5,913
48	4,042	52 1/2	4,524	57	5,001	61 1/2	5,470	66	5,926
48 1/8	4,056	52 5/8	4,537	57 1/8	5,015	61 5/8	5,483	66 1/8	5,938
48 1/4	4,069	52 3/4	4,551	57 1/4	5,028	61 3/4	5,496	66 1/4	5,951
48 3/8	4,082	52 7/8	4,564	57 3/8	5,041	61 7/8	5,509	66 3/8	5,963
48 1/2	4,096	53	4,577	57 1/2	5,054	62	5,522	66 1/2	5,975
48 5/8	4,109	53 1/8	4,591	57 5/8	5,067	62 1/8	5,534	66 5/8	5,988
48 3/4	4,123	53 1/4	4,604	57 3/4	5,080	62 1/4	5,547	66 3/4	6,000
48 7/8	4,136	53 3/8	4,617	57 7/8	5,093	62 3/8	5,560	66 7/8	6,012
49	4,149	53 1/2	4,631	58	5,107	62 1/2	5,573	67	6,025
49 1/8	4,163	53 5/8	4,644	58 1/8	5,120	62 5/8	5,586	67 1/8	6,037
49 1/4	4,176	53 3/4	4,657	58 1/4	5,133	62 3/4	5,598	67 1/4	6,049
49 3/8	4,190	53 7/8	4,670	58 3/8	5,146	62 7/8	5,611	67 3/8	6,062
49 1/2	4,203	54	4,684	58 1/2	5,159	63	5,624	67 1/2	6,074



Dipstick Calibration Chart 8' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,086	72 1/8	6,515	76 5/8	6,918	81 1/8	7,287	85 5/8	7,613
67 3/4	6,098	72 1/4	6,527	76 3/4	6,929	81 1/4	7,297	85 3/4	7,621
67 7/8	6,111	72 3/8	6,539	76 7/8	6,940	81 3/8	7,307	85 7/8	7,629
68	6,123	72 1/2	6,550	77	6,950	81 1/2	7,316	86	7,638
68 1/8	6,135	72 5/8	6,562	77 1/8	6,961	81 5/8	7,326	86 1/8	7,646
68 1/4	6,147	72 3/4	6,573	77 1/4	6,972	81 3/4	7,335	86 1/4	7,654
68 3/8	6,159	72 7/8	6,585	77 3/8	6,982	81 7/8	7,345	86 3/8	7,662
68 1/2	6,171	73	6,596	77 1/2	6,993	82	7,354	86 1/2	7,670
68 5/8	6,183	73 1/8	6,607	77 5/8	7,003	82 1/8	7,364	86 5/8	7,678
68 3/4	6,196	73 1/4	6,619	77 3/4	7,014	82 1/4	7,373	86 3/4	7,686
68 7/8	6,208	73 3/8	6,630	77 7/8	7,024	82 3/8	7,383	86 7/8	7,694
69	6,220	73 1/2	6,642	78	7,035	82 1/2	7,392	87	7,702
69 1/8	6,232	73 5/8	6,653	78 1/8	7,045	82 5/8	7,401	87 1/8	7,709
69 1/4	6,244	73 3/4	6,664	78 1/4	7,056	82 3/4	7,410	87 1/4	7,717
69 3/8	6,256	73 7/8	6,676	78 3/8	7,066	82 7/8	7,420	87 3/8	7,725
69 1/2	6,268	74	6,687	78 1/2	7,077	83	7,429	87 1/2	7,732
69 5/8	6,280	74 1/8	6,698	78 5/8	7,087	83 1/8	7,438	87 5/8	7,740
69 3/4	6,292	74 1/4	6,709	78 3/4	7,097	83 1/4	7,447	87 3/4	7,748
69 7/8	6,304	74 3/8	6,721	78 7/8	7,107	83 3/8	7,456	87 7/8	7,755
70	6,316	74 1/2	6,732	79	7,118	83 1/2	7,465	88	7,762
70 1/8	6,327	74 5/8	6,743	79 1/8	7,128	83 5/8	7,474	88 1/8	7,770
70 1/4	6,339	74 3/4	6,754	79 1/4	7,138	83 3/4	7,483	88 1/4	7,777
70 3/8	6,351	74 7/8	6,765	79 3/8	7,148	83 7/8	7,492	88 3/8	7,784
70 1/2	6,363	75	6,776	79 1/2	7,158	84	7,501	88 1/2	7,792
70 5/8	6,375	75 1/8	6,787	79 5/8	7,169	84 1/8	7,510	88 5/8	7,799
70 3/4	6,387	75 1/4	6,798	79 3/4	7,179	84 1/4	7,519	88 3/4	7,806
70 7/8	6,399	75 3/8	6,809	79 7/8	7,189	84 3/8	7,527	88 7/8	7,813
71	6,410	75 1/2	6,820	80	7,199	84 1/2	7,536	89	7,820
71 1/8	6,422	75 5/8	6,831	80 1/8	7,209	84 5/8	7,545	89 1/8	7,827
71 1/4	6,434	75 3/4	6,842	80 1/4	7,219	84 3/4	7,553	89 1/4	7,834
71 3/8	6,445	75 7/8	6,853	80 3/8	7,228	84 7/8	7,562	89 3/8	7,841
71 1/2	6,457	76	6,864	80 1/2	7,238	85	7,571	89 1/2	7,847
71 5/8	6,469	76 1/8	6,875	80 5/8	7,248	85 1/8	7,579	89 5/8	7,854
71 3/4	6,481	76 1/4	6,886	80 3/4	7,258	85 1/4	7,588	89 3/4	7,861
71 7/8	6,492	76 3/8	6,897	80 7/8	7,268	85 3/8	7,596	89 7/8	7,867
72	6,504	76 1/2	6,907	81	7,278	85 1/2	7,604	90	7,874



Dipstick Calibration Chart

8' x 8K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	7,880	94 5/8	8,061
90 1/4	7,887	94 3/4	8,064
90 3/8	7,893	94 7/8	8,067
90 1/2	7,899	95	8,070
90 5/8	7,906	95 1/8	8,072
90 3/4	7,912	95 1/4	8,075
90 7/8	7,918	95 3/8	8,077
91	7,924	95 1/2	8,079
91 1/8	7,930	95 5/8	8,081
91 1/4	7,935	95 3/4	8,082
91 3/8	7,941	95 7/8	8,084
91 1/2	7,947	96	8,084
91 5/8	7,953		
91 3/4	7,958		
91 7/8	7,964		
92	7,969		
92 1/8	7,974		
92 1/4	7,980		
92 3/8	7,985		
92 1/2	7,990		
92 5/8	7,995		
92 3/4	8,000		
92 7/8	8,004		
93	8,009		
93 1/8	8,014		
93 1/4	8,018		
93 3/8	8,023		
93 1/2	8,027		
93 5/8	8,031		
93 3/4	8,035		
93 7/8	8,039		
94	8,043		
94 1/8	8,047		
94 1/4	8,051		
94 3/8	8,054		
94 1/2	8,058		