



Dipstick Calibration Chart 8' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
1/8	1	4 5/8	160	9 1/8	436	13 5/8	783	18 1/8	1,183
1/4	2	4 3/4	166	9 1/4	445	13 3/4	794	18 1/4	1,195
3/8	4	4 7/8	173	9 3/8	454	13 7/8	804	18 3/8	1,207
1/2	6	5	179	9 1/2	462	14	815	18 1/2	1,218
5/8	8	5 1/8	186	9 5/8	471	14 1/8	825	18 5/8	1,230
3/4	11	5 1/4	193	9 3/4	480	14 1/4	836	18 3/4	1,242
7/8	13	5 3/8	200	9 7/8	490	14 3/8	847	18 7/8	1,254
1	16	5 1/2	206	10	499	14 1/2	857	19	1,266
1 1/8	19	5 5/8	213	10 1/8	508	14 5/8	868	19 1/8	1,278
1 1/4	23	5 3/4	220	10 1/4	517	14 3/4	879	19 1/4	1,290
1 3/8	26	5 7/8	228	10 3/8	526	14 7/8	890	19 3/8	1,302
1 1/2	30	6	235	10 1/2	536	15	901	19 1/2	1,314
1 5/8	34	6 1/8	242	10 5/8	545	15 1/8	911	19 5/8	1,326
1 3/4	37	6 1/4	249	10 3/4	554	15 1/4	922	19 3/4	1,338
1 7/8	42	6 3/8	257	10 7/8	564	15 3/8	933	19 7/8	1,350
2	46	6 1/2	264	11	573	15 1/2	944	20	1,362
2 1/8	50	6 5/8	272	11 1/8	583	15 5/8	955	20 1/8	1,374
2 1/4	55	6 3/4	280	11 1/4	593	15 3/4	966	20 1/4	1,386
2 3/8	59	6 7/8	287	11 3/8	602	15 7/8	977	20 3/8	1,399
2 1/2	64	7	295	11 1/2	612	16	989	20 1/2	1,411
2 5/8	69	7 1/8	303	11 5/8	622	16 1/8	1,000	20 5/8	1,423
2 3/4	74	7 1/4	311	11 3/4	631	16 1/4	1,011	20 3/4	1,435
2 7/8	79	7 3/8	319	11 7/8	641	16 3/8	1,022	20 7/8	1,448
3	84	7 1/2	327	12	651	16 1/2	1,034	21	1,460
3 1/8	89	7 5/8	335	12 1/8	661	16 5/8	1,045	21 1/8	1,473
3 1/4	94	7 3/4	343	12 1/4	671	16 3/4	1,056	21 1/4	1,485
3 3/8	100	7 7/8	351	12 3/8	681	16 7/8	1,068	21 3/8	1,497
3 1/2	105	8	359	12 1/2	691	17	1,079	21 1/2	1,510
3 5/8	111	8 1/8	367	12 5/8	701	17 1/8	1,090	21 5/8	1,522
3 3/4	117	8 1/4	376	12 3/4	711	17 1/4	1,102	21 3/4	1,535
3 7/8	123	8 3/8	384	12 7/8	721	17 3/8	1,113	21 7/8	1,547
4	129	8 1/2	393	13	732	17 1/2	1,125	22	1,560
4 1/8	135	8 5/8	401	13 1/8	742	17 5/8	1,136	22 1/8	1,573
4 1/4	141	8 3/4	410	13 1/4	752	17 3/4	1,148	22 1/4	1,585
4 3/8	147	8 7/8	418	13 3/8	763	17 7/8	1,160	22 3/8	1,598
4 1/2	153	9	427	13 1/2	773	18	1,171	22 1/2	1,610



Dipstick Calibration Chart 8' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
22 5/8	1,623	27 1/8	2,095	31 5/8	2,591	36 1/8	3,105	40 5/8	3,633
22 3/4	1,636	27 1/4	2,108	31 3/4	2,605	36 1/4	3,120	40 3/4	3,648
22 7/8	1,649	27 3/8	2,122	31 7/8	2,619	36 3/8	3,134	40 7/8	3,663
23	1,661	27 1/2	2,135	32	2,633	36 1/2	3,149	41	3,677
23 1/8	1,674	27 5/8	2,149	32 1/8	2,647	36 5/8	3,164	41 1/8	3,692
23 1/4	1,687	27 3/4	2,162	32 1/4	2,661	36 3/4	3,178	41 1/4	3,707
23 3/8	1,700	27 7/8	2,176	32 3/8	2,676	36 7/8	3,193	41 3/8	3,722
23 1/2	1,713	28	2,190	32 1/2	2,690	37	3,207	41 1/2	3,737
23 5/8	1,725	28 1/8	2,203	32 5/8	2,704	37 1/8	3,222	41 5/8	3,751
23 3/4	1,738	28 1/4	2,217	32 3/4	2,718	37 1/4	3,236	41 3/4	3,766
23 7/8	1,751	28 3/8	2,230	32 7/8	2,732	37 3/8	3,251	41 7/8	3,781
24	1,764	28 1/2	2,244	33	2,746	37 1/2	3,266	42	3,796
24 1/8	1,777	28 5/8	2,258	33 1/8	2,761	37 5/8	3,280	42 1/8	3,811
24 1/4	1,790	28 3/4	2,271	33 1/4	2,775	37 3/4	3,295	42 1/4	3,826
24 3/8	1,803	28 7/8	2,285	33 3/8	2,789	37 7/8	3,309	42 3/8	3,840
24 1/2	1,816	29	2,299	33 1/2	2,803	38	3,324	42 1/2	3,855
24 5/8	1,829	29 1/8	2,313	33 5/8	2,818	38 1/8	3,339	42 5/8	3,870
24 3/4	1,842	29 1/4	2,326	33 3/4	2,832	38 1/4	3,353	42 3/4	3,885
24 7/8	1,855	29 3/8	2,340	33 7/8	2,846	38 3/8	3,368	42 7/8	3,900
25	1,869	29 1/2	2,354	34	2,861	38 1/2	3,383	43	3,915
25 1/8	1,882	29 5/8	2,368	34 1/8	2,875	38 5/8	3,397	43 1/8	3,930
25 1/4	1,895	29 3/4	2,382	34 1/4	2,889	38 3/4	3,412	43 1/4	3,945
25 3/8	1,908	29 7/8	2,396	34 3/8	2,904	38 7/8	3,427	43 3/8	3,959
25 1/2	1,921	30	2,409	34 1/2	2,918	39	3,441	43 1/2	3,974
25 5/8	1,935	30 1/8	2,423	34 5/8	2,932	39 1/8	3,456	43 5/8	3,989
25 3/4	1,948	30 1/4	2,437	34 3/4	2,947	39 1/4	3,471	43 3/4	4,004
25 7/8	1,961	30 3/8	2,451	34 7/8	2,961	39 3/8	3,485	43 7/8	4,019
26	1,974	30 1/2	2,465	35	2,975	39 1/2	3,500	44	4,034
26 1/8	1,988	30 5/8	2,479	35 1/8	2,990	39 5/8	3,515	44 1/8	4,049
26 1/4	2,001	30 3/4	2,493	35 1/4	3,004	39 3/4	3,530	44 1/4	4,064
26 3/8	2,014	30 7/8	2,507	35 3/8	3,019	39 7/8	3,544	44 3/8	4,079
26 1/2	2,028	31	2,521	35 1/2	3,033	40	3,559	44 1/2	4,094
26 5/8	2,041	31 1/8	2,535	35 5/8	3,048	40 1/8	3,574	44 5/8	4,109
26 3/4	2,054	31 1/4	2,549	35 3/4	3,062	40 1/4	3,589	44 3/4	4,123
26 7/8	2,068	31 3/8	2,563	35 7/8	3,077	40 3/8	3,603	44 7/8	4,138
27	2,081	31 1/2	2,577	36	3,091	40 1/2	3,618	45	4,153



Dipstick Calibration Chart

8' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
45 1/8	4,168	49 5/8	4,707	54 1/8	5,243	58 5/8	5,773	63 1/8	6,292
45 1/4	4,183	49 3/4	4,722	54 1/4	5,258	58 3/4	5,788	63 1/4	6,306
45 3/8	4,198	49 7/8	4,737	54 3/8	5,273	58 7/8	5,803	63 3/8	6,320
45 1/2	4,213	50	4,751	54 1/2	5,288	59	5,817	63 1/2	6,335
45 5/8	4,228	50 1/8	4,766	54 5/8	5,303	59 1/8	5,832	63 5/8	6,349
45 3/4	4,243	50 1/4	4,781	54 3/4	5,317	59 1/4	5,846	63 3/4	6,363
45 7/8	4,258	50 3/8	4,796	54 7/8	5,332	59 3/8	5,861	63 7/8	6,377
46	4,273	50 1/2	4,811	55	5,347	59 1/2	5,875	64	6,391
46 1/8	4,288	50 5/8	4,826	55 1/8	5,362	59 5/8	5,890	64 1/8	6,405
46 1/4	4,303	50 3/4	4,841	55 1/4	5,377	59 3/4	5,904	64 1/4	6,419
46 3/8	4,318	50 7/8	4,856	55 3/8	5,391	59 7/8	5,919	64 3/8	6,433
46 1/2	4,333	51	4,871	55 1/2	5,406	60	5,933	64 1/2	6,447
46 5/8	4,348	51 1/8	4,886	55 5/8	5,421	60 1/8	5,948	64 5/8	6,461
46 3/4	4,363	51 1/4	4,901	55 3/4	5,436	60 1/4	5,962	64 3/4	6,475
46 7/8	4,378	51 3/8	4,916	55 7/8	5,450	60 3/8	5,977	64 7/8	6,489
47	4,392	51 1/2	4,931	56	5,465	60 1/2	5,991	65	6,503
47 1/8	4,407	51 5/8	4,946	56 1/8	5,480	60 5/8	6,006	65 1/8	6,517
47 1/4	4,422	51 3/4	4,961	56 1/4	5,495	60 3/4	6,020	65 1/4	6,531
47 3/8	4,437	51 7/8	4,975	56 3/8	5,509	60 7/8	6,034	65 3/8	6,545
47 1/2	4,452	52	4,990	56 1/2	5,524	61	6,049	65 1/2	6,559
47 5/8	4,467	52 1/8	5,005	56 5/8	5,539	61 1/8	6,063	65 5/8	6,573
47 3/4	4,482	52 1/4	5,020	56 3/4	5,554	61 1/4	6,078	65 3/4	6,587
47 7/8	4,497	52 3/8	5,035	56 7/8	5,568	61 3/8	6,092	65 7/8	6,601
48	4,512	52 1/2	5,050	57	5,583	61 1/2	6,106	66	6,615
48 1/8	4,527	52 5/8	5,065	57 1/8	5,598	61 5/8	6,121	66 1/8	6,629
48 1/4	4,542	52 3/4	5,080	57 1/4	5,612	61 3/4	6,135	66 1/4	6,643
48 3/8	4,557	52 7/8	5,095	57 3/8	5,627	61 7/8	6,149	66 3/8	6,656
48 1/2	4,572	53	5,110	57 1/2	5,642	62	6,164	66 1/2	6,670
48 5/8	4,587	53 1/8	5,124	57 5/8	5,656	62 1/8	6,178	66 5/8	6,684
48 3/4	4,602	53 1/4	5,139	57 3/4	5,671	62 1/4	6,192	66 3/4	6,698
48 7/8	4,617	53 3/8	5,154	57 7/8	5,686	62 3/8	6,207	66 7/8	6,712
49	4,632	53 1/2	5,169	58	5,700	62 1/2	6,221	67	6,725
49 1/8	4,647	53 5/8	5,184	58 1/8	5,715	62 5/8	6,235	67 1/8	6,739
49 1/4	4,662	53 3/4	5,199	58 1/4	5,730	62 3/4	6,249	67 1/4	6,753
49 3/8	4,677	53 7/8	5,214	58 3/8	5,744	62 7/8	6,264	67 3/8	6,766
49 1/2	4,692	54	5,228	58 1/2	5,759	63	6,278	67 1/2	6,780



Dipstick Calibration Chart 8' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
67 5/8	6,794	72 1/8	7,273	76 5/8	7,723	81 1/8	8,135	85 5/8	8,498
67 3/4	6,807	72 1/4	7,286	76 3/4	7,735	81 1/4	8,145	85 3/4	8,507
67 7/8	6,821	72 3/8	7,299	76 7/8	7,747	81 3/8	8,156	85 7/8	8,516
68	6,835	72 1/2	7,312	77	7,759	81 1/2	8,167	86	8,526
68 1/8	6,848	72 5/8	7,325	77 1/8	7,770	81 5/8	8,178	86 1/8	8,535
68 1/4	6,862	72 3/4	7,337	77 1/4	7,782	81 3/4	8,188	86 1/4	8,544
68 3/8	6,875	72 7/8	7,350	77 3/8	7,794	81 7/8	8,199	86 3/8	8,553
68 1/2	6,889	73	7,363	77 1/2	7,806	82	8,209	86 1/2	8,562
68 5/8	6,902	73 1/8	7,376	77 5/8	7,818	82 1/8	8,220	86 5/8	8,571
68 3/4	6,916	73 1/4	7,388	77 3/4	7,830	82 1/4	8,230	86 3/4	8,580
68 7/8	6,929	73 3/8	7,401	77 7/8	7,841	82 3/8	8,241	86 7/8	8,588
69	6,943	73 1/2	7,414	78	7,853	82 1/2	8,251	87	8,597
69 1/8	6,956	73 5/8	7,427	78 1/8	7,865	82 5/8	8,262	87 1/8	8,606
69 1/4	6,970	73 3/4	7,439	78 1/4	7,876	82 3/4	8,272	87 1/4	8,614
69 3/8	6,983	73 7/8	7,452	78 3/8	7,888	82 7/8	8,282	87 3/8	8,623
69 1/2	6,997	74	7,464	78 1/2	7,899	83	8,293	87 1/2	8,632
69 5/8	7,010	74 1/8	7,477	78 5/8	7,911	83 1/8	8,303	87 5/8	8,640
69 3/4	7,023	74 1/4	7,489	78 3/4	7,922	83 1/4	8,313	87 3/4	8,648
69 7/8	7,037	74 3/8	7,502	78 7/8	7,934	83 3/8	8,323	87 7/8	8,657
70	7,050	74 1/2	7,514	79	7,945	83 1/2	8,333	88	8,665
70 1/8	7,063	74 5/8	7,527	79 1/8	7,957	83 5/8	8,343	88 1/8	8,673
70 1/4	7,077	74 3/4	7,539	79 1/4	7,968	83 3/4	8,353	88 1/4	8,682
70 3/8	7,090	74 7/8	7,552	79 3/8	7,979	83 7/8	8,363	88 3/8	8,690
70 1/2	7,103	75	7,564	79 1/2	7,991	84	8,373	88 1/2	8,698
70 5/8	7,116	75 1/8	7,576	79 5/8	8,002	84 1/8	8,383	88 5/8	8,706
70 3/4	7,129	75 1/4	7,589	79 3/4	8,013	84 1/4	8,393	88 3/4	8,714
70 7/8	7,143	75 3/8	7,601	79 7/8	8,024	84 3/8	8,403	88 7/8	8,722
71	7,156	75 1/2	7,613	80	8,036	84 1/2	8,412	89	8,729
71 1/8	7,169	75 5/8	7,626	80 1/8	8,047	84 5/8	8,422	89 1/8	8,737
71 1/4	7,182	75 3/4	7,638	80 1/4	8,058	84 3/4	8,432	89 1/4	8,745
71 3/8	7,195	75 7/8	7,650	80 3/8	8,069	84 7/8	8,441	89 3/8	8,752
71 1/2	7,208	76	7,662	80 1/2	8,080	85	8,451	89 1/2	8,760
71 5/8	7,221	76 1/8	7,674	80 5/8	8,091	85 1/8	8,460	89 5/8	8,767
71 3/4	7,234	76 1/4	7,686	80 3/4	8,102	85 1/4	8,470	89 3/4	8,775
71 7/8	7,247	76 3/8	7,699	80 7/8	8,113	85 3/8	8,479	89 7/8	8,782
72	7,260	76 1/2	7,711	81	8,124	85 1/2	8,489	90	8,789



Dipstick Calibration Chart

8' x 9K Secondary Compartment

Dipstick [in]	QTY [Gallons]	Dipstick [in]	QTY [Gallons]
90 1/8	8,797	94 5/8	8,998
90 1/4	8,804	94 3/4	9,002
90 3/8	8,811	94 7/8	9,005
90 1/2	8,818	95	9,008
90 5/8	8,825	95 1/8	9,011
90 3/4	8,832	95 1/4	9,014
90 7/8	8,838	95 3/8	9,016
91	8,845	95 1/2	9,019
91 1/8	8,852	95 5/8	9,021
91 1/4	8,858	95 3/4	9,022
91 3/8	8,865	95 7/8	9,024
91 1/2	8,871	96	9,024
91 5/8	8,877		
91 3/4	8,883		
91 7/8	8,890		
92	8,896		
92 1/8	8,902		
92 1/4	8,907		
92 3/8	8,913		
92 1/2	8,919		
92 5/8	8,924		
92 3/4	8,930		
92 7/8	8,935		
93	8,940		
93 1/8	8,946		
93 1/4	8,951		
93 3/8	8,956		
93 1/2	8,960		
93 5/8	8,965		
93 3/4	8,970		
93 7/8	8,974		
94	8,979		
94 1/8	8,983		
94 1/4	8,987		
94 3/8	8,991		
94 1/2	8,995		